

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Kilco (International) Ltd.
Broomhouses 2 Industrial Estate
Old Glasgow Road
Lockerbie
Dumfriesshire
DG11 2SD

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Ready to Use Chlorhexidine 0.5% w/v, Teat Dip or Spray Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

ACTIVE: Chlorhexidine gluconate 0.5%w/v (added as 2.75% Chlorhexidine gluconate 20% solution)

EMOLLIENTS: Glycerol 10.00% w/v, Ethoxylated lanolin 0.5% w/v

4. PHARMACEUTICAL FORM

Teat Dip / Teat Spray Solution

5. PACKAGE SIZE

6. INDICATION(S)

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

9. TARGET SPECIES

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

A ready to use teat dip which is applied directly to the teats of cattle by either semi-automatic hand held spray equipment or by dipping using a teat cup containing the product.

Teat dipping: The product should be used directly from the container without dilution. Fill a teat cup two thirds full with the product. Dip teats of every cow immediately after milking ensuring that the full length of each teat is dipped. Refill the cup as necessary. Discard soiled dip solution. Teat dip cups should be emptied after milking and washed thoroughly before re-use. Wash and dry the udders and teats before the next milking.

Teat spraying: The product should be used directly from the container without dilution. Spray the full length of each teat after milking. Apply immediately after each milking.

Wash and dry the udders and teats before the next milking. If signs of disease persist or appear consult your veterinary surgeon.

11. ADVICE ON CORRECT ADMINISTRATION

Incompatible with Iodine-based teat dips and anionic preparations such as soaps.

12. WITHDRAWAL PERIOD

Meat – zero days / Milk – zero hours

13. SPECIAL STORAGE PRECAUTIONS

Store upright in tightly closed original container.

Store away from food, drink and animal feedstuffs.

Do not store above 25°C.

Protect from frost.

If the contents freeze, it is important that they are thoroughly thawed and mixed before use.

Protect from direct sunlight.

For one milking only when transferred to the teat dip cup.

Discard any remaining unused solutions at the end of each day.

14. SPECIAL WARNING(S)

When the product is used as a spray, avoid working in spray mist.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

If swallowed, seek medical advice immediately and show this container or label.

Keep away from food, drink and animal feeding stuffs.

Hands and exposed skin should be washed after using this product.

15. EXPIRY DATE

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority. To dispose of unused product to land, you must have an authorisation under the Groundwater Regulations 2009. Harmful to fish and other aquatic life. Do not contaminate ponds, waterways or ditches with the product or used container. The 200 and 1000 litre containers should only be used once and should not be returned for re-filling.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

AVM- GSL

For animal treatment only. For external use only.

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 21357/4017

21. MANUFACTURER’S BATCH NUMBER

22. OTHER INFORMATION

Approved: 08/01/2018

