



ASSURING THE SAFETY, QUALITY AND EFFICACY
OF VETERINARY MEDICINES

**Veterinary Medicinal Products
(dips, injectables, pour-ons, sprays and drenches)
authorised in the UK for use against ectoparasites in sheep**

**(Products that are no longer authorised may be used
until the expiry of their shelf life.)**

**The Summary of Product Characteristic can be found at the following link
<http://www.vmd.defra.gov.uk/ProductInformationDatabase/Default.aspx>**

This version was revised on: 15 May 2012

CONTENTS

Clicking on the links will take you to the first page of the relevant table.

TABLE	TITLE	PAGE
TABLE 1	ORGANOPHOSPHORUS SHEEP DIPS: PRODUCTS AVAILABLE FOR USE TO TREAT SHEEP SCAB	3
TABLE 2	INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB	4
TABLE 3	INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP (THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)	12
TABLE 4	SPRAYS AND POUR-ONS: PRODUCTS AVAILABLE FOR USE TO TREAT BLOWFLY STRIKE	15
TABLE 5	ORAL PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP	20
TABLE 6	EXPIRED PRODUCTS	27

TABLE 1

ORGANOPHOSPHORUS SHEEP DIPS: PRODUCTS AVAILABLE FOR USE TO TREAT SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD
<p>Osmonds Gold Fleece Sheep Dip 60% w/w concentrate for dip solution</p> <p>Vm 12597/4028</p> <p>Cross VetPharm Group Broomhill Road Tallaght Dublin 24 Republic of Ireland</p> <p>Tel: 0035 3145 1011 Fax: 0035 1451 1023 Website: www.bimeda.com</p>	<p>DIMPYLATE</p>	<p>For the prevention and treatment of blowfly strike, ticks, keds, lice and scab infestations on sheep.</p>	<p>70</p>	<p>Not to be used in animals producing milk for human consumption.</p>
<p>Paracide 62, Diazinon 62% w/v concentrate for dip emulsion</p> <p>Vm 14016/4007</p> <p>Animax Ltd. Shepherds Grove West Bury St. Edmunds Suffolk IP31 2AR</p> <p>Tel: 01359 252181 Fax: 01359 252182</p> <p>Email: products@animax-vet.com</p> <p>Website: www.animax-vet.com</p>	<p>DIMPYLATE</p>	<p>For the control of sheep scab, blowfly, ticks, keds and lice on sheep.</p>	<p>70</p>	<p>Not to be used in animals producing milk for human consumption.</p>

TABLE 2**INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
Closamectin Solution for Injection for Sheep Vm02000/4299 Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland Tel: 028 3026 0200 Fax: 028 3026 0201 Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/	IVERMECTIN CLOSANTEL	For the treatment of mixed trematode (fluke) and nematode or arthropod infestations due to gastrointestinal roundworms, trematodes, lungworms, nasal bots and mites of sheep. GASTROINTESTINAL ROUNDWORMS LUNGWORMS LIVER FLUKE (TREMATODES) NASAL BOTS MANGE MITES BENZIMIDAZOLE	28	Not permitted for use in animals producing milk for human consumption, including pregnant animals intended to produce milk for human consumption.
Cydectin 1% w/v solution for injectable solution for sheep Vm 00057/4351 Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ Tel: 01304 616161 Fax: 01737 332521 Email: UKVetLine@pfizer.com Website: http://www.only4vets.co.uk/	MOXIDECTIN	For prevention and treatment of Psoroptic mange (scab) Treatment and control of infections caused by moxidectin sensitive strains of: GASTRO-INTESTINAL NEMATODES: RESPIRATORY TRACT NEMATODE: LARVAE OF DIPTERA	70	Not to be used in animals producing milk for human consumption.

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Cydetin 2% w/v LA Solution for Injection for sheep</p> <p>Vm 00057/4366</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>MOXIDECTIN</p>	<p>Treatment and prevention of mixed infections of gastr-intestinal nematodes, respiratory nematodes and certain anthropods parasites in sheep.</p> <p>Moxidectin is indicated for treatment of infections caused by moxidectin sensitive strains of:</p> <p>GASTRO-INTESTINAL NEMATODES:</p> <p>RESPIRATORY TRACT NEMATODE:</p> <p>LARVAE OF DIPTERA</p> <p>MANGE MITES</p>	<p>104</p>	<p>Not permitted in dairy sheep at any stage of life.</p>
<p>Dectomax 10 mg/ml Solution for Injection for Cattle and Sheep</p> <p>Vm 00006/4121</p> <p>Eli Lilly & Company Ltd Elanco Animal Health Lilly House Priestley Road Basingstoke RG24 9NL</p> <p>Tel: 01256 315000 Fax: 01256 779467</p> <p>Website: www.elanco.com</p>	<p>DORAMECTIN</p>	<p>For treatment and control of <i>Psoroptes ovis</i> (sheep scab mite) and for the treatment and control of gastrointestinal roundworms, lungworms and nasal bots.</p>	<p>63</p>	<p>Not permitted for use in dairy ewes used to produce milk for human consumption</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

<p>PRODUCT NAME AND No.</p> <p>NAME OF AUTHORISATION HOLDER</p> <p>CONTACT ADDRESS AND TELEPHONE No.</p>	<p>ACTIVE SUBSTANCE</p>	<p>INDICATIONS FOR USE</p>	<p>MEAT WITHDRAWAL PERIOD IN DAYS</p>	<p>MILK WITHDRAWAL PERIOD IN DAYS</p>
<p>Ecomectin 10 mg/ml Solution for Injection</p> <p>Vm13277/4018</p> <p>ECO Animal Health Ltd 78 Coombe Rd NEW MALDEN Surrey KT3 4QS</p> <p>Tel: 020 8447 8899 Fax: 020 8447 9292</p> <p>Email: sales@ecoanimalhealth.com Website: www.ecoanimalhealth.com</p>	<p>IVERMECTIN</p>	<p>For the treatment of psoroptic mange (sheep scab), gastrointestinal nematodes, lungworms and nasal bots of sheep.</p> <p>GASTROINTESTINAL ROUNDWORMS (adults)</p> <p>LUNGWORMS:</p> <p>MANGE MITES:</p> <p>NASAL BOTS:</p>	<p>42</p>	<p>Do not use in lactating ewes producing milk for human consumption.</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

<p>PRODUCT NAME AND No.</p> <p>NAME OF AUTHORISATION HOLDER</p> <p>CONTACT ADDRESS AND TELEPHONE No.</p>	<p>ACTIVE SUBSTANCE</p>	<p>INDICATIONS FOR USE</p>	<p>MEAT WITHDRAWAL PERIOD IN DAYS</p>	<p>MILK WITHDRAWAL PERIOD IN DAYS</p>
<p>Ivomec Classic Injection for Cattle and Sheep</p> <p>Vm 08327/4188</p> <p>Merial Animal Health Ltd PO Box 327 Sandringham House Harlow Business Park HARLOW Essex CM19 5TG</p> <p>Tel: 01279 775858 Fax: 01279 775888 Email: ukenquiry@merial.com Website: www.merial.com</p>	<p>IVERMECTIN</p>	<p>For the effective treatment and control of the following parasites of sheep: Gastrointestinal Roundworms, Lungworms, Nasal Bots, Mange mites.</p>	<p>37</p>	<p>Not to be used in animals producing milk for human consumption.</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Molemec Injection for Cattle and Sheep 10mg/ml Solution for Injection</p> <p>Vm08327/4251</p> <p>Merial Animal Health Ltd PO Box 327 Sandringham House Harlow Business Park HARLOW Essex CM19 5TG</p> <p>Tel: 01279 775858 Fax: 01279 775888 Email: ukenquiry@merial.com Website: www.merial.com</p>	<p>IVERMECTIN</p>	<p>Indicated for the effective treatment and control of Gastrointestinal Roundworms, Lungworm, Nasel Bots & Mange Mites</p>	<p>37</p>	<p>Do not use in sheep producing milk for human consumption.</p>
<p>Noromectin 1% w/v Multi Injection solution for injection</p> <p>Vm 02000/4174</p> <p>Norbrook Laboratories Limited Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland</p> <p>Tel: 028 3026 0200 Fax: 028 3026 0201 Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p>IVERMECTIN</p>	<p>For the treatment and control of psoroptic mange (sheep scab), gastrointestinal nematodes, lungworms and nasal bots of sheep.</p>	<p>42</p>	<p>Not to be used in lactating ewes producing milk for human consumption.</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Panomec Injection for Cattle, Sheep and Pigs</p> <p>Vm 08327/4193</p> <p>Merial Animal Health PO Box 327 Sandringham House Harlow Business Park HARLOW Essex CM19 5TG</p> <p>Tel: 01279 775858 Fax: 01279 775888</p> <p>Email: ukenquiry@merial.com Website: www.merial.com</p>	<p>IVERMECTIN</p>	<p>For the effective treatment and control of the following harmful parasites of sheep.</p> <p>GASTROINTESTINAL ROUNDWORMS</p> <p>LUNGWORMS</p> <p>NASAL BOTS</p> <p>MANGE MITES.</p> <p>For the treatment and control of sheep scab, two injections with a seven-day interval are required to treat clinical signs of scab and to eliminate mites.</p>	<p>37</p>	<p>As no withholding period has been established, do not treat lactating ewes where milk is to be used for human consumption.</p>

TABLE 2 (Continued)
INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Paramectin Multi-Injection 1% solution for cattle, sheep and pigs.</p> <p>Vm02000/4261</p> <p>Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland</p> <p>Tel: 028 3026 0200 Fax: 028 3026 0201</p> <p>Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p align="center">IVERMECTIN</p>	<p>For the treatment and control of psoroptic mange (sheep scab), gastrointestinal nematodes, lungworms and nasal bots of sheep.</p>	<p align="center">42</p>	<p>Not to be used in lactating ewes producing milk for human consumption.</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Premadex 1% Injectable Solution for Cattle, Swine and Sheep</p> <p>Vm 16971/4009</p> <p>Virbac da Portugal Laboratorias Lda</p> <p>----- UK address:</p> <p>Virbac Ltd Woolpit Business Park Windmill Avenue Woolpit BURY ST EDMUNDS Suffolk IP30 9UP</p> <p>Tel : 01359 243243 Fax : 01359 243200</p>	<p>IVERMECTIN</p>	<p>Virbamec Injectable Solution for Cattle, Swine and Sheep is indicated for the treatment and control of gastrointestinal roundworms, lungworms, nasal bots and mange mites.</p> <p>For the treatment and control of sheep scab, two injections with a seven-day interval are required to treat clinical signs of scab and to eliminate mites.</p>	<p>42</p>	<p>As no milk withholding period has been established, do not treat lactating ewes where milk is to be used for human consumption.</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Qualimec 10mg/ml Solution for Injection</p> <p>Vm13277/4017</p> <p>ECO Animal Health Ltd 78 Coombe Rd NEW MALDEN Surrey KT3 4QS</p> <p>Tel: 020 8447 8899 Fax: 020 8447 9292</p> <p>Email: sales@ecoanimalhealth.com Website: www.ecoanimalhealth.com</p>	<p>IVERMECTIN</p>	<p>For the treatment of psoroptic mange (sheep scab), gastrointestinal nematodes, lungworms and nasal bots of sheep.</p> <p>GASTROINTESTINAL ROUNDWORMS (ADULTS):</p> <p>LUNGWORMS:</p> <p>MANGE MITES:</p> <p>NASAL BOT:</p>	<p>42</p>	<p>Do not use in lactating ewes producing milk for human consumption.</p> <p>Do not use in sheep which are intended to produce milk for human consumption within 60 days of lambing</p>

TABLE 2 (Continued)

INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL SHEEP SCAB

<p>PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.</p>	<p>ACTIVE SUBSTANCE</p>	<p>INDICATIONS FOR USE</p>	<p>MEAT WITHDRAWAL PERIOD IN DAYS</p>	<p>MILK WITHDRAWAL PERIOD IN DAYS</p>
<p>Zermex 1% w/v Injectable solution for sheep</p> <p>Vm 00057/4321</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>MOXIDECTIN</p>	<p>Prevention and treatment of Psoroptic mange (<i>Psoroptes ovis</i>):</p> <p>Clinical cure: 2 injections 10 days apart. Preventive efficacy: 1 injection.</p> <p>Treatment and control of infections caused by moxidectin sensitive strains of:</p> <p>Gastro-intestinal nematodes</p> <p>Respiratory tract nematode</p> <p>Not to be used in animals vaccinated against footrot.</p>	<p>70</p>	<p>Not for use in sheep producing milk for human consumption or industrial purposes, including the dry period.</p>
<p>Zermex 2% w/v Injectable solution for sheep</p> <p>Vm 00057/4301</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>MOXIDECTIN</p>	<p>Treatment and prevention of mixed infections of gastro-intestinal nematodes, respiratory nematodes and certain arthropod parasites in sheep.</p> <p>Moxidectin is indicated for treatment of infections caused by moxidectin sensitive strains of:</p> <ul style="list-style-type: none"> - Gastro-intestinal nematodes: - Larvae of Diptera - Respiratory tract nematodes - Mange mites 	<p>104</p>	<p>Do not use in dairy sheep, at any stage of life.</p>

TABLE 3

**INJECTABLE PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Bimectin 1% w/v Solution for Injection</p> <p>Vm 12597/4029</p> <p>Cross VetPharm Group Broomhill Road Tallaght Dublin 24 Republic of Ireland</p> <p>Tel: 0035 3145 1011 Fax: 0035 1451 1023 Website: www.bimeda.com</p>	<p align="center">IVERMECTIN</p>	<p>For the effective treatment and control of the following harmful parasites of sheep: Gastrointestinal roundworms; Lungworms and Nasal bots.</p>	<p align="center">42</p>	<p>Do not use in lactating sheep producing milk for human consumption.</p> <p>Do not use in sheep within 60 days of lambing where milk is to be used for human consumption.</p>
<p>Closiver Solution for Injection for Sheep</p> <p>Vm 02000/4298</p> <p>Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland</p> <p>Tel: 028 3026 0200 Fax: 028 3026 0201</p> <p>Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p align="center">IVERMECTIN CLOSANT</p>	<p>For the treatment of mixed trematode (fluke) and nematode or arthropod infestations due to gastrointestinal roundworms, trematodes, lungworms, nasal bots and mites of sheep.</p>	<p align="center">28</p>	<p>Not permitted for use in animals producing milk for human consumption, including pregnant animals intended to produce milk for human consumption.</p>

TABLE 4

**SPRAYS AND POUR-ONS - AVAILABLE FOR USE TO TREAT BLOWFLY STRIKE
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	METHOD OF APPLICATION	INDICATIONS FOR USE	SHEEP MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
Clik 5% Pour-On Suspension Vm 12501/4054 Novartis Animal Health UK Ltd Frimley Business Park Frimley Camberley Surrey GU16 7SR Tel: 01276 694402 Fax: 01276 694403	DICYCLANIL	Pour-on	For the long term prevention of blowfly strike on sheep (adults and lambs)	40 .	Do not treat sheep producing milk for human consumption.
CLiKZiN 1.25% pour on suspension for sheep Vm 12501/4171 Novartis Animal Health UK Ltd Frimley Business Park Frimley Camberley Surrey GU16 7SR Tel: 01276 694402 Fax: 01276 694403	DICYCLANIL	Pour-on	Prevention of blowfly strike on sheep due to <i>Lucilia sericata</i> .	7	Do not use on sheep producing milk for human consumption.

TABLE 4 (Continued)

**SPRAYS AND POUR-ONS - AVAILABLE FOR USE TO TREAT BLOWFLY STRIKE
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	METHOD OF APPLICATION	INDICATIONS FOR USE	SHEEP MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Crovect 1.25% w/v Pour On solution for sheep</p> <p>Vm 12501/4126</p> <p>Novartis Animal Health UK Ltd Frimley Business Park Frimley Camberley Surrey GU16 7SR</p> <p>Tel: 01276 694402 Fax: 01276 694403</p>	<p>CYPERMETHRIN</p>	<p>Pour-on</p>	<p>For the treatment and control of ticks, headflies and biting lice in sheep.</p> <p>For the prevention and treatment of blowfly strike in sheep.</p>	<p>8</p> <p>Animals must not be slaughtered for human consumption during treatment.</p>	<p>Not to be used in animals producing milk for human consumption.</p>
<p>Dysect Sheep Pour on, Alphacypermethrin 12.5g/l pour on solution</p> <p>Vm 00057/4414</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>ALPHA-CYPERMETHRIN</p>	<p>Pour-on</p>	<p>For the control and treatment of blowfly strike on sheep and lambs and for the treatment of lice and ticks on sheep. Reduces the incidence of headfly strike in sheep and lambs for up to 6 weeks.</p>	<p>28</p>	<p>Not to be used in animals producing milk for human consumption.</p>

TABLE 4 (Continued)

**SPRAYS AND POUR-ONS - AVAILABLE FOR USE TO TREAT BLOWFLY STRIKE
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	METHOD OF APPLICATION	INDICATIONS FOR USE	SHEEP MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
Ectofly 1.25% w/v pour-on solution for sheep Vm12597/4055 Cross VetPharm Group Broomhill Road Tallaght Dublin 24 Republic of Ireland Tel: 0035 3145 1011 Fax: 0035 1451 1023 Website: www.bimeda.com	CYPERMETHRIN	Pour-on	For the treatment and control of headflies, and treatment of ticks and biting lice in sheep. For the prevention and treatment of blowfly strike in sheep.	8	Not to be used in animals producing milk for human consumption.
Pfizer Spot On Insecticide 1% cutaneous solution Vm 00057/4278 Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ Tel: 01304 616161 Fax: 01737 332521 Email: UKVetLine@pfizer.com Website: http://www.only4vets.co.uk/	DELTAMETHRIN	Pour-on	As a topical application for the control of ticks, lice, keds and established blowfly strike on sheep.	35	Not to be used in animals producing milk for human consumption.

TABLE 4 (Continued)

**SPRAYS AND POUR-ONS - AVAILABLE FOR USE TO TREAT BLOWFLY STRIKE
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	METHOD OF APPLICATION	INDICATIONS FOR USE	SHEEP MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
Vetrazin 6% w/v Pour-On solution Vm 12501/4034 Novartis Animal Health UK Ltd Frimley Business Park Frimley Camberley Surrey GU16 7SR Tel: 01276 694402 Fax: 01276 694403	CYROMAZINE 6% (Non-OP)	Pour-on	For the prevention of blowfly strike in sheep and lambs for 10 weeks after dosing.	28	Not to be used in animals producing milk for human consumption.
Vectocert 1.25% w/v pour-on solution for sheep Vm12597/4059 Cross VetPharm Group Broomhill Road Tallaght Dublin 24 Republic of Ireland Tel: 0035 3145 1011 Fax: 0035 1451 1023 Website: www.bimeda.com	CYPERMETHRIN	Pour-on	For the treatment and control of headflies, and treatment of ticks and biting lice in sheep. For the prevention and treatment of blowfly strike in sheep.	8	Not to be administered to animals producing milk for human consumption.

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	METHOD OF APPLICATION	INDICATIONS FOR USE	SHEEP MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Zermasect Sheep Pour-On, Alphacypermethrin 12.5g/l pour on solution</p> <p>Vm 00057/4354</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>ALPHA-CYPERMETHRIN</p>	<p>Pour-on</p>	<p>For the control and treatment of blow fly strike, on sheep and lambs and for the treatment of lice and ticks on sheep. Reduces the incidence of headfly strike in sheep and lambs for up to 6 weeks.</p>	<p>28</p>	<p>Not to be used in animals producing milk for human consumption.</p>

TABLE 5

**ORAL PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Animec 0.8mg/ml Oral Solution For Sheep</p> <p>Vm 08749/4029</p> <p>Chanelle Pharmaceuticals Manufacturing Ltd Dublin Road Loughrea Co Galway Ireland</p> <p>Tel: 00 353 (0)91 841788 Fax: 00 353 (0)91 841303</p> <p>Email:sales@chanellegroup.ie</p>	<p align="center">IVERMECTIN</p>	<p>For the treatment of infections with the following parasites:</p> <p>Nematodes</p> <p>Gastrointestinal roundworms (adult and fourth larval stage)</p> <p>Lungworms(adult and fourth larval stage)</p> <p>Arthropods</p> <p>Nasal bot (all larval stages)</p>	<p align="center">10</p>	<p>Do not use in lactating sheep producing milk for human consumption.</p> <p>Sheep must not be treated within 60 days prior to the commencement of lactation, if milk is to be used for human consumption.</p>
<p>Chanimec 0.8mg/ml Oral Solution for Sheep</p> <p>Vm08749/4028</p> <p>Chanelle Pharmaceuticals Manufacturing Ltd Dublin Road Loughrea Co Galway Ireland</p> <p>Tel: 00 353 (0)91 841788 Fax: 00 353 (0)91 841303</p> <p>Email:sales@chanellegroup.ie</p>	<p align="center">IVERMECTIN</p>	<p>Indications for use, specifying the target species</p> <p>For the treatment of infections with the following parasites:</p> <p>NEMATODES</p> <p>GASTROINTESTINAL ROUNDWORMS</p> <p>LUNGWORMS</p> <p>ARTHROPODS</p> <p>NASAL BOT</p>	<p align="center">10</p>	<p>Do not use in lactating sheep producing milk for human consumption.</p> <p>Sheep must not be treated within 60 days prior to the commencement of lactation, if milk is to be used for human consumption.</p>

TABLE 5 (Continued)

**ORAL PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Cydectin 0.1% w/v Oral Drench For Sheep</p> <p>Vm 00057/4330</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p>	<p align="center">MOXIDECTIN</p>	<p>For the treatment of infections of sheep with parasites sensitive to moxidectin.</p> <p>For the treatment and prevention of infections caused by:</p> <p>ADULT AND IMMATURE GASTRO-INTESTINAL NEMATODES:</p> <p>ADULT RESPIRATORY TRACT NEMATODE</p> <p>The product has a persistent effect in preventing reinfection: for 5 weeks by <i>Ostertagia circumcincta</i> and <i>Haemonchus contortus</i> for 4 weeks by <i>Oesophagostomum columbianum</i>.</p>	<p align="center">14</p>	<p align="center">5</p>
<p>Cydectin TriclaMox 1mg/ml + 50 mg/ml Oral Solution For Sheep</p> <p>Vm 00057/4400</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p align="center">MOXIDECTIN</p>	<p>For the treatment of mixed nematode and fluke infections in sheep, caused by moxidectin and triclabendazole sensitive strains of</p> <p>Gastro-intestinal nematodes</p> <p>Respiratory tract nematode</p> <p>Liver fluke</p> <p>The product has a persistent efficacy and protects sheep against infection or re-infection with the following parasites for the period indicated:</p>	<p align="center">31</p>	<p align="center">Not to be used in animals producing milk for human consumption.</p>

TABLE 5 (Continued)

**ORAL PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Depidex Drench 0.08% w/v oral solution for sheep</p> <p>Vm 12501/4110</p> <p>Novartis Animal Health UK Ltd Frimley Business Park Frimley Camberley Surrey GU16 7SR</p> <p>Tel: 01276 694402 Fax: 01276 694403</p>	<p align="center">IVERMECTIN</p>	<p>The treatment and control of gastrointestinal nematodes, lungworms and nasal bots in sheep.</p>	<p align="center">14</p>	<p>Do not use in animals producing milk for human consumption</p>
<p>Molemec Drench for Sheep 0.8mg/ml Oral Solution</p> <p>Vm08327/4249</p> <p>Merial Animal Health PO Box 327 Sandringham House Harlow Business Park HARLOW Essex CM19 5TG</p> <p>Tel: 01279 775858 Fax: 01279 775888</p> <p>Email: ukenquiry@merial.com</p> <p>Website: www.merial.com</p>	<p align="center">IVERMECTIN</p>	<p>MOLEMEC Drench is indicated for the treatment and control of gastro-intestinal nematodes, lungworms and nasal bots of sheep.</p> <p>Gastro-intestinal roundworms (adult and immature):</p> <p>Lungworms (adult and immature):</p> <p>Nasal bot (all larval stages):</p>	<p align="center">6</p>	<p>Do not use in lactating animals producing milk for human consumption.</p> <p>If milk is to be used for human consumption animals should not be treated within 60 days prior to the commencement of lactation.</p>

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Noromectin Drench 0.08% w/v drench oral solution</p> <p>Vm02000/4184</p> <p>Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland</p> <p>Tel: 028 3026 0200 Fax: 028 3026 0201</p> <p>Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p>IVERMECTIN</p>	<p>The treatment and control :</p> <p>GASTROINTESTINAL WORMS (ADULT AND IMMATURE):</p> <p>LUNGWORMS (ADULT AND IMMATURE):</p> <p>NASAL BOT (ALL LARVAL STATUS):</p>	<p>14</p>	<p>Contraindicated in sheep producing milk for human consumption.</p>
<p>Oramec Drench</p> <p>Vm 08327/4191</p> <p>Merial Animal Health PO Box 327 Sandringham House Harlow Business Park HARLOW Essex CM19 5TG</p> <p>Tel: 01279 775858 Fax: 01279 775888</p> <p>Email: ukenquiry@merial.com Website: www.merial.com</p>	<p>IVERMECTIN</p>	<p>For the treatment and control of gastro-intestinal nematodes, lungworms and nasal bots of sheep.</p>	<p>6</p>	<p>Do not use in lactating animals producing milk for human consumption. If milk is to be used for human consumption animals should not be treated within 60 days prior to the commencement of lactation.</p>

TABLE 5 (Continued)

**ORAL PRODUCTS: PRODUCTS AVAILABLE FOR USE TO TREAT AND CONTROL INFESTATION OF SHEEP
(THESE PRODUCTS ARE NOT AUTHORISED FOR USE AGAINST SHEEP SCAB)**

PRODUCT NAME AND No. NAME OF AUTHORISATION HOLDER CONTACT ADDRESS AND TELEPHONE No.	ACTIVE SUBSTANCE	INDICATIONS FOR USE	MEAT WITHDRAWAL PERIOD IN DAYS	MILK WITHDRAWAL PERIOD IN DAYS
<p>Paramectin Drench 0.8%w/v Oral Solution Vm02000/4263 Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland Tel: 028 3026 0200 Fax: 028 3026 0201</p> <p>Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p align="center">IVERMECTIN</p>	<p>The treatment and control of gastrointestinal nematodes, and lungworms and nasal bots of sheep.</p>	<p align="center">14</p>	<p align="center">Do not use in animals producing milk for human consumption</p>

<p>Topimec 0.8 mg/ml Oral Solution for Sheep</p> <p>Vm 08749/4027</p> <p>Chanelle Pharmaceuticals Manufacturing Ltd Dublin Road Loughrea Co Galway Ireland</p> <p>Tel: 00 353 (0)91 841788 Fax: 00 353 (0)91 841303</p> <p>Email:sales@chanellegroup.ie</p>	<p>IVERMECTIN</p>	<p>For the treatment of infections with the following parasites:</p> <p>Nematodes</p> <p>Gastrointestinal roundworms (adult and fourth larval stage)</p> <p>Lungworms(adult and fourth larval stage)</p> <p>Arthropods</p> <p>Nasal bot (all larval stages)</p>	<p>10</p>	<p>Do not use in lactating sheep producing milk for human consumption.</p> <p>Sheep must not be treated within 60 days prior to the commencement of lactation, if milk is to be used for human consumption.</p>
<p>Vectin 0.08% w/v oral solution sheep wormer</p> <p>Vm 02000/4198</p> <p>Norbrook Laboratories Ltd Station Works Camlough Road NEWRY Co Down BT35 6JP Northern Ireland</p> <p>Tel: 028 3026 0200 Fax: 028 3026 0201</p> <p>Email: enquiries@norbrook.co.uk Website: http://www.norbrook.co.uk/</p>	<p>IVERMECTIN</p>	<p>The treatment and control of gastrointestinal nematodes, and lungworms and nasal bots of sheep.</p> <p>GASTROINTESTINAL WORMS (ADULT AND IMMATURE):</p> <p>LUNGWORMS (ADULT AND IMMATURE):</p> <p>NASAL BOTS (ALL LARVAL STAGES):</p>	<p>14</p>	<p>Do not use in animals producing milk for human consumption</p>

<p>Zermex 0.1% w/v Oral Drench for Sheep Vm 00057/4339</p> <p>Pfizer Limited Ramsgate Road SANDWICH Kent CT13 9NJ</p> <p>Tel: 01304 616161 Fax: 01737 332521</p> <p>Email: UKVetLine@pfizer.com</p> <p>Website: http://www.only4vets.co.uk/</p>	<p>MOXIDECTIN</p>	<p>Infection caused by parasites sensitive to Moxidectin.</p> <p>For the treatment and prevention of infections caused by:</p> <p>ADULT AND IMMATURE GASTRO-INTESTINAL NEMATODES ADULT RESPIRATORY TRACT NEMATODES</p> <p>Zermex Oral Drench has a persistent effect in preventing reinfection: for 5 weeks by <i>Ostertagia circumcincta</i> and <i>haemonchus</i></p>	<p>14</p>	<p>5</p>
--	--------------------------	---	-----------	----------

TABLE 6**EXPIRED PRODUCTS**

The following table lists the products for which the marketing authorisations expired in the last 3 years. Where known we have included either the expiry date, or an indication of the length, of the shelf life for the relevant products.

Product Name and Number	Company	Category	Expiry date of Authorisation	Expiry date of shelf life
Ecomec 1% Solution for Injection <u>Vm 12597/4032</u>	Cross VetPharm Group	POM-VPS	21/09/09	21/09/12
Coopers Ectoforce Sheep Dip 60% w/w concentrate for dip solution Vm 00201/4168	Schering-Plough Animal Health	POM-VPS	25/11/11	25/11/14