

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

DeLaval NV, Industriepark-Drongen 10, 9031 Gent, Belgium

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

QuarterMate, 0.1% w/w Teat Dip or Teat Spray Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Active ingredient: Iodine 0,1% w/w available iodine 1000ppm

Free iodine 2-6 ppm

4. PHARMACEUTICAL FORM

Teat dip or spray solution

5. PACKAGE SIZE

6. INDICATION(S)

Pre-milking teat dip, as part of a complete mastitis prevention programme. QuarterMate provides the germicidal effectiveness you demand in a pre-dip plus the fast action necessary to make pre-dipping a practical tool in your mastitis prevention programme.

- rapid acting solution
- ready-to-use, no unnecessary mixing
- enhanced stability & power
- naturally mild formulation

Advanced free iodine technology, as an aid in the control of mastitis in lactating dairy cattle. Compared to conventional 1% iodine teat dips, QuarterMate has one tenth the active ingredient but three to four times the killing speed and power.

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

9. TARGET SPECIES

Dairy cows

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Directions for use:

- Use at full strength do not dilute
- Do not mix with other chemicals
- Ensure that all equipment and containers used for decanting not more than enough product for use that day, are fit for purpose, clean, emptied after use and washed before re-use.
- Before starting or continuing to use QuarterMate, consult your veterinarian if cows' teats are sore or chapped.
- Meat/Milk withdrawal period: zero days/hours.

Pre-dipping:

- Make sure udder is clean and dry.
- Clean teats and strip foremilk. If water is used, use minimal amount.
- Thoroughly dry with clean single service paper towel.
- Dip or spray cows' teats with QuarterMate pre-dip.
- Allow 15-30 seconds contact time.
- To avoid contamination of milk with QuarterMate it is important to wipe and dry teats thoroughly using clean single service paper towel.
- Attach milker unit.

11. ADVICE ON CORRECT ADMINISTRATION

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Store upright in the tightly closed original container. Keep container closed when not in use. Do not re-use empty container. Protect from light. Do not store above 25°C. Store in a dry place. Store away from food, drinks and animal feed stuffs

14. SPECIAL WARNING(S)

For external use only

Avoid working in spray mist. In case of ingestion drink large quantities of water and obtain medical attention as soon as possible. In case of contact with eyes rinse immediately with water (for at least 15 minutes) and seek medical advice. Do not eat, drink or smoke whilst using this product. Wash hands after use. If signs of disease persist or appear, consult your veterinary surgeon.

15. EXPIRY DATE

See label top of container

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority. To dispose of unused product to land you must have an authorisation under the Groundwater Regulations 1998. Harmful to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the product or empty container.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

AVM- GSL

For animal treatment only

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 17140/4004

21. MANUFACTURER’S BATCH NUMBER

See label top of container


22. OTHER INFORMATION

Available in 10, 20, 200 or 1000 litre presentations. Not all pack sizes may be marketed

Transport emergencies: for UK transport emergencies phone 01865 407333, safety category 7

Pictograms showing how to use product.

Approved: 18/01/2018

A handwritten signature in black ink, appearing to read 'J. Long'.