

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

KILCO (INTERNATIONAL), BROOMHOUSES 2 INDUSTRIAL ESTATE, OLD GLASGOW ROAD, LOCKERBIE, DG11 2SD

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Ready To Use Iodine 0.5% w/v, Teat Dip or Spray Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

ACTIVE INGREDIENT: 0.5% w/v Iodine

EMOLLIENTS: 10.00% w/v Glycerol, 0.5% w/v Ethoxylated lanolin

4. PHARMACEUTICAL FORM

Teat dip/spray solution

5. PACKAGE SIZE

6. INDICATION(S)

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

If signs of disease persist, or if you notice any serious effects or other effects not mentioned here, please inform your veterinary surgeon.

9. TARGET SPECIES

Dairy cows

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

INSTRUCTIONS FOR USE

The product is a ready-to-use teat dip that is applied directly to the teats of dairy cattle by either semi-automatic hand held spray equipment or by dipping using the teat cup containing the product.

TEAT DIPPING

1. The product should be used directly from the container without dilution.

2. Fill a teat cup two thirds full with the product.
3. After each cow has been milked, dip each teat ensuring that the entire surface of the teat comes into contact with the product.
4. Refill the teat cup as necessary.
5. Discard soiled teat solution.
6. Teat cups should be emptied after milking and washed thoroughly before re-use.
7. Wash and dry udders and teats before the next milking.

TEAT SPRAYING

1. The product should be used directly from the container without dilution.
2. Spray the full length of each teat after milking. Apply immediately after each milking.
3. Wash and dry udders and teats before each milking

UDDER WASHING

When the teats are dirty, clean them in a paper towel soaked in 25ml of product in 2.5 litres of clean water. When mastitis is in the herd use 25ml of product in 1.25 litres of clean water. Prepare a fresh solution daily. Use one disposable paper towel for each cow.

11. ADVICE ON CORRECT ADMINISTRATION

12. WITHDRAWAL PERIOD

Withdrawal periods: Meat - zero days / Milk - zero hours

13. SPECIAL STORAGE PRECAUTIONS

Keep away from food, drink and animal feedstuffs

For one milking only when transferred to teat dip cup.

Do not store above 25°C.

Protect from direct sunlight.

Keep out of the reach of children.

14. SPECIAL WARNING(S)

When using as a spray, avoid working in spray mist.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this label.

Hands and exposed skin should be washed after using this product.

Do not eat, drink or smoke while using the product.

15. EXPIRY DATE

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority. To dispose of unused product to land, you must have an authorisation under the Groundwater Regulations 1998. Do not contaminate ponds, waterways or ditches with the product or used container.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

AVM- GSL

For animal treatment only.

For external use only

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 21357/4001

21. MANUFACTURER’S BATCH NUMBER

22. OTHER INFORMATION

Approved: 08/01/2018

