

**MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

KL Pharmaceutical Limited

21 Macadam Place

South Newmoor

Irvine

Ayrshire

KA11 4HP

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Kaolin Poultice B.P.

**3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS**

Kaolin (Sterilised)	52.7%
Thymol	0.05%
Boric Acid	4.5%
Peppermint Oil	0.05%
Methyl Salicylate	0.2%
Glycerol	42.5%

**4. PHARMACEUTICAL FORM**

Poultice

**5. PACKAGE SIZE**

**6. INDICATION(S)**

As an aid in the reduction of inflammation and to alleviate pain in horses.

**7. CONTRAINDICATIONS**

**8. ADVERSE REACTIONS**

**9. TARGET SPECIES**

Horses

## **10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION**

### Hot

Take the required amount of poultice from the tub and put into a container suitable for heating. Place the container in hot water making sure that no water can get into the poultice. Stir thoroughly, making sure that the poultice is heated evenly, then spread thickly onto lint or any other suitable material. Apply to the affected area and bandage lightly. The poultice may be left on for 12 – 24 hours (according to veterinary advice) and then wash off to remove.

### Natural

Kaolin Poultice may also be used straight from the tub. No heating or cooling is required. Take the required amount of poultice from the tub and spread thickly onto lint or any other suitable material and bandage to the affected area. Wash off to remove.

### Cold

Take the required amount of poultice from the tub and spread thickly onto lint or any other suitable material. Place in a fridge to chill to the required temperature. Bandage to the affected area. Wash off to remove.

## **11. ADVICE ON CORRECT ADMINISTRATION**

Use as directed, or as instructed by a veterinarian

Test the temperature of the poultice before applying to the affected area. If signs of disease persist or appear, consult a veterinary surgeon.

Ensure that the bandage is not applied too tightly so as not to constrict circulation.

## **12. WITHDRAWAL PERIOD**

Not to be used in horses intended for human consumption. Treated horses may never be slaughtered for human consumption. The horse must have been declared as not intended for human consumption under national horse passport legislation.

## **13. SPECIAL STORAGE PRECAUTIONS**

Do not store above 30 °C

Store in the original container. Keep the container tightly closed

## **14. SPECIAL WARNING(S)**

This product may cause skin and eye irritation. Avoid contact with skin and eyes.

Wear impervious gloves when using the product.

In the event of contact with the eyes, rinse immediately with plenty of clean water for several minutes. Seek medical attention if irritation persists.

In the event of contact with the skin, rinse immediately with plenty of clean water. Seek medical attention if irritation persists.

Wash hands and exposed skin thoroughly after use.

#### **15. EXPIRY DATE**

#### **16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

#### **17. DATE ON WHICH THE LABEL WAS LAST APPROVED**

#### **18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

*[Distribution category]*

For animal treatment only

AVM- GSL
-------------

For external use only

#### **19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

#### **20. MARKETING AUTHORISATION NUMBER(S)**

**Vm 03436/4001**

#### **21. MANUFACTURER’S BATCH NUMBER**

**Approved: 08/01/2018**

