

## **Post Authorisation Assessments**

## Paramectin 0.5% w/v Pour-on Solution Vm 02000/4197

|   | I                |  |
|---|------------------|--|
| • | 21 March 2023    | Dimensions of the new 1 L container closure of a non-<br>sterile finished product.   |
|   |                  | Change in dimensions of a container of a non-sterile   |
|   |                  | finished product.<br>Change in dimensions of a container of a non-sterile  |
|   |                  | finished product.  |
| • | 09 March 2023    | Editorial changes to part 2 of the dossier.  |
|   |                  | Editorial changes to part 2 of the dossier.  |
| • | 01 March 2023    | Addition of a new 1 L spot-on presentation for the   |
|   |                  | finished product.  |
| • | 28 October 2022  | Change in distributor details from Norbrook Laboratories<br>(GB) Ltd, 1 Saxon Way East, Oakley Hay Industrial<br>Estate, Corby, Northamptonshire, NN18 9EX, United<br>Kingdom to Norbrook Laboratories Limited, Carnbane<br>Industrial Estate, Newry,Co Down, BT35 6QQ, Northern<br>Ireland. |
| • | 02 August 2022   | Deletion of certificates of suitability for an active substance.   |
| • | 06 May 2022      | Change(s) in the SPC, labelling or package leaflet<br>intended to implement the outcome of pharmacovigilance<br>assessment.  |
| • | 30 July 2019     | Change in the QPPV of an existing pharmacovigilance<br>system as described in the DDPS.<br>Change of the back-up procedure of the QPPV of an<br>existing pharmacovigilance system as described in the  |
|   |                  | existing pharmacovigilance system as described in the DDPS.  |
| • | 28 June 2019     | Increase in the shelf-life of the finished product as packaged for sale, from 1 year to 2 years.   |
| • | 21 November 2018 | Change in the specification parameters and limits of an excipient.   |
| • | 02 August 2018   | Change in shape or dimensions of the container or closure (immediate packaging)  |
| • | 12 June 2017     | Addition of a new specification parameter to the<br>specification with its corresponding test method of the<br>finished product.<br>Update of the dossier to comply with the provisions of an<br>updated general monograph of the Ph. Eur for the<br>finished product.                       |
| • | 21 November 2016 | Changes to a test procedure (including replacement or addition)  |
| • | 21 August 2015   | Submission of an updated certificate of suitability.   |
| • | 11 December 2012 | Variation concerning the submission of two new and one   |
|   |                  |  |

|   |                  | updated Ph. Eur. Certificate of Suitability.  |
|---|------------------|---|
| • | 17 December 2008 | Variation to bring the SPC/Labelling in line with the Veterinary Regulations, 2005. |
| • | 24 July 2007     | Renewal.  |
| • | 28 February 2007 | Change of the legal category from PML to POM-VPS.                                   |
| • | 27 July 2006     | Change in shape and dimensions of the product container.                            |
| • | 23 November 2005 | Addition of a site of secondary assembly.   |
| • | 12 March 2001    | New Marketing Authorisation.  |