Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Telephone +44 (0)1932 336911

Post Authorisation Assessments

Molecare Dog Wormer Tablets Vm 40162/4002

•	19 December 2022	Other changes to the active substance: - Substantial
		changes in the updated version of the ASMF or the
		active substance part of the dossier.
•	14 July 2022	Updated certificate of suitability from an already
	0.7.1	approved manufacturer.
•	07 June 2022	Deletion of a certificate of suitability for an active
	07 1 0000	substance.
•	07 June 2022	Deletion of a manufacturing site for an active substance.
•	07 June 2022	Updated certificate of suitability for an active substance
	01 June 2022	from an already approved manufacturer.
•	01 June 2022	Deletion of a certificate of suitability for an active substance.
•	01 June 2022	New certificate of suitability for an active substance from
	OT BUILD ZUZZ	a new manufacturer.
•	04 July 2019	Submission of an updated Ph. Eur. certificate of
	0.00., 20.0	suitability for an active substance from an already
		approved manufacturer.
•	29 November 2018	Submission of a new Ph. Eur. certificate of suitability for
		an active substance from an already approved
		manufacturer.
•	17 August 2018	Updates to the SPC following a periodic safety update report.
•	24 July 2018	Update to the active substance master file.
•	04 January 2018	Submission of a new Ph. Eur. certificate of suitability for an active substance.
•	14 June 2017	Renewal
_	20 January 2017	Addition of a new Ph. Eur. certificate of suitability for an
•	20 January 2017	active substance from a new manufacturer.
•	29 May 2014	Approval of mock-ups.
	15 April 2014	Change of the name of the veterinary medicnal product
	10 / (p) 11 20 17	from 'Rofectan Plus Tablets for Dogs' to 'Molecare Dog
		Wormer Tablets'.
•	15 April 2014	Addition of a distributor
•	07 June 2013	Addition of a manufacturer of febantel.
•	24 January 2013	Submission of an update Ph. Eur. certificate of suitability
		from an already approved manufacturer of the active
		substance febantel.