Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Telephone +44 (0)1932 336911

Post Authorisation Assessments

Kesium 500 mg / 125 mg Chewable Tablets for Dogs $\,$ Vm 15052/4135

| • | 12 June 2023 | Change in pack size of the finished product: - Change in the number of units in a pack outside the range of the currently approved pack sizes. |
|---|-------------------|--|
| • | 22 March 2023 | Deletion of a non-significant in-process tests during the manufacture of the finished product. |
| • | March 2023 | Minor change in the manufacturing process of the finished product. |
| • | 18 October 2022 | Change in the address of the MAH from Unit 3 Anglo Office Park, White Lion Road Amersham, Buckinghamshire HP7 9FB to Explorer House, Mercury Park, Wycombe Lane, Wooburn Green, High Wycombe, Buckinghamshire, HP10 0HH, United Kingdom. |
| • | 07 October 2021 | Changes to the labelling and package leaflet. |
| • | 06 October 2021 | Change in the SPC, labelling or package leaflet due to new data. |
| • | 10 September 2021 | Addition of a site where batch control/testing takes place. Addition of a primary packaging site of the finished product. Increase in batch size (from 160.000 tablets (300kg), 100.000 tablets (187.5kg) to Pencef site: 160.000 tablets (300kg) /100.000 tablets (187.5kg) Ceva site: 120/250/285/500 kg of final blend bulk) of the finished product. Minor change in the manufacturing process of an immediate release solid oral dosage form. Addition of a manufacturing site of the finished product. |
| • | 10 September 2021 | Minor changes to an approved test procedure of the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. Changes to a test procedure for the finished product. |
| • | 15 July 2021 | Deletion of a non-significant specification parameter of the immediate packaging of the finished product. |
| • | 06 July 2021 | Deletion of a non-significant specification parameter of an excipient. Deletion of a non-significant specification parameter of |

| | I | |
|---|---|---|
| | | an excipient. Minor change to an approved test procedure for an |
| | | excipient. |
| | | Minor change to an approved test procedure for an excipient. |
| • | 17 June 2021 | Change in the invented name of the veterinary medicinal |
| | | product from Kesium 625 mg Chewable Tablets for Dogs to Kesium 500 mg / 125 mg Chewable Tablets for Dogs. |
| • | 03 March 2021 | Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer. |
| • | 03 April 2020 | Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer. |
| • | 24 July 2018 | Change in the invented name of the veterinary medicinal product in DK only. |
| • | 12 June 2018 | Change in the address of the manufacturer of the |
| | | finished product. Deletion of a manufacturing site responsible for batch release. |
| | | Submission of an updated Ph. Eur. certificate of |
| | | suitability for an active substance from an already approved manufacturer. |
| | | Submission of an updated Ph. Eur. certificate of |
| | | suitability for an active substance from an already |
| | 16 May 2018 | approved manufacturer. Renewal – UK as CMS. |
| • | 19 September 2017 | Change in the QPPV of an existing pharmacovigilance |
| | 10 000111111111111111111111111111111111 | system as described in the DDPS. |
| | | Change of the back-up procedure of the QPPV of an |
| | | existing pharmacovigilance system as described in the DDPS. |
| • | 09 November 2016 | Change in the name of a manufacturer of the finished |
| | | product. Change in the name of a manufacturer of the finished |
| | | product including manufacturer responsible for batch |
| | | release. |
| | | Change in the name of a manufacturer of the finished product including manufacturer responsible for batch |
| | | release. |
| • | 21 October 2016 | Mock-ups approved. |
| | | Change in distributor details from Alstoe Ltd to Ceva Animal Health Ltd. |
| • | 19 August 2016 | Change of Marketing Authorisation Holder from Sogeval to Ceva Animal Health Ltd. |
| • | 09 August 2016 | Submission of an updated certificate of suitability. |
| • | 29 June 2016 | Introduction of a new pharmacovigilance system which |
| | | has been assessed by the relevant national competent authority/EMA for another product of the same MAH. |
| • | 16 February 2016 | Submission of an updated Ph. Eur. certificate of |
| | | suitability. |
| • | 4 December 2015 | Deletion of a Ph. Eur. certificate of suitability Replacement of a secondary packaging site. |
| | | i |

| • | 28 November 2014 | To increase the shelf-life of the veterinary medicinal |
|---|------------------|--|
| | | product as packaged for sale, from 24 months to 36 |
| | | months. |