



## Post Authorisation Assessments

### Exflow 10 mg/g Powder for Use in Drinking Water for Cattle (Calves), Pigs, Chickens, Turkeys and Ducks Vm 15052/4073

•	28 September 2022	Change in the MAH address, from Ceva Animal Health Ltd, Unit 3, Anglo Office Park, White Lion Road, Amersham, Buckinghamshire, HP7 9FB to Ceva Animal Health Ltd, Explorer House, Mercury Park, Wycombe Lane, Wooburn Green, High Wycombe, Buckinghamshire, HP10 0HH, United Kingdom.
•	05 August 2020	Renewal - UK as CMS.
•	16 December 2019	Change in the specification limits of an active substance.
•	05 November 2019	Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer.
•	19 September 2017	Change in the QPPV of an existing pharmacovigilance system as described in the DDPS. Change of the back-up procedure of the QPPV of an existing pharmacovigilance system as described in the DDPS.
•	16 March 2017	Increase in the shelf-life of the finished product as packaged for sale, from 30 months to 3 years.
•	02 March 2017	Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer. Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer.
•	01 November 2016	Change in the name of a manufacturer of the finished product including manufacturer responsible for batch release.
•	11 May 2016	Change in shape or dimensions of the container or closure (immediate packaging).
•	02 December 2015	Approval of mock-ups for the 2.5 kg presentation.