

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGING WHERE THERE IS NO PACKAGE LEAFLET, i.e. Combined label and package leaflet
12kg bag

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Flubenvet 5 % w/w Premix for Medicated Feeding Stuff

2. COMPOSITION

Each gram of white premix contains: 50 mg flubendazole

3. PACKAGE SIZE

12 kg

4. TARGET SPECIES

Pheasants, partridges, chickens, geese and turkeys

5. INDICATIONS FOR USE

Indications for use

Oral broad spectrum wormer for gamebirds and poultry

Effective against mature and immature stages and eggs of the following nematodes of the gastrointestinal and respiratory tract:

Ascaridia galli (large roundworm)
Heterakis gallinarum (caecal worm)
Capillaria spp. (hair worm)
Amidostomum anseris (gizzard worm)
Trichostrongylus tenuis
Syngamus trachea (gapeworm).

Flubendazole has no adverse effect on egg-laying or hatchability.

6. CONTRAINDICATIONS

Contraindications

7. SPECIAL WARNINGS

Special warnings

The veterinary medicinal product may only be incorporated by approved manufacturers at the above incorporation rates.

The veterinary medicinal product can be incorporated into pelleted feed preconditioned with steam for up to 5 minutes at a temperature of 77 °C and can withstand pelleting temperatures up to 116 °C.

Special precautions to be taken by the person administering the veterinary medicinal product to animals:

Accidental ingestion by humans should be avoided.

This product may cause sensitisation by skin contact and may cause skin and eye irritation. Avoid direct skin contact.

Personal protective equipment consisting of overalls, safety glasses and impervious gloves should be worn when mixing and handling the product.

In case of skin contact, wash the affected area with water. In case of eye contact, rinse thoroughly and immediately with water.

To avoid exposure to dust, personal protective equipment consisting of a disposable filter and half-mask respirator conforming to European Standard EN149, or a non-disposable respirator to European Standard EN140 fitted with a filter to EN143 should be worn when handling the product.

Overdose:

Flubendazole is an analog of mebendazole for which the side effects of overdose include transient gastrointestinal abnormalities.

8. ADVERSE EVENTS

Adverse events

Pheasants, partridges, chickens, geese and turkeys:

None known.

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed on this label, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder using the contact details on this label, or via your national reporting system at:

Website: <https://www.gov.uk/report-veterinary-medicine-problem/animal-reacts-medicine>

e-mail: adverse.events@vmd.gov.uk

9. DOSAGE FOR EACH TARGET SPECIES, ROUTES AND METHOD OF ADMINISTRATION

Dosage for each species, routes and method of administration

For incorporation into dry feed at a registered mill.

A manufacturer who is approved to incorporate directly at any concentration, veterinary medicinal products or premixtures containing such products, must be responsible for mixing when incorporation is less than 2 kg per tonne for final feed.

Dosage

Pheasants and Partridges:

1.2 kg of the veterinary medicinal product per tonne of feed (equivalent to 60 ppm flubendazole).

Treat for 7 consecutive days.

Chickens and Geese:

600 g of the veterinary medicinal product per tonne of feed (equivalent to 30 ppm flubendazole).

Treat for 7 consecutive days.

Turkeys:

400 g of the veterinary medicinal product per tonne of feed (equivalent to 20 ppm flubendazole).

Treat for 7 consecutive days.

Incorporation

Add the required amount of the veterinary medicinal product to at least 5 kg of one of the feed ingredients and mix well.

Thoroughly mix this premix with the remaining ingredients, making in all one tonne of medicated feed, which can then be fed as pellets, mini-pellets, starter pellets or crumbs.

Treatment frequency

On infected premises, treatment at 3 weekly intervals may be necessary to control infestations.

10. ADVICE ON CORRECT ADMINISTRATION

Advice on correct administration

11. WITHDRAWAL PERIODS

Withdrawal periods

Meat and offal: 7 days

Eggs: Chickens: zero days

Not authorised for use in pheasants, partridges, geese and turkeys producing eggs for human consumption.

12. SPECIAL STORAGE PRECAUTIONS

Special storage precautions

Keep out of the sight and reach of children.

Do not store above 25 °C.
Store in tightly closed original containers.

Do not use this veterinary medicinal product after the expiry date which is stated on the label after Exp. The expiry date refers to the last day of that month.

13. SPECIAL PRECAUTIONS FOR DISPOSAL

Special precautions for disposal

Medicines should not be disposed of via wastewater.

Use take-back schemes for the disposal of any unused veterinary medicinal product or waste materials derived thereof in accordance with local requirements and with any applicable national collection systems. These measures should help to protect the environment.

Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required.

14. CLASSIFICATION OF VETERINARY MEDICINAL PRODUCTS

Classification of veterinary medicinal products

Veterinary medicinal product subject to prescription.

15. MARKETING AUTHORISATION NUMBERS AND PACK SIZES

Vm 52127/5108 (GB)

Vm 52127/3043 (NI)

Pack sizes

25kg and 12kg bags

Not all pack sizes may be marketed.

16. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

17. CONTACT DETAILS

Contact details

Marketing authorisation holder and contact details to report suspected adverse reactions:

Elanco GmbH
Heinz-Lohmann Strasse 4
Grodan
27472 Cuxhaven
Germany

Manufacturer responsible for batch release:

Elanco France S.A.S
26 Rue de la Chapelle,
68330 Huningue,
France

Or

Rumenco Limited, Trading as Nettex
Eastern Avenue, Lichfield Staffordshire,
WS13 7SE,
United Kingdom

18. OTHER INFORMATION

POM-VPS

Veterinary medicinal product subject to prescription

19. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

20. EXPIRY DATE

Exp {mm/yyyy}

The veterinary medicinal product will remain stable in finished feed for up to eight weeks.

21. BATCH NUMBER

Lot {number}

Gavin Hall
Approved: 08 August 2025