

**PARTICULARS TO APPEAR ON THE OUTER PACKAGE – CARDBOARD  
CARTON AND PACKAGE LEAFLET**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

**Granofen Wormer 444.4mg Granules for Dogs and Cats**

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

**Fenbendazole 444.4mg**

**3. PHARMACEUTICAL FORM**

**Granules for oral administration**

**4. PACKAGE SIZE**

Box of 120 x 2g sachets

**5. TARGET SPECIES**

**Dogs and cats**

**6. INDICATION(S)**

Granofen Wormer 444.4mg Granules for Dogs and Cats is a broad spectrum anthelmintic for the treatment of domestic dogs and cats infected with immature and mature stages of nematodes of the gastro-intestinal and respiratory tracts. Granofen Wormer 444.4mg Granules for Dogs and Cats also has an ovicidal effect on nematode eggs.

Adult dogs and cats: For the treatment of adult dogs and cats infected with gastrointestinal nematodes and cestodes: *Ascarid* spp, *Ancylostoma* spp, *Uncinaria* spp, *Trichuris* spp, and *Taenia* spp.

Puppies and kittens: For the treatment of weaned puppies and kittens infected with gastro-intestinal nematodes.

Pregnant bitches: For the treatment of pregnant bitches to reduce pre-natal infections with *Toxocara canis* and the transfer of *Toxocara canis* and *Ancylostoma caninum* to their pups *via* the milk.

Also for the treatment of lungworm nematodes of domestic dogs affected with *Oslerus (Filaroides) osleri*, and domestic cats affected with *Aelurostrongylus abstrusus*.



8.8 kg (20 lbs)	1 gram
17.6 kg (40 lbs)	2 grams
26.4 kg (60 lbs)	3 grams
35.2 kg (80 lbs)	4 grams
45 kg (100 lbs)	5 grams

For bitches weighing over 45 kg, an extra 1g is required daily for each additional 8.8 kg (20lbs) bodyweight.

**Weaned puppies and kittens under six months of age:**

Administer a sachet of 2g Granofen Wormer 444.4mg Granules for Dogs and Cats per 8.8 kg (20 lbs) bodyweight daily for 3 consecutive days mixed into the feed (= 50 mg fenbendazole/kg bodyweight daily for 3 days)

For dogs/puppies weighing over 22 kg (50 lbs), an extra 1 gram is required daily for each additional 4.4 kg (10 lbs) bodyweight. Puppies should be treated at 2 weeks of age, 5 weeks of age and again before leaving the breeder's premises. Treatment may also be required at 8 and 12 weeks of age. Thereafter frequency can be reduced unless the pups remain in kennels where reinfestation occurs more readily.

Practical dosage recommendations:

Bodyweight	Daily dose for 3 days
2.2 to 4.4 kg (5-10 lbs)	1 gram
4.4 to 8.8 kg (10-20 lbs)	2 grams
8.8 to 13.2 kg (20-30 lbs)	3 grams
13.2 to 22 kg (30-50 lbs)	5 grams

**8. WITHDRAWAL PERIOD**

N/A

**9. SPECIAL WARNING(S), IF NECESSARY**

**Operator warnings:** Direct contact with the skin should be kept to a minimum. Avoid inhalation of dust. Wash hands after use.

For animal treatment only.

**Keep out of the reach and sight of children**

Assess bodyweight as accurately as possible before calculating the dosage. Keep sachet in outer carton. Add to feed immediately before administration. Discard any remaining medicated feed.

#### **10. EXPIRY DATE**

#### **11. SPECIAL STORAGE CONDITIONS**

Store in a dry place.

#### **12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

**Environmental warnings:** Dispose of used containers and sachets safely. Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

#### **13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE**

NFA-VPS

#### **14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

#### **15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Virbac Limited, Woolpit Business Park, Windmill Avenue, Woolpit

Bury St Edmunds, Suffolk IP30 9UP

#### **16. MARKETING AUTHORISATION NUMBER(S)**

Vm 11188/4010

#### **17. MANUFACTURER’S BATCH NUMBER**

**MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING  
UNITS - Sachets consisting of paper, low density polyethylene and foil  
containing 2g of granules, with a heat-seal closure.**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

**Granofen Wormer 444.4mg Granules for Dogs and Cats**

**2. QUANTITY OF THE ACTIVE SUBSTANCE(S)**

**Fenbendazole 444.4mg**

**3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES**

**2g sachets**

**4. ROUTE(S) OF ADMINISTRATION**

**Oral**

**5. WITHDRAWAL PERIOD**

**N/A**

**6. BATCH NUMBER**

**7. EXPIRY DATE**

**8. THE WORDS "FOR ANIMAL TREATMENT ONLY"**

**PACKAGE LEAFLET FOR: Granofen Wormer 444.4mg Granules for Dogs and Cats**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

Virbac Limited, Woolpit Business Park, Windmill Avenue, Woolpit  
Bury St Edmunds, Suffolk IP30 9UP

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Granofen Wormer 444.4mg Granules for Dogs and Cats

**3. STATEMENT OF THE ACTIVE SUBSTANCE (S) AND OTHER INGREDIENTS**

Fenbendazole 444.4mg

Lactose monohydrate

Povidone K30

Sodium Lauryl Sulphate

**4. INDICATION(S)**

Granofen Wormer 444.4mg Granules for Dogs and Cats is indicated for the treatment of immature and mature stages of nematodes of the gastro-intestinal and respiratory tracts of domestic dogs and cats. It also has an ovicidal effect and is indicated for the following:

For the treatment of gastrointestinal nematodes and cestodes of domestic dogs and cats affected with *Ascarid* spp., *Ancylostoma* spp., *Uncinaria* spp., *Trichuris* spp., and *Taenia* spp. Also for the treatment of lungworm nematodes of domestic dogs affected with *Oslerus (Filaroides) osleri*, and domestic cats affected with *Aelurostrongylus abstrusus*.

For the treatment of pregnant bitches to reduce pre-natal infections with *Toxocara canis* and the transfer of *Toxocara canis* and *Ancylostoma caninum* to their pups via the milk.

**5. CONTRAINDICATIONS**

Known hypersensitivity to the active ingredient.

**6. ADVERSE REACTIONS**

None known

**7. TARGET SPECIES**

Dogs and cats

## **8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION**

For oral administration only sprinkled onto food or by mouth.

For the routine treatment of adult dogs and cats a dosage of 100 mg/kg is recommended.

For treatment of weaned puppies and kittens 50 mg/kg daily for three days is recommended.

For the control of lungworm, *Oslerus (Filaroides) osleri*, 50 mg fenbendazole per kg per day for 7 days. A repeated course of treatment may be required in some cases.

For the control of lungworm in cats, *Aelurostrongylus abstrusus*, 20 mg fenbendazole/kg per day for five days.

For the treatment of pregnant bitches daily dosage of 25 mg fenbendazole/kg from day 40 of pregnancy continuously to 2 days post-whelping.

For the treatment of *clinical* worm infestations in adult dogs and cats administer a sachet of 2g Granofen Wormer 444.4mg Granules for Dogs and Cats per 8.8 kg (20 lbs) bodyweight daily for 3 consecutive days (=50 mg fenbendazole per kg bodyweight daily for 3 days).

Assess bodyweight as accurately as possible prior to determining the correct dosage.

## **9. ADVICE ON CORRECT ADMINISTRATION**

See section 8 above

## **10. WITHDRAWAL PERIOD(S)**

N/A

## **11. SPECIAL STORAGE PRECAUTIONS**

Store in a dry place.

Add to feed immediately before administration. Discard any remaining medicated feed.

## **12. SPECIAL WARNING(S)**

**Special precautions to be taken by the person administering the veterinary medicinal product to animals**

Direct contact with the skin should be kept to a minimum. Avoid inhalation of granule dust. Wash hands after use.

For Animal Treatment Only

**13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

**14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED**

**January 2009**

**15. OTHER INFORMATION**

NFA-VPS

Vm 11188/4010

**Approved: 25/07/2017**

