

## **PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE {Label}**

### **1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Vetremox 100% w/w Powder for Use in Drinking Water

### **2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

100 % w/w Amoxicillin Trihydrate

### **3. PHARMACEUTICAL FORM**

Powder for Use in Drinking Water

### **4. PACKAGE SIZE**

200 g

### **5. TARGET SPECIES**

Chickens, Turkeys

### **6. INDICATION(S)**

Amoxicillin is a broad spectrum semi-synthetic penicillin which is bactericidal against a wide range of Gram-negative and Gram-positive bacteria, e.g. Chickens: *E. coli*, *Pasteurella* spp and *Erysipelothrix* spp. Turkeys: *Pasteurella multocida*.

### **7. METHOD AND ROUTE(S) OF ADMINISTRATION**

Administer via the drinking water at a rate of 20 mg/kg bodyweight.

Chickens: Administer daily for 3 to 5 days depending on the clinical response. A representative sample of birds should be weighted to assist in calculating the total dose to be administered to the group.

Turkeys: The dose should be administered on days 1, 3 and 5 of the treatment period.

#### **Administration via a header tank:**

1. First add the required quantity of Vetremox to 10 litres of tepid water in a clean container and stir vigorously for one minute.
2. Then immediately add this stock solution to the water in the header tank and stir gently. N.B. Very hard mains water may produce some cloudiness when Vetremox has been added, but this will not affect the drug in anyway.

3. Turn off the water supply to the header tank until all the medicated water has been consumed. After all the medicated water has been consumed, resume the supply of unmedicated water.
4. Any medicated water not consumed within 24 hours should be discarded.
5. Do not supply medicated and unmedicated water at the same time.

#### Administration via Portable Drinkers:

Clean portable drinkers may be used when medicating young birds or small groups of birds. Add the required quantity of Vetremox Powder to the water and stir well. Make sure all medicated water has been consumed before supplying unmedicated water. Discard any medicated water not consumed within 24 hours.

### **8. WITHDRAWAL PERIOD**

Meat and offal: Chickens: 1 day. Turkeys: 5 days.

Eggs: Not authorised for use in laying birds producing eggs for human consumption.

Do not use within 14 days of the onset of laying.

### **9. SPECIAL WARNING(S), IF NECESSARY**

Whilst handling the product wear waterproof gloves at all times – see user warnings.

#### **User Warnings**

Avoid skin contact. Whilst handling the product wear coveralls, protective goggles and chemically resistant impermeable gloves at all times.

Avoid inhalation of dust. Wear either a disposable half-mask respirator conforming to European Standard EN149 or a non-disposable respirator to European Standard EN140 with a filter to EN143.

When adding the product to water, keep the neck of the powder container below the level of the water while emptying, in order to minimize the presence of dust.

Penicillins and cephalosporins may cause hypersensitivity (allergy) following injection, inhalation, ingestion or skin contact. Hypersensitivity to penicillins may lead to cross-reactions to cephalosporins and vice versa. Allergic reaction to these substances may occasionally be serious.

Do not handle this product if you know you are sensitized, or if you have been advised not to work with such preparations.

Handle this product with great care to avoid exposure taking all recommended precautions.

If you develop symptoms following exposure, such as a skin rash, you should seek medical advice and show the doctor this warning. Swelling of the face, lips or eyes or difficulty in breathing are more serious symptoms and require urgent medical attention.

Wash hands after use.

#### **10. EXPIRY DATE**

Expiry date:

#### **11. SPECIAL STORAGE CONDITIONS**

Do not store above 25°C. Store in a dry place.

Store tightly closed in original container.

Any medicated water which has not been consumed within 24 hours should be discarded.

#### **12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

#### **13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE**

**POM-V**

To be supplied only on veterinary prescription.

For animal treatment only

#### **14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

#### **15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Zoetis UK Limited  
1st Floor, Birchwood Building  
Springfield Drive  
Leatherhead  
Surrey  
KT22 7LP

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm 42058/4166

**17. MANUFACTURER'S BATCH NUMBER**

Batch No:

A handwritten signature in black ink, consisting of several vertical strokes followed by a horizontal line that curves upwards and to the right.

Approved 06 November 2020