

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels.

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Kilco (International) Ltd
Broomhouses 2 Industrial Estate
Old Glasgow Road
Lockerbie
Dumfriesshire
DG11 2SD

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

3:1 Iodine Concentrate 2.0% w/v, Teat Dip or Spray Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Active Substance: 2.0% w/v available Iodine

Emollients:

20.00% w/v Glycerol

0.5% w/v Ethoxylated Lanolin

4. PHARMACEUTICAL FORM

Teat dip or spray

5. PACKAGE SIZE

5, 10, 25 and 200 litres

6. INDICATION(S)

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

If symptoms of disease persist or appear consult a veterinary surgeon.

9. TARGET SPECIES

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

The product is a concentrated teat dip which is diluted and then applied directly to the teats of dairy cattle by either semi-automatic hand held spray equipment or by dipping using a teat cup containing the product. This concentrate requires dilution just prior to use.

Pre milking teat dipping: If the teats are clean, dry wipe the teats with a paper towel. Use one disposable towel per cow. Prepare a solution of 1 part product added to 3 parts of clean water. Prepare a fresh solution daily. Fill the teat cup two thirds full with this solution. Dip each teat ensuring that the entire surface of the teat comes into contact with the solution. Allow a minimum contact time of 30 seconds. Refill the teat cup as necessary from the solution. Teat cups should be emptied after use and washed before re-use.

When the teats are dirty, clean with a paper towel soaked in udder wash ie: 25ml (8 fl. oz) of product in 8 litres (2 gallons) of clean water. Forestrip each teat.

Post-milking teat dipping / spraying: This concentrate requires to be diluted just prior to use.

Prepare a solution of 1 part product to 3 parts clean water. Prepare a fresh solution daily. Fill the teat cup two thirds full with this solution. After each cow has been milked, dip each teat ensuring that the entire surface of the teat comes into contact with the solution. Refill the teat cup as necessary from the solution. Teat cups should be emptied after use and washed before re-use. Wash and dry teats and udders before next milking. Dry teats thoroughly with a paper towel to remove iodine residues. Use one disposable towel for each cow.

Spraying: Prepare a solution of 1 part product to 3 parts clean water. Prepare a fresh solution daily. After each cow has been milked, spray the entire surface of each teat with the solution. Wash and dry teats and udders before next milking.

Udder washing: When the teats are dirty clean them with a paper towel soaked in 25 ml of product in 8 litres of clean water. When mastitis is in the herd use 25 ml of product in 4 litres of clean water. Prepare a fresh solution daily. Use one disposable paper towel for each cow

Cluster dipping: Between transferring clusters from one cow to the next, plunge the clusters 3 times into a solution prepared by adding 25 ml of teat dip concentrate to 8 litres of water.

11. ADVICE ON CORRECT ADMINISTRATION

Animals must not be treated twice ie: both pre-milking dipping and post-milking dipping are not permitted. It is important that these procedures are closely followed to minimise risks of iodine contamination in milk.

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Keep the container in the outer carton.

For one milking only when transferred to teat dip cup.

Dilute immediately before use, any unused diluted product should be discarded.

Do not store above 25°C. Protect from frost. If the contents freeze it is important that they are thoroughly thawed and mixed before use.

Protect from direct sunlight.

Store upright, tightly closed in original container.

14. SPECIAL WARNING(S)<User Warnings>

CONCENTRATE

The following safety phrases refer to the concentrated product only and do not apply once the product is diluted to the working solution: Risk of serious damage to eyes. Wear eye/face protection when preparing the dip or spray.

DILUTED WORKING SOLUTION

When using as a spray, avoid working in spray mist.

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this container or label.

Hands and exposed skin should be washed after using this product.

Keep away from food, drink and animal feedstuffs.

Do not eat, drink or smoke whilst using the product

15. EXPIRY DATE

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Harmful to fish and other aquatic life. Dispose of any unused product and empty containers in accordance with advice from your local waste regulation authority. To dispose of unused product to land, you must have an authorisation under the Groundwater Regulations 2009. Do not contaminate ponds, waterways or ditches with the product or used container.

The container should only be used once and should not be returned for re-filling.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

AVM- GSL

For external use only

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 21357/4019

21. MANUFACTURER’S BATCH NUMBER

Approved: 08/01/2018

