PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>

{Carton }

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Worming Cream, 25% w/w, oral suspension

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Beaphar Worming Cream is an oral suspension containing piperazine citrate (25% w/w)

3. PHARMACEUTICAL FORM

Oral suspension

4. PACKAGE SIZE

One carton containing one 18 g syringe

5. TARGET SPECIES

For dogs, puppies, cats and kittens

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

Eliminates roundworms in dogs, puppies, cats and kittens

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Dosage & administration:

Beaphar Worming Cream is pleasantly flavoured, and no fasting or purging is necessary before administration. It may be administered either by dabbing the required amount (see table) onto the nose or mouth, from where the animal will lick it off, or given on a biscuit, or added to a small amount of the animal's daily meal (give the remainder afterwards to ensure that all of the Worming Cream has been taken). If your household has more than one cat/dog, feed them separately to ensure each receives the correct dose. Each graduation of the syringe will dispense the correct volume of Worming Cream for 1 kg bodyweight. The syringe will treat up to 45 kg bodyweight. The syringe is marked with guidelines for each 1 kg bodyweight dose. To administer the correct volume, depress the plunger past the required number of graduations according to the weight of the animal.

Animal weight:

kg (approx lb) N°. graduations

1.0 (2.2) 1

2.0 (4.4) 2

3.0 (6.6) 3

4.0 (8.8) 4

5.0 (11.0) 5

10.0 (22.0) 10

Puppies & kittens:

Should be treated for roundworms at 2 weeks of age. They should be retreated at 4, 6, 8, 10 and 12 weeks, and thereafter at 2 to 3 monthly intervals.

Adult dogs & cats:

Should be treated at 3 monthly intervals. Nursing females should be wormed at the same time, and as frequently, as their puppies or kittens until weaning.

8. WITHDRAWAL PERIOD

N/A

9. SPECIAL WARNING(S), IF NECESSARY

Contra-indications/Warnings:

If signs of overdose occur (such as vomiting, diarrhoea, depression, muscle weakness, or fits) consult your Veterinary Surgeon, and keep dog/cat warm. Symptoms reverse in 24 hours. Consult your Veterinary Surgeon before treating pregnant animals, or those with a history of epilepsy or severe renal dysfunction. If signs of disease persist or appear, consult a Veterinary Surgeon. Following accidental skin or eye contact, wash the affected area with plenty of water. If irritation persists seek medical advice. Following accidental ingestion, drink plenty of water and seek medical attention. Wash hands and exposed skin after use.

10. EXPIRY DATE

EXP: end {month/year}

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of used packaging and remaining product in the household refuse.

13. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

AVM-GSL

14. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Beaphar UK Ltd Rook Tree Farm Withersfield Road Great Wratting Suffolk CB9 7HD

16. MARKETING AUTHORISATION NUMBER

Vm 13907/4004

17. MANUFACTURER'S BATCH NUMBER

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {NATURE/TYPE}

18 g syringe label

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Worming Cream, 25% w/w, oral suspension

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Contains piperazine citrate 25% w/w.

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

18 g

4. ROUTE(S) OF ADMINISTRATION

For dogs, puppies, cats & kittens - give by mouth

Each graduation of this syringe will dispense the correct volume for each kg bodyweight.

For example 0 - 5 (shown above) treats 5 kg bodyweight.

5. WITHDRAWAL PERIOD

N/A

6. BATCH NUMBER

Batch

7. EXPIRY DATE

Expiry end

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin and eyes. Wash hands after use.

Dispose of used packaging and remaining product in the household refuse.

Do not store above 25°C

Vm 13907/4004

For full directions and precautions, see carton

Approved 07 June 2018