PARTICULARS TO APPEAR ON <THE OUTER PACKAGE – Box label

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Armitage Pet-Care Protect Flea Collar for Cats

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

This product contains diazinon 155 with a total content of 2.1g of diazinon per collar. Diazinon is an organophosphorus compound.

3. PHARMACEUTICAL FORM

Collar.

4. PACKAGE SIZE

Coloured collar of 14g – length 35 cm.

5. TARGET SPECIES

Cats.

6. INDICATION(S)

For the control of dleas on cats and kittens. Kills fleas for 250 days. **7. METHOD AND ROUTE(S) OF ADMINISTRATION**

Do not remove the collar from the pack until ready-to-use. Remove collar from blister and dispose of empty blister in the household waste. Fasten collar around the cat's neck, adjusting until a comfortable fit is achieved. When fitted to a growing car, ensure the collar is loosened as the animal grows. In the fully-grown cat, correct fitting will allow one finger to be inserted between the collar and neck.

Any excess length of collar should be cut off and disposed of in the household refuse. Now wash your hands with soap and water. For continuous protection, the collar must be replaced every 250 days (8 months). Sucking or chewing the collar is dangerous.

8. WITHDRAWAL PERIOD

Not applicable.

9. SPECIAL WARNING(S), IF NECESSARY

Do not fit this collar on kittens less than 6months old or nursing queens. Your veterinary surgeon should be able to advise you of a more suitable form of flea control in such cases. Do not use any other form of flea control products on your car whilst it is wearing this collar or within 7 days of removing the collar.

In some animals, skin irritation may occur. Check regularly that the collar is fitted correctly and comfortable and that there are no signs of reddening or damage to the skin particularly under the collar. Remove the collar immediately if there is any skin irritation. Do not allow your cat to chew the collar. If signs occur including vomiting, excess dribbling, drowsiness, lack of co-ordination and breathing problems, remove the collar and consult your veterinary surgeon immediately.

Operator Warnings:

Wash hands thoroughly after handling the collar. Diazinon is an organophosphorus compound. Do not handle the collar if under medical advice not to work with anticholinesterases. Do not allow children to play with the collar. Sucking or chewing the collar is dangerous. Do not smoke, eat or drink while handling the collar. A pet wearing a flea collar should not be allowed to sleep with children. If you feel unwell as a direct result of handling this collar then you should consult your doctor.

General Precautions:

For external use only. Regular treatment of your pets environment with appropriate household flea products is essential in controlling flea infestation. Remove fleas from young kittens and nursing queens by careful use of a flea comb. If signs of disease persist or appear, consult your veterinary surgeon.

10. EXPIRY DATE

EXP:

11. SPECIAL STORAGE CONDITIONS

Store below 25 °C, away from direct heat and sunlight.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging, used collar and excess collar length in the household refuse.

DANGEROUS to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the collar or empty packaging.

13. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

AVM-	
GSL	

For animal treatment only.

14. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Virbac S.A.

1ère avenue - 2065 m - L.I.D.

06516 Carros Cedex

France

16. MARKETING AUTHORISATION NUMBER(S)

Vm 05653/4074

17. MANUFACTURER'S BATCH NUMBER

Batch:

18. OTHER INFORMATION

- Kills fleas for up to 8 months
- For cats and kittens from 6 months old
- Softer collar for improved comfort
- Helps to condition the coat
- Includes elasticated safety section

