

**PACKAGE LEAFLET/LABELLING for:  
APILIFE VAR bee-hive strip for honey bees**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

CHEMICALS LAIF S.P.A.

V.le dell'Artigianato n° 13, 35010 Vigonza (PD), Italy

**NAME AND ADDRESS OF THE MANUFACTURING AUTHORISATION HOLDER  
RESPONSIBLE FOR BATCH RELEASE**

CHEMICALS LAIF S.P.A.

Via Roma n° 69, 36020 Castegnero (VI), Italy

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

APILIFE VAR bee-hive strip for honey bees

**3. STATEMENT OF THE ACTIVE SUBSTANCES AND OTHER INGREDIENTS**

Each bee-hive strip contains:

Active substances: Thymol 8,00 g; Eucalyptus oil 1,72 g; Camphor racemic 0,39 g;  
Levomenthol 0,39 g;

Excipients: foamed phenolic resin.

**4. INDICATION(S)**

Treatment of varroosis of the bees caused by *Varroa destructor*.

**5. CONTRAINDICATIONS**

Do not use during honey flow in order to avoid tainting the taste of the honey.

Do not use when maximum daytime temperature is above 30°C.

**6. ADVERSE REACTIONS**

Bees may remove food from directly under the strip.

Treatment at temperatures above 30°C may lead to increased stress and mortality of adult bees and brood.

The colony may become slightly agitated during treatment.

There may be reduced acceptance of the food if feeding at the same time as treatment.

If you notice any serious effects or other effects not mentioned in this leaflet, please inform your veterinary surgeon.

**7. TARGET SPECIES**

Honey bees (*Apis mellifera*).

**8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF  
ADMINISTRATION**

**Dosage:** 1 strip every 7 days for each beehive, complete treatment 4 strips for each beehive.

The treatment should be done once per year.

**Application:** to perform the treatment take one strip from the sachet and place it in one of the four corners above the honeycombs, far away from the brood placed in the centre of the beehive. Close the beehive and let the product work for 7 days.

The strip can also be used by cutting it into 3-4 pieces to be placed in the corners of the beehive. Repeat the treatment for 4 consecutive times. At the end of the treatment, the pieces of strips still present must be removed.

It is not recommended to use the product in multiple storey hives as unsatisfactory efficacy might be expected.

**Integrated Pest Management**

The efficacy may vary between colonies due to the surrounding conditions (*environmental factors connected to the place and climate conditions, temperature, genetic and*

*infestation level, reinfestation, bee population, strength of the colon, brood area and bee mortality, ec.*). The product should therefore be used as a treatment amongst others within an Integrated Pest Management program, and mite drop regularly monitored. Colonies with an average mite drop of more than 1 mite per day two weeks right after the last treatment have to be subjected to an additional winter or spring treatment for varroa (preferably with another active ingredient).

#### **9. ADVICE ON CORRECT ADMINISTRATION**

Not Applicable.

#### **10. WITHDRAWAL PERIOD**

Honey: Zero days.

Do not use during honey flow in order to avoid to adulterate the taste of the honey.

#### **11. SPECIAL STORAGE PRECAUTIONS**

Keep out of the reach and sight of children. Store below 25°C. Do not refrigerate or freeze. Protect sachets from direct sunlight. Protect from frost. Store the strip in the original packaging.

#### **12. SPECIAL WARNINGS**

Treatment at temperatures above 30°C lead to increased stress and mortality of adult bees and brood. For maximum efficacy use the product in late summer after the honey harvest, when the amount of bee brood present is diminishing. The ideal outside temperature for a good effectiveness of the product during the treatment ranges between 20-25°C. Insufficient efficacy can be expected if the average outside temperature is lower than 15°C. Do the treatments without supers. Do not perform during honey flow but after the relative honey harvest. All colonies in the same apiary should be treated simultaneously to avoid robbery.

Avoid disturbance to the hive. Do not place the strip in the center of the beehive or near the brood. Never place strips near a sugar feeder as this may reduce feeding. It is not recommended to treat hives in cold weather. Because of possible contact dermatitis and irritation of the skin and eyes observed with thymol, direct skin and eye contact should be avoided. When handling the product, wear impermeable gloves as well as the usual protection equipment. After application, wash hands and the material being in contact with the strip with soap and water. In case of skin contact, wash thoroughly the affected area with soap and water. In case of eye contact, wash the eyes thoroughly with copious amounts of clean running water and seek medical advice. Do not inhale. Do not use simultaneously with other acaricides. In the case of an overdose of too many strips, bees can be disturbed, showing increased stress and a change in behaviour. They exit the beehive and remain outside. If dead bees and grubs are found, remove excess strips.

#### **13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

The product should not be allowed to contaminate water courses as this may be dangerous for fish and other aquatic organisms.

#### **14. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, if applicable**

For animal treatment only.

#### **15. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED**

---- / ---- / -----

#### **16. OTHER INFORMATION**

For any information about this veterinary medicinal product, please contact the marketing authorisation holder.

**17. MANUFACTURER'S BATCH NUMBER**

**Batch n.:**

**18. EXPIRY DATE**

**Expiry Date:**

After first opening of the sachet all strips should be used immediately.

**Marketing authorisation number:**

**Packaging size:** sachet containing 2 strips.