

**PARTICULARS TO APPEAR ON <THE OUTER PACKAGE> <AND> <THE IMMEDIATE PACKAGE>**

**{NATURE/TYPE}**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

KENOCIDIN SPRAY AND DIP  
Chlorhexidine digluconate 5mg/ml, Teat Dip / Teat Spray solution for cattle (dairy)

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Chlorhexidine digluconate: 5.00 mg/ml.(Equivalent to chlorhexidine, 2.815 mg/ml)  
Brilliant Blue 85% (E133): 0.035 mg/ml  
Glycerol: 60.00 mg/ml  
Allantoin: 1.00 mg/ml

**3. PHARMACEUTICAL FORM**

Teat Dip / Teat Spray Solution  
Blue Liquid Solution

**4. PACKAGE SIZE**

1L, 5L,10L, 20L, 25L, 60L, 200L. Not all pack sizes may be marketed.

**5. TARGET SPECIES**

Cattle (dairy).

**6. INDICATION(S)**

Teat disinfection as a part of a prevention strategy for mastitis in lactating dairy cows.  
For the maintenance of good teat skin and teat end condition

**7. METHOD AND ROUTE(S) OF ADMINISTRATION**

Teat use.  
The product is ready to use as a post-milking teat dip or spray, applied up to two times per day.  
Use at least 5ml per cow per application.  
Dip the teats immediately after milking each cow. Ensure that the teat is completely covered to three quarters of its length. Alternatively, spray the entire surface of each teat immediately after milking.

The dip cup or sprayer should be replenished as necessary.

If a common dip cup or sprayer is used for application, a fresh solution should always be used at each milking. The dip cup or sprayer should be emptied, cleaned and rinsed after each milking session or when the cup or sprayer becomes contaminated during milking. Do not pour the remaining solution from the dip cup back into the original container. Do not use the product for cleaning and/or sanitizing milking equipment.

## **8. WITHDRAWAL PERIOD**

Meat & offal: zero days

Milk: zero hours

## **9. SPECIAL WARNING(S), IF NECESSARY**

Ensure udder and teats are clean and dry before the next milking.

Can be used during pregnancy and lactation.

Chlorhexidine can be inactivated by anionic and nonionic surfactants (eg soaps, even natural) or inorganic anions, so do not mix with tap water, other chemicals, disinfectants and other products for the teat and udder care

This veterinary medicinal product is for teat use, significant absorption does not occur.

- **Special precautions for use in animals**

If signs of disease appear, or persist, consult a veterinary surgeon.

For external use only.

Use for the treatment of teats with cutaneous lesions may delay the wound healing process. It is recommended to discontinue the treatment until the lesions are healed.

The presence of organic matter (pus, blood, etc.) may limit the action of the disinfectant chlorhexidine.

If the temperature is below freezing, allow teats to air dry before letting cows outside

Allow product to dry before exposing the cows to wet (rainy), cold or windy conditions.

- **Operator Warnings**

Avoid contact with eyes. If splashed in the eye, rinse with clean running water and seek medical advice.

In case of accidental ingestion, drink large quantities of water and seek medical attention immediately.

Keep away from food and animal feed.

Wash hands after use.

When the product is used as a spray, avoid working in spray mist.

People with known hypersensitivity to chlorhexidine should avoid contact with the product.

- **Adverse reactions**

Change of active ingredient teat dip type can on very rare occasions cause skin irritation.

If you notice any serious effects or other effects not mentioned in this package label, please inform your veterinary surgeon.

- **Contraindications**

Do not use in cases of known hypersensitivity to chlorhexidine or any of the excipients.

## **10. EXPIRY DATE**

EXP {month/year}

To be used within the first 6 months after opening.

Discard date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

## **11. SPECIAL STORAGE CONDITIONS**

Keep the container tightly closed.

Protect from frost

If the veterinary medicinal product has frozen, thaw in a warm place and shake well before use

Protect from light

Do not use after the expiry date stated on the label

The 200 liter container should not be returned for re-filling.

## **12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

**HARMFUL TO FISH AND AQUATIC LIFE.** Do not contaminate ponds, waterways or ditches with the product or used container.

UK only: To dispose of unused product to land you must have an authorisation under the groundwater regulations currently in force.

## **13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

For animal treatment only.

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children.

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Name and address of the marketing authorisation holder and manufacturing authorisation holder responsible for batch release:

CIDLINES NV  
Waterpoortstraat 2  
8900 Ieper  
Belgium  
Tel. +32 (0) 57 21 78 77  
Fax. +32 (0) 57 21 78 79  
Mail: [info@cidlines.com](mailto:info@cidlines.com)

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm 22136/4003 - For UK transport emergencies only phone 01865407333

**17. MANUFACTURER'S BATCH NUMBER**

Lot

Approved 09 September 2021

A handwritten signature in black ink, appearing to read "Hunter.", is written below the approval date.