



## Post Authorisation Assessments

### Selgian 4 mg Film-Coated Tablets Vm 14966/4000

|                  |  |
|------------------|--|
| 17 December 2025 | One-off alignment of the product information with version 9.0 of the QRD templates.  |
| 30 July 2025     | Addition of a manufacturer responsible for batch release   |
| 25 June 2024     | Change(s) in the name or address or contact details of a qualified person for pharmacovigilance.   |
| 21 June 2023     | Changes to the quality part of the dossier: Deletion of - one of the authorised bulk or final containers or immediate packaging of the finished product that does not lead to the complete deletion of a strength or pharmaceutical form.  |
| 31 March 2023    | Harmonisation of the quality dossier: - Harmonisation of the quality dossier for the same purely national products and/or the same products approved in MR/DC procedures which are owned by the same MAH not participating in a former union interest referral procedure or SPC harmonisation procedure. |
| 26 October 2022  | Change in distributor details from Unit 3 Anglo Office Park, White Lion Road, Amersham, Buckinghamshire HP7 9FB to Explorer House, Mercury Park, Wycombe Lane, Wooburn Green, High Wycombe, Buckinghamshire, HP10 0HH, United Kingdom.   |
| 31 August 2022   | Addition of a batch control/quality testing site.  |
| 09 December 2014 | Submission of an updated Ph. Eur. Certificate of Suitability.  |
| 25 October 2011  | Change of address of the distributor.  |
| 13 December 2007 | Variation to bring the SPC/Labelling in line with the Veterinary Regulations, 2005. Transfer of legal category from POM to POM-V.  |
| 10 January 2007  | Renewal.   |
| 10 June 2005     | Shelf life extension.  |
| 12 May 2005      | Change of address of distributor.  |
| 30 March 2004    | Renewal.   |
| 25 July 2003     | Harmonisation of the documentation between different strengths of the product.   |
| 31 August 2000   | Change of product name.  |
| 31 August 2000   | Change of address of Marketing Authorisation Holder.   |