

**PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGING WHERE THERE IS NO PACKAGE LEAFLET, i.e. Combined label and package leaflet**  
**{Bottle labels}**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Dysect Cattle Pour-On solution 15 g/litre

**2. COMPOSITION**

Each litre contains:

**Active substance:**

Alphacypermethrin 15 g

Ready to use oil-based insecticide.  
Yellow liquid free from solids.

**3. PACKAGE SIZE**

250 ml  
500 ml  
1 litre

**4. TARGET SPECIES**

Cattle.

**5. INDICATIONS FOR USE**

For the treatment and control of flies and lice on cattle.

**6. CONTRAINDICATIONS**

-

**7. SPECIAL WARNINGS**

-

Special precautions for safe use in the target species:

For external use only.

Special precautions to be taken by the person administering the veterinary medicinal product to animals:

Personal protective equipment consisting of waterproof apron, boots, and impervious gloves should be worn when handling the veterinary medicinal product and recently treated animals.

Wash splashes from skin and eyes immediately.

Remove heavily contaminated clothing and wash before re-use.

Wash hands and exposed skin before eating, drinking or smoking and after work.

Pregnancy and lactation:

Can be used during pregnancy and lactation.

Overdose:

The veterinary medicinal product is of low toxicity and acute poisoning is unlikely to occur.

## 8. ADVERSE EVENTS

Cattle:

Very rare (<1 animal / 10,000 animals treated, including isolated reports):	Discomfort <sup>1</sup>
---	-------------------------

<sup>1</sup> Signs will not last longer than 48 hours and have no lasting effect on the animal.

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed on this label, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder using the contact details on this label, or via your national reporting system at:

Website: <https://www.gov.uk/report-veterinary-medicine-problem/animal-reacts-medicine>

e-mail: [adverse.events@vmd.gov.uk](mailto:adverse.events@vmd.gov.uk)

## 9. DOSAGE FOR EACH TARGET SPECIES, ROUTES AND METHOD OF ADMINISTRATION

Apply a single 10 ml dose, with the applicator gun, from the crown of the head down the neck and along the middle of the back of the animal.

## 10. ADVICE ON CORRECT ADMINISTRATION

How to apply the veterinary medicinal product:

Using the applicator gun:

- 1) Remove transit cap.
- 2) Fit the spouted cap to the bottle.
- 3) Attach the delivery tube from the gun to the spouted cap.
- 4) Adjust the gun to deliver 10 ml.

**Fly Control** – To control biting and nuisance flies, treatment should be repeated as necessary. Frequency of application will depend on the numbers and species of flies present; normally nuisance flies on the head and face can be controlled for up to 4/5 weeks and the biting horn fly for up to 8 weeks.

**Lice Control** – To control sucking and biting lice, one application treatment will normally eradicate all the lice. If a few lice survive on individual animals, it may be necessary on very rare occasions to re-treat an animal.

## **11. WITHDRAWAL PERIODS**

Meat and offal: 28 days.  
Milk: Zero hours.

## **12. SPECIAL STORAGE PRECAUTIONS**

Keep out of the sight and reach of children.

Do not store above 25 °C.  
Store in the original container.  
Keep the container tightly closed.  
Store away from food, drink, and animal feedstuffs.

Do not use this veterinary medicinal product after the expiry date which is stated on the label. The expiry date refers to the last day of that month.

## **13. SPECIAL PRECAUTIONS FOR DISPOSAL**

Medicines should not be disposed of via wastewater.

The veterinary medicinal product should not enter watercourses as alphacypermethrin is DANGEROUS for fish and aquatic life. Do not contaminate ponds, waterways or ditches with the product or empty container.

Use take-back schemes for the disposal of any unused veterinary medicinal product or waste materials derived thereof in accordance with local requirements and with any applicable national collection systems. These measures should help protect the environment.

Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required.

## **14. CLASSIFICATION OF VETERINARY MEDICINAL PRODUCTS**

Veterinary medicinal product subject to prescription.

## **15. MARKETING AUTHORISATION NUMBER AND PACK SIZES**

Vm 42058/5159

Pack sizes: 250 ml, 500 ml and 1 litre.

Not all pack sizes may be marketed.

## **16. PID LINK (Do not print heading)**

*[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]*

Find more product information by searching for the 'Product Information Database' on [www.gov.uk](http://www.gov.uk).

## **17. CONTACT DETAILS**

Marketing authorisation holder and contact details to report suspected adverse reactions:

Zoetis UK Limited  
1<sup>st</sup> Floor, Birchwood Building  
Springfield Drive  
Leatherhead  
Surrey  
KT22 7LP  
Tel: +44 (0) 345 300 8034

Manufacturer responsible for batch release:

Zoetis Manufacturing Italia S.R.L.  
Catania Branch  
Via Franco Gorgone – Zona Industriale  
1-95100 Catania CT  
Italy'

## **18. OTHER INFORMATION**

POM-VPS

## **19. THE WORDS “FOR ANIMAL TREATMENT ONLY”**

For animal treatment only.

## **20. EXPIRY DATE**

Exp. {mm/yyyy}

## **21. BATCH NUMBER**

Lot {number}

*Gavin Hall*  
Approved: 17 February 2026