

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

DeLaval NV, Industriepark-Drongen 10, B - 9031 Gent

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bovidip 0.5% w/w Teat Dip or Teat Spray Solution

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Active ingredient: 0.5% w/w iodine

Emollients: 10% glycerin

4. PHARMACEUTICAL FORM

Teat dip or spray solution

5. PACKAGE SIZE

6. INDICATION(S)

Bovidip 0.5% w/w Teat Dip or Teat Spray Solution is an iodine-based, ready to use teat dip, suitable for both spraying and dipping, to be used in the daily milking routine directly after milking the cows. Bovidip 0.5% w/w Teat Dip or Teat Spray Solution is used as an aid in the prevention of mastitis.

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

9. TARGET SPECIES

Milking cows

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Ensure udder and teats are clean and dry before each milking.

Use Bovidip 0.5% w/w Teat Dip or Teat Spray Solution undiluted immediately after milking. 5ml per cow per application.

Spraying: Spray the entire surface of the teats.

Dipping: Dip the full length of the teats and replenish the dip cup as necessary.

11. ADVICE ON CORRECT ADMINISTRATION

Do not dilute. Do not mix with other chemicals. If signs of disease persist or appear, consult your veterinary surgeon. Use in injured teats may delay the wound-healing process. It is recommended that treatment be discontinued until teat lesions have resolved. Allow product to dry before exposing the cows to wet (rainy), cold or windy conditions. Discard any product that becomes contaminated. Always use a clean spray or dip cup. The use of gloves during milking and dipping or spraying is recommended to protect the skin and for hygienic milk collection. Do not use in cases of known hypersensitivity to iodine.

12. WITHDRAWAL PERIOD

Cattle (meat / milk): zero days/hours.

13. SPECIAL STORAGE PRECAUTIONS

Store upright in the tightly closed original container. Do not store above 25°C. Protect from direct light. Protect from frost. If the product has frozen, thaw in a warm place and shake well before use. For the larger pack sizes, the product should be rolled sufficiently to mix the solution. Under no circumstances should an attempt be made to shake the 60 or 200 litre packs.

14. SPECIAL WARNING(S)

For external use only

Care should be taken to avoid eye contact. In case of eye contact, flush the eyes with copious amounts of water and seek medical advice. In case of ingestion, drink large quantities of water and obtain medical attention as soon as possible. Persons with iodine allergy should wear gloves and mask. When used as a spray, avoid working in a spray mist. Wash hands after use.

15. EXPIRY DATE

See label top of can

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority. To dispose of unused product to land you must have an authorisation under the Groundwater Regulations 1998. Used containers should not be recycled. The 200 litre container should not be returned for re-filling.

17. DATE ON WHICH THE LABEL WAS LAST APPROVED

18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

AVM- GSL

For animal treatment only

19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 17140/4007

21. MANUFACTURER’S BATCH NUMBER

22. OTHER INFORMATION

For UK transport emergencies only, phone 01865 407333

Approved: 18/01/2018

