

## **SUMMARY OF PRODUCT CHARACTERISTICS**

### **1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Johnson's Scaly Lotion, Cutaneous Solution.

### **2. QUALITATIVE AND QUANTITATIVE COMPOSITION**

Pyrethrum Pale Extract (25%)	0.40% w/v
(equivalent to Pyrethrins)	0.10% w/v
Piperonyl Butoxide	1.00% w/v

For full list of excipients, see section 6.1.

### **3. PHARMACEUTICAL FORM**

Cutaneous solution.  
Clear, very pale yellow liquid.

### **4. CLINICAL PARTICULARS**

#### **4.1 Target species**

Cage birds, e.g. budgerigars and canaries.

#### **4.2 Indications for use, specifying the target species**

Treatment of Scaly Face and Scaly Leg (*Cnemidocoptes pilae*) in cage birds, e.g. budgerigars and canaries.

#### **4.3 Contra-Indications**

None.

#### **4.4 Special warnings for each target species**

If signs of disease persist or appear, consult a Veterinary Surgeon.

#### **4.5 i) Special precautions for use in animals**

For external use only.  
Avoid contact with the eyes.

#### **4.5 ii) Special precautions to be taken by the person administering the medicinal product to animals**

Avoid contact with eyes.  
If eye contact occurs, rinse with clean, fresh water. Seek medical advice if irritation persists. Wash hands after use.

**4.6 Adverse reactions (frequency and seriousness)**

None reported.

**4.7 Use during pregnancy, lactation or lay**

None stated.

**4.8 Interaction with other medicinal products and other forms of interaction**

None reported.

**4.9 Amounts to be administered and administration route**

Directions for use: Apply two to four drops to affected areas, ensuring whole of affected area is treated. A small, clean, dry artists paint brush, or cotton bud, can be used to apply the lotion. Avoid eyes and nostrils. Apply once every two days for a period of 11 days (6 applications). If symptoms reappear, repeat treatment as above. Isolate affected from unaffected birds.

Clean all cages, perches, feed and water containers and other equipment with a disinfectant approved for use in aviaries. If there are other signs of illness or of feather damage, consult a Veterinary Surgeon promptly.

**4.10 Overdose (symptoms, emergency procedures, antidotes) if necessary**

None stated.

**4.11 Withdrawal periods**

Not applicable.

**5. PHARMACOLOGICAL PROPERTIES**

ATC Vet code: QP53AC51

**5.1 Pharmacodynamic properties**

The plant Pyrethrum is a chrysanthemum; the powdered, dried flower heads contain active principles mainly in the form of pyrethrins. Pyrethrins have insecticidal activity producing both knock-down and mortality in a range of insects, and low mammalian toxicity. Common names: Dalmatian insect powder and Persian insect powder.

Piperonyl butoxide acts as a synergist when combined with pyrethrin and prolongs its action.

## **5.2 Pharmacokinetic particulars**

No other information available.

## **6. PHARMACEUTICAL PARTICULARS**

### **6.1 List of excipients**

Terpineol  
IndustrialMethylatedSpirits 74 OP  
Propylene Glycol

### **6.2 Incompatibilities**

None known.

### **6.3 Shelf-life**

Shelf life of the veterinary medicinal product as packaged for sale: 2 years.

### **6.4 Special precautions for storage**

Do not store above 25°C.  
Protect from frost.  
Protect from direct sunlight.

### **6.5 Nature and composition of immediate packaging**

Pack Size: 15ml  
Container: Round white LDPE unprinted  
Plug: White one-drop  
Cap: White polypropylene  
Secondary packaging: Self-adhesive label and solid board carton.

### **6.6 Special precautions for the disposal of unused veterinary medicinal products or waste materials derived from the use of such products, if appropriate**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

## **7. MARKETING AUTHORISATION HOLDER**

Johnson's Veterinary Products Ltd  
5 Reddicap Trading Estate  
Sutton Coldfield  
West Midlands B75 7DF

**8. MARKETING AUTHORISATION NUMBER(S)**

**Vm** 01759/4050

**9. DATE OF FIRST AUTHORISATION**

Date of first Authorisation: 18.02.92

**10. DATE OF REVISION OF THE TEXT**

February 2012