Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Telephone +44 (0)1932 336911

Post Authorisation Assessments

Clavucill 200 mg/50 mg, Tablets for Dogs Vm 19968/4002

| • | 15 July 2022 | Updated certificate of suitability for an already approved manufacture. | | | | |
|---|--|--|--|--|--|--|
| | | Updated certificate of suitability for an already approved | | | | |
| | | manufacture. | | | | |
| | | New certificate of suitability from a new manufacturer for | | | | |
| | | an active substance. | | | | |
| | | New certificate of suitability from a new manufacturer for | | | | |
| | | an active substance. | | | | |
| • | 27 December 2018 | Changes to the labelling and package leaflet. | | | | |
| • | 13 November 2018 | Change in distributor details from: Chenelle Animal Heath Ltd., 7 Rodney Street, Liverpool, L1 9HZ, UK, to | | | | |
| | | V.M.D. n.v., Hoge Mauw 900, 2370 Arendonk, Belgium. | | | | |
| • | 02 October 2018 | Change in shape or dimensions of the container or | | | | |
| | 02 000001 2010 | closure (immediate packaging). | | | | |
| • | 17 November 2016 | Change in the safety database of an existing | | | | |
| | | pharmacovigilance system as described in the DDPS. | | | | |
| • | 30 July 2015 | Introduction of a new pharmacovigilance system, when the system is a second system is a second system. | | | | |
| | | has not been assessed by the relevant NCA/EMA. | | | | |
| • | 03 June 2015 | Removal of cats as a target species. | | | | |
| | | Change in the name of the medicinal product from | | | | |
| | | Clavucill Tablets 250 mg to Clavucill 200 mg/50 mg | | | | |
| | 05 Manala 0045 | tablets for dogs. | | | | |
| • | 25 March 2015 | Change to the MAH. | | | | |
| • | 23 December 2014 | Reduction of shelf-life of the finished product in the UK, from 3 years to 2 years. | | | | |
| • | 04 December 2014 | Change in the specification limits of the finished product | | | | |
| | On December 2014 | at both release and end of shelf-life. | | | | |
| • | 05 August 2014 | Harmonisation of SPC and Mock-ups with Ireland. | | | | |
| • | 16 June 2014 | Change in the shelf life of the finished product. | | | | |
| • | 28 January 2014 | Submission of updated Ph. Eur. Certificates of | | | | |
| | , | Suitability. | | | | |
| • | 04 July 2013 | Renewal procedure. | | | | |
| • | 19 May 2009 | To update the reference number of the certificate of | | | | |
| | suitability for Potassium Clavulanate. | | | | | |