Veterinary Medicines Directorate

Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS
Telephone +44 (0)1932 336911

Post Authorisation Assessments

HuveGuard MMAT Suspension for Oral Suspension for Chickens

Vm 30282/3020

17 March 2026	To introduce an alternative method for enumerating sporulated oocysts using a FlowCam/AI automated counting system, which applies dynamic imaging analysis for rapid and accurate quantification. To introduce an alternative method for enumerating sporulated oocysts using a FlowCam/AI automated counting system, which applies dynamic imaging analysis for rapid and accurate quantification. To introduce an alternative method for enumerating sporulated oocysts using a FlowCam/AI automated counting system, which applies dynamic imaging analysis for rapid and accurate quantification. To introduce an alternative method for enumerating sporulated oocysts using a FlowCam/AI automated counting system, which applies dynamic imaging analysis for rapid and accurate quantification.
14 March 2026	QRD updated to include expiry date format as dd/mm/yy.
07 August 2025	To extend the maximum passage level of the E. mitis, strain Jormit 3+9 and E. tenella, strain Rt 3+15 antigens from X+6 and X+8 passages respectively, to X+12 passages.
18 July 2025	Change(s) in the name or address or contact details of a qualified person for pharmacovigilance (QPPV). Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in this Annex.
August 2024	Extension of the shelf life of the antigens from 7 weeks for E. acervuline strain RA3+20, 6 weeks for E. maxima strain MCK+10, 11 weeks for E. mitis strain Jormit3+9 & 12 weeks for E. tenella strain Rt3+15 to: 10 weeks for E. acervuline strain RA3+20, 11 weeks for E. maxima strain MCK+10, 13 weeks for E. mitis strain Jormit3+9 & 13 weeks for E. tenella strain Rt3+15. Extension of the Shelf life of the finished product from 16 to 26 weeks. G.I.18 update of the product information.
06 January 2023	Change in address of a sterility testing site.
14 July 2022	Change in address of a sterility testing site.
10 June 2022	Minor change in the manufacturing process of the active substance.

15 December 2021	Deletion of an in-process test during the manufacture of the finished product.
26 October 2021	Change to the composition of the primary container.
22 September 2021	Changes to the labelling and/or package leaflet.
15 June 2021	Replacement of an in-process test applied during the manufacture of the active substance.
04 February 2021	Deletion of packaging site. Deletion of site where batch control takes place.
11 September 2020	Renewal – UK as CMS.
02 April 2020	Addition of a site where batch control/testing takes place. Change of a test procedure for the finished product. Deletion of a specification parameter of the finished product.
14 June 2018	Changes to the labelling and/or package leaflet.
12 April 2018	Change in the name of the manufacturer of the finished product.
10 January 2018	Change in the invented name of the veterinary medicinal product from HuveGuard MMAT Suspension for Ocular or Oral Use for Chickens to HuveGuard MMAT suspension for oral suspension for Chickens.
24 November 2017	Addition of a secondary packaging site of the finished product.
29 August 2017	Changes in the manufacturing process of the active substance.
03 May 2017	Extension of the storage period of the active substance
11 October 2016	Change in the batch size of the finished product.