



Post Authorisation Assessments

Kelactin 50 Microgram/ml Oral Solution for Dogs and Cats

•	09 May 2022	Change in the invented name of the veterinary medicinal product from Kelactin (vet) to Vey Lactin (vet) in CZ, DE, EL, ES, FI, HU, IS, IT, NO, PL, PT, and SK.
•	22 March 2022	Updates to user instructions for the finished product.
•	17 March 2022	Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer.
•	28 January 2022	Replacement of a site where batch control/testing takes place. Replacement of a primary packaging site of the finished product. Replacement of a manufacturing site of the finished product.
•	19 May 2021	Change in storage conditions of the finished product (Removal of the term 'transport refrigerated').
•	06 May 2021	Introduction of a new pharmacovigilance system
•	17 August 2020	Change of MAH, from Kela nv, Sint Lenaartseweg 48, 2320 Hoogstraten, Belgium to Veyx-Pharma GmbH, Söhreweg 6, 34639 Schwarzenborn, Germany.
•	21 October 2019	Submission of an updated Ph. Eur. certificate of suitability for an active substance from an already approved manufacturer.
•	21 October 2019	Change in distributor details from ANUPCO Limited, Crockatt Road, Lady Lane Industrial Estate, Hadleigh, Suffolk, IP7 6RD, United Kingdom to ANUPCO Limited, Office 39, Lodge House, Lodge Park, Lodge Lane, Langham, Colchester, Essex, CO4 5NE, United Kingdom.
•	25 April 2019	Change in the QPPV of an existing pharmacovigilance system as described in the DDPS
•	04 May 2017	Renewal – UK as CMS
•	21 June 2016	Change in batch size of the finished product. Submission of an updated certificate of suitability.
•	21 June 2016	Change of distributor from Forum Animal Health to Anglian Nutrition Products Company (ANUPCO).
•	23 September 2015	Repeat Use Comms.
•	05 June 2015	Update to the DDPS.
•	30 October 2014	Submission of an updated Ph. Eur. Certificate of Suitability for an already approved manufacturer.
•	03 October 2014	Change to distributor address.
•	15 April 2014	Change in distributor.

