

PARTICULARS TO APPEAR ON <THE OUTER PACKAGE> <AND> <THE IMMEDIATE PACKAGE> {NATURE/TYPE}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Dog Flea Spray, cutaneous spray, solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Pyrethrum Extract 25% 0.8% w/w

Piperonyl Butoxide 1.0% w/w

Contains natural biodegradable Pyrethrum

3. PHARMACEUTICAL FORM

Cutaneous spray, solution.

4. PACKAGE SIZE

150 ml, 250 ml

5. TARGET SPECIES

Dogs & Puppies over 12 weeks of age.

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions for use: Shake can before use. Spray from a distance of about 12" (30cm), all over body, commencing at tail, while brushing against lie of coat to permit spray penetration. Avoid eyes and other sensitive areas. Repeat every 3-4 days if necessary until infestation is cleared. Keep animal under observation for 30 minutes after treatment, then brush and comb to remove dead fleas.

Dogs: Spray small dogs for about 6 seconds, medium dogs for about 9 seconds and large dogs for about 14 seconds.

Cats: May be used with caution on cats over 12 weeks of age, but spray only for 3-5 seconds (no more) according to size. Comb coat back into place and towel lightly to remove all excess spray. Do not allow cat to groom until this has been done and

coat is dry. Some cats are sensitive to aerosols, in which case use a cat flea powder or cat flea collar.

8. WITHDRAWAL PERIOD

Not applicable.

9. SPECIAL WARNING(S), IF NECESSARY

Contra-indications: Do not use on animals under 12 weeks of age or on nursing bitches or queens, from which fleas may be removed by careful use of a flea comb. If signs of disease persist or appear, consult a Veterinary Surgeon promptly.

Hazard Warning: Keep treated animals away from fires and other sources of heat for at least 30 minutes following spraying and until the fur is totally dry.

Operator Warnings:

Do not breathe spray mist. Use in well ventilated area. Avoid contact with eyes. In case of accidental eye contact, rinse with clean, fresh water. If eye irritation persists, seek medical advice.

Persons who are hypersensitive (allergic) to pyrethrum extract should handle the product with care.

Treated animals should not be allowed to sleep or play with people, particularly children, until the animal is dry.

Wash hands and exposed skin after use. Keep away from food, drink and animal feedingstuffs. Harmful to fish and crustaceans. Do not contaminate aquaria and fish bowls with the product. Keep out of reach of children. For animal treatment only. For external use only. Do not store above 25°C. **Keep out of sight and reach of children (150 ml only)**

10. EXPIRY DATE

11. SPECIAL STORAGE CONDITIONS

Extremely Flammable: Pressurised container: Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition – No smoking.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty containers and any remaining product in the household refuse.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

POM-V

POM-VPS

NFA-VPS

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Johnson's Veterinary Products Ltd
5 Reddicap Trading Estate
Sutton Coldfield
West Midlands B75 7DF

16. MARKETING AUTHORISATION NUMBER(S)

Vm 01759/4045

17. MANUFACTURER’S BATCH NUMBER

18. FURTHER INFORMATION

Fleas from pets often infest animals’ bedding, also carpets, soft furnishings and regular resting areas. To help prevent re-infestation these should be treated with a suitable insecticide and vacuumed regularly. Wash or change pet bedding regularly.

Approved: 03/05/2017

