

PARTICULARS TO APPEAR ON THE OUTER PACKAGE
CARTON

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Drontal Cat FILM-COATED TABLETS

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Tablet contains two active substances: 20 mg praziquantel and 230 mg pyrantel embonate.

3. PACKAGE SIZE

Cartons containing 2, 24 or 96 tablets.

4. TARGET SPECIES

Cats.

5. INDICATIONS

Drontal Cat Film-coated Tablets can be used to treat roundworms and tapeworms commonly found in cats in the UK.

6. ROUTES OF ADMINISTRATION

For oral use

Give 1 tablet for every 4 kg bodyweight according to the following table:

Up to 2 kg:	½ tablet
greater than 2 kg up to 4 kg:	1 tablet
greater than 4 kg up to 6 kg:	1½ tablets
greater than 6 kg: up to 8kg:	2 tablets

If you cat weights 6 kg or more, Drontal Cat XL Film-coated Tablets are also available.

Read the package leaflet before use.

7. WITHDRAWAL PERIODS

8. EXPIRY DATE

Exp. {mm/yyyy}

9. SPECIAL STORAGE PRECAUTIONS

Do not store above 25°C. Store in the original packaging. Do not remove tablets from the foil strip until they are required for use. Dispose of any unused half tablets. Do not use after the expiry date stated on the foil strip.

10. THE WORDS “READ THE PACKAGE LEAFLET BEFORE USE”

Read the package leaflet before use.

11. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

12. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

13. NAME OF THE MARKETING AUTHORISATION HOLDER

Vetoquinol UK Limited

14. MARKETING AUTHORISATION NUMBERS

Vm 08007/5054

15. BATCH NUMBER

Lot {number}

Other information

Do not use simultaneously with other deworming products without veterinary advice
Do not use in kittens less than 6 weeks of age
Do not use in pregnancy

Always wash your hands after giving your cat Drontal Cat Film-coated Tablets

NFA-VPS

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING
UNITS
BLISTER STRIP

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Drontal Cat **FILM-COATED TABLETS**

2. QUANTITATIVE PARTICULARS OF THE ACTIVE SUBSTANCES


20 mg praziquantel and 230 mg pyrantel embonate.

3. BATCH NUMBER

Lot {number}

4. EXPIRY DATE

Exp. {mm/yyyy}

1  = 4 kg



DISPENSING ENVELOPE

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Drontal Cat FILM-COATED TABLETS

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Drontal Cat Film-coated Tablet contains two active substances: 20 mg praziquantel and 230 mg pyrantel embonate.

3. PACKAGE SIZE

4. TARGET SPECIES

Cats.

5. INDICATION(S)

Drontal Cat Film-coated Tablets can be used to treat roundworms and tapeworms commonly found in cats in the UK

6. METHOD AND ROUTE(S) OF ADMINISTRATION

Give 1 tablet for every 4 kg bodyweight according to the following table:

Up to 2 kg:	½ tablet
greater than 2 kg up to 4 kg:	1 tablet
greater than 4 kg up to 6 kg:	1½ tablets
greater than 6 kg: up to 8kg:	2 tablets

If you cat weights 6 kg or more, Drontal Cat XL Film-coated Tablets are also available.

Give the tablet(s) to your cat by placing directly in the cat's mouth, but if necessary, hide the medicine in the cat's food.

For oral administration only.

Read the package leaflet before use.

7. WITHDRAWAL PERIODS

8. EXPIRY DATE

Exp. {mm/yyyy}

9. SPECIAL STORAGE PRECAUTIONS

Do not store above 25°C. Do not remove tablets from the foil strip until they are required for use. Dispose of any unused half-tablets. Do not keep them for future use. Store in the original packaging. Do not use after the expiry date stated on the foil strip.

10. THE WORDS “READ THE PACKAGE LEAFLET BEFORE USE”

Read the package leaflet before use

11. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

12. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the reach and sight of children.

13. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park
Nr. Alderton
Towcester
Northamptonshire
NN12 7LS

14. MARKETING AUTHORISATION NUMBERS

Vm 08007/5054

15. MANUFACTURER’S BATCH NUMBER

Lot {number}

Other information

Do not use simultaneously with other deworming products without veterinary advice
Do not use in kittens less than 6 weeks of age
Do not use in pregnancy

Always wash your hands after giving your cat Drontal Cat Film-coated Tablets

UK only

Vm 08007/5054

NFA-VPS

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park
Nr. Alderton
Towcester
Northamptonshire
NN12 7LS

-









Name of Cat:.....

Cat Owner's Name:.....

Address:.....

Supplied by:

Calendar labels

Drontal 1  = 4 kg 	Drontal 1  = 4 kg 	Drontal 1  = 4 kg 	Drontal 1  = 4 kg 
--	--	---	--

PARTICULARS TO APPEAR ON THE PACKAGE LEAFLET:

PACKAGE LEAFLET

1. Name of the veterinary medicinal product

Drontal Cat Film-coated Tablets

2. Composition

Each tablet contains:

Active substances:

230.0 mg of Pyrantel Embonate
20.0 mg of Praziquantel

White to yellowish scored coated tablet. The tablet can be divided into equal halves.

3. Target species

Cats.

4. Indications for use

The product can be used for the treatment of gastrointestinal roundworms and tapeworms: *Toxocara cati*, *Toxascaris leonina*, *Dipylidium caninum*, *Taenia taeniaeformis*.

5. Contraindications

Do not use simultaneously with piperazine compounds as piperazine may block the action of pyrantel embonate contained in the product. Other worming products may contain piperazine.

Do not use simultaneously with other deworming products without veterinary advice.

Do not use in kittens less than 6 weeks of age.

Do not use during pregnancy.

Do not use in animals with known hypersensitivity or to any of the excipients.

6. Special warnings

Special warnings:

Roundworms and tapeworms are parasites that live in the gut. If left untreated they can cause your cat to become unwell. Treating your cat will reduce the risk of other animals and humans being exposed to worm infections.

Cats may become re-infected with worms following treatment. Ongoing exposure to worms can occur from eggs in the environment, or by eating insects (including fleas and lice), birds, small rodents or rabbits. The need for and interval between

treatments will vary depending on the cat's environment and lifestyle. For guidance specific to your cat, consult a veterinary surgeon or suitably qualified professional.

Fleas serve as intermediate hosts for one common type of tapeworm - *Dipylidium caninum*. Tapeworm infestation is highly likely to re-occur unless control of intermediate hosts such as fleas, mice etc. is undertaken. Flea infestations can be controlled by the use of effective flea control products. Fleas from pets often infest the animal's basket, bedding and regular resting areas such as carpets and soft furnishings which should also be treated with appropriate products.

Care should be taken to avoid the following practices because they increase the risk of development of resistance and could ultimately result in ineffective therapy:

- Too frequent and repeated use of anthelmintics from the same class, over an extended period of time.
- Underdosing, due to underestimation of body weight or misadministration of the product.

If your cat has been taken overseas, it is recommended that they are treated with a veterinary medicine containing praziquantel (e.g. Drontal Cat XL Film-coated Tablets) before entering the UK, to prevent the establishment of *Echinococcus multilocularis*.

Special precautions to be taken by the person administering the veterinary medicinal product to animals:

In the interests of good hygiene, persons administering the tablets directly to a cat, or by adding them to the cat's food, should wash their hands afterwards.

Any part-used tablets should be discarded.

Pregnancy and lactation:

Do not use during pregnancy
May be used during lactation.

7. Adverse events

Cats:

Very rare (<1 animal / 10,000 animals treated, including isolated reports):	Digestive tract disorder ¹ (hypersalivation ¹ , vomiting ¹) Neurological disorder ¹ (ataxia (impaired balance) ¹)
--	--

¹ Mild and transient

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed in this package

leaflet, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder using the contact details at the end of this leaflet, or via your national reporting system at:

Website: <https://www.gov.uk/report-veterinary-medicine-problem/animal-reacts-medicine>

e-mail: adverse.events@vmd.gov.uk.

8. Dosage for each species, routes and method of administration

The number of tablets needed to treat your cat depends on your cat's weight. To ensure a correct dosage, your cat's bodyweight should be determined as accurately as possible.

Underdosing could result in ineffective use and may favour the development of resistance.

Give 1 tablet for every 4 kg bodyweight. The tablets are scored so that they can be broken in half easily

Weight of your Cat	
Up to 2 kg*:	½ tablet
Greater than 2 kg up to 4 kg:	1 tablet
Greater than 4 kg up to 6 kg:	1½ tablets
Greater than 6 kg up to 8 kg:	2 tablets

*Do not administer to kittens less than 6 weeks of age.

If your cat weighs 6 kg or more, Drontal Cat XL Film-coated Tablets are also available.

Single oral administration.

The need for and interval between treatments will vary depending on your cat's environment and lifestyle and should be based on professional advice.

If signs of disease persist or appear please consult a veterinary surgeon.

9. Advice on correct administration

Give the tablet(s) to your cat by placing directly in the cat's mouth but if necessary hide the medicine in the cat's food.

10. Withdrawal periods

Not applicable.

11. Special storage precautions

How to store Drontal Cat Film-coated Tablets

- Keep out of the sight and reach of children.
- Do not store above 25°C.

- Do not remove tablets from the foil strip until they are required for use.
- Dispose of any unused half tablets. Do not keep them for future use.
- Store in the original packaging.
- Do not use after the expiry date stated on the foil strip and outer packaging.
- The expiry date refers to the last day of that month.

12. Special precautions for disposal

Medicines should not be disposed of via wastewater.

Use take-back schemes for the disposal of any unused veterinary medicinal product or waste materials derived thereof in accordance with local requirements and with any applicable national collection systems. These measures should help to protect the environment.

Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required.

13. Classification of veterinary medicinal products

Veterinary medicinal product not subject to prescription.

14. MARKETING AUTHORISATION NUMBERS AND PACK SIZES

Vm 08007/5054

Drontal Cat Film-coated Tablets are available in cartons containing 2, 24 and 96 tablets. Not all pack sizes may be marketed.

For any information about this veterinary medicinal product, please contact the local marketing authorisation holder.

15. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

16. Contact details

Marketing authorisation holder and contact details to report suspected adverse reactions:

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park
Nr. Alderton
Towcester
Northamptonshire
NN12 7LS

Manufacturer responsible for batch release:

KVP Pharma + Veterinär Produkte GmbH, Projensdorfer Str. 324, 24106 Kiel,
Germany

and

Vetoquinol S.A., Magny-Vernois, 70200 Lure, France

and

EUROPHARTECH
34 rue Henri Matisse
63370 Lempdes
FRANCE

17. Other information

To safeguard the health of yourself and your pet, please keep this leaflet and read it before you apply the product to your pet.

NFA-VPS

Gavin Hall
Approved: 22 December 2025