

PARTICULARS TO APPEAR ON IMMEDIATE PACKAGE

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

SWITCH® 4% w/v Pour-on-Solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

4% w/v (4g/100ml) Permethrin (cis:trans 80:20).

3. PHARMACEUTICAL FORM

Pour-on-Solution (stated with name)

4. PACKAGE SIZE

250 ml

5. TARGET SPECIES

Horses & donkeys (Stated under indication and with directions for use etc)

6. INDICATION(S)

Aids control of Sweet Itch in horses & donkeys

7. METHOD AND ROUTE(S) OF ADMINISTRATION

SWITCH® is a ready-to-use, pour-on solution which should be applied at the rate of 1 ml per 10 kg bodyweight to a maximum of 40 ml.

Bodyweight Dose:

Up to 100 kg - 10 ml

101 to 200 kg - 20 ml

201 to 300 kg - 30 ml

over 300 kg - 40 ml

SWITCH® should be applied using the calibrated dispensing chamber incorporated into the applicator bottle. Apply the measured dose in approximately equal portions to the mane and rump avoiding the saddle area. (Take care to avoid eye contact. The product must not be applied forward of the ears.) Treatment should be started at the beginning of the Sweet Itch season and should be repeated as necessary - treatment once weekly should be sufficient for most horses. If horses and donkeys are to be groomed, apply SWITCH® after grooming.

8. WITHDRAWAL PERIOD

see under "Protection of Consumers" in section 9. Special Warnings

9. SPECIAL WARNING(S), IF NECESSARY

Protection of Operators: The product may cause neurotoxic effects and skin and eye irritation. Wear protective clothing, boots and chemically resistant gloves such as rubber, PVC or nitrile, when applying the product. Wash splashes from skin and eyes immediately. If eye irritation persists, seek medical advice immediately and show the package leaflet or the label to the physician. When using the product do not eat, drink or smoke. Wash hands and exposed skin before eating, drinking or smoking and after work. (Care should be taken when applying the product as it may have an adverse effect on certain plastics.) Keep away from food, drink and animal feedstuffs. Use in a well ventilated area.

Protection of Consumers: Not to be used in horses and donkeys intended for human consumption. Treated horses may never be slaughtered for human consumption. The horse must have been declared as not intended for human consumption under national horse passport legislation.

Caution: A few horses, particularly those of the fine skinned Arab type, may react adversely to treatment with the product. In such individuals a small patch test at the base of the neck 24 hours before use is recommended. If adverse reaction occurs, treatment should be stopped immediately. Take care to avoid eye contact. The product must not be applied forward of the ears. In case of accidental splashing into the horse's eye, the affected eye should be washed thoroughly and immediately with copious quantities of clear water and veterinary attention sought. Do not treat the saddle area.

Protection of Livestock, Wildlife and others:

Dangerous to fish and other aquatic life. Do not contaminate ponds, waterways or ditches with the product or with the used container. Dispose of empty packaging and any remaining product in the household refuse.

10. EXPIRY DATE

present

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C.
Store in original container tightly closed.
Keep out of the sight and reach of children.
For animal treatment only.
For external use only.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

See under "Protection of Livestock, Wildlife and others:" in section 9. Special Warnings

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

See under in section 11. SPECIAL STORAGE CONDITIONS

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Present – see 11. SPECIAL STORAGE CONDITIONS

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

VetPlus Ltd
Animal House
Boundary Road
Lytham
Lancashire
FY8 5LT

16. MARKETING AUTHORISATION NUMBER

Vm 18182/4000

17. MANUFACTURER’S BATCH NUMBER

present

18. OTHER INFORMATION

Further Information: As with all insecticides, the degree of fly-killing and repellent activity afforded by SWITCH® is influenced by prevailing weather conditions and species of flies involved. Sweet Itch is believed to be caused by hypersensitivity to the bites of flying insects e.g. *Culicoides* spp. It may be appropriate for owners to seek veterinary advice in severe cases of Sweet Itch and in cases of Sweet Itch which do not respond to treatment.

PARTICULARS TO APPEAR ON SECONDARY PACKAGE

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

SWITCH® 4% w/v Pour-on-Solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

4% w/v (4g/100ml) Permethrin (cis:trans 80:20).

3. PHARMACEUTICAL FORM

Pour-on-Solution (*stated with name*)

4. PACKAGE SIZE

250 ml

5. TARGET SPECIES

Horses & donkeys (*Stated under indication and with directions for use etc*)

6. INDICATION(S)

Aids control of Sweet Itch in horses & donkeys

7. METHOD AND ROUTE(S) OF ADMINISTRATION

SWITCH® is a ready-to-use, pour-on solution which should be applied at the rate of 1 ml per 10 kg bodyweight to a maximum of 40 ml.

Bodyweight Dose:

Up to 100 kg - 10 ml

101 to 200 kg - 20 ml

201 to 300 kg - 30 ml

over 300 kg - 40 ml

SWITCH® should be applied using the calibrated dispensing chamber incorporated into the applicator bottle. Apply the measured dose in approximately equal portions to the mane and rump avoiding the saddle area. (Take care to avoid eye contact. The product must not be applied forward of the ears.) Treatment should be started at the beginning of the Sweet Itch season and should be repeated as necessary - treatment once weekly should be sufficient for most horses. If horses and donkeys are to be groomed, apply SWITCH® after grooming.

8. WITHDRAWAL PERIOD

see under "Protection of Consumers" in section 9. Special Warnings

9. SPECIAL WARNING(S), IF NECESSARY

Protection of Operators: The product may cause neurotoxic effects and skin and eye irritation. Wear protective clothing, boots and chemically resistant gloves such as rubber, PVC or nitrile, when applying the product. Wash splashes from skin and eyes immediately. If eye irritation persists, seek medical advice immediately and show the package leaflet or the label to the physician. When using the product do not eat, drink or smoke. Wash hands and exposed skin before eating, drinking or smoking and after work. (Care should be taken when applying the product as it may have an adverse effect on certain plastics.) Keep away from food, drink and animal feedstuffs. Use in a well ventilated area.

Protection of Consumers: Not to be used in horses and donkeys intended for human consumption. Treated horses may never be slaughtered for human consumption. The horse must have been declared as not intended for human consumption under national horse passport legislation.

Caution: A few horses, particularly those of the fine skinned Arab type, may react adversely to treatment with the product. In such individuals a small patch test at the base of the neck 24 hours before use is recommended. If adverse reaction occurs, treatment should be stopped immediately. Take care to avoid eye contact. The product must not be applied forward of the ears. In case of accidental splashing into the horse's eye, the affected eye should be washed thoroughly and immediately with copious quantities of clear water and veterinary attention sought. Do not treat the saddle area.

Protection of Livestock, Wildlife and others:

Dangerous to fish and other aquatic life. Do not contaminate ponds, waterways or ditches with the product or with the used container. Dispose of empty packaging and any remaining product in the household refuse.

10. EXPIRY DATE

Present – on base of carton (Batch No: & Expiry Date see base of container)

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C.
Store in original container tightly closed.
Keep out of the sight and reach of children.
For animal treatment only.
For external use only.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

See under "Protection of Livestock, Wildlife and others:" in section 9. Special Warnings

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

See under in section 11. SPECIAL STORAGE CONDITIONS

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Present – see 11. SPECIAL STORAGE CONDITIONS

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

VetPlus Ltd
Animal House
Boundary Road
Lytham
Lancashire
FY8 5LT

16. MARKETING AUTHORISATION NUMBER

Vm 18182/4000

17. MANUFACTURER’S BATCH NUMBER

Present – on base of carton (Batch No: & Expiry Date see base of container)

18. OTHER INFORMATION

Further Information: As with all insecticides, the degree of fly-killing and repellent activity afforded by SWITCH® is influenced by prevailing weather conditions and species of flies involved. Sweet Itch is believed to be caused by hypersensitivity to the bites of flying insects e.g. *Culicoides* spp. It may be appropriate for owners to seek veterinary advice in severe cases of Sweet Itch and in cases of Sweet Itch which do not respond to treatment.



Approved: 17 March 2023