

**PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>**

**{BLISTER CARD}**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Johnson's Felt Cat Flea Collar, 18% w/w

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Contains Permethrin (Cis:Trans 40:60)

What is in this collar?

Each collar contains 456mg (18% w/w) Permethrin technical (Cis:Trans 40:60) which is a pyrethroid.

**3. PHARMACEUTICAL FORM**

Collar

**4. PACKAGE SIZE**

1 collar

**5. TARGET SPECIES**

Cats

**6. INDICATION(S)**

*[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]*

What does this collar do?

Johnson's Felt Cat Flea Collar contains an insecticide that kills fleas on your cat and helps to prevent re-infestation for up to 4 months. Fleas also live in carpets, soft furnishings, pet bedding and other regular resting areas, which should be treated with a suitable insecticide and vacuumed regularly to prevent flea eggs developing into adult fleas and re-infesting your cat.

**7. METHOD AND ROUTE(S) OF ADMINISTRATION**

How do I use this collar?

Do not remove the collar from the blister until ready for use. Fasten round your cat's neck (coloured side facing outwards), leaving enough room to insert 2 fingers between the collar and neck – remember to loosen the collar if fitted on to a growing

cat. Cut off any collar sticking out beyond the buckle. Wrap this cut-off in a bag and throw it in your dustbin. Keep the empty blister card for reference until the collar is thrown away.

For external use only.

## **8. WITHDRAWAL PERIOD**

N/A

## **9. SPECIAL WARNING(S), IF NECESSARY**

<User Warnings>

Is this collar safe for my cat?

Yes. However, you should not use it if your cat is less than 12 weeks old. Do not allow the collar to come into contact with pregnant or nursing queens. In all of these cases, use a flea comb or refer to a Veterinary Surgeon. If signs of disease persist or appear consult a Veterinary Surgeon.

What precautions should I take to protect my cat?

For external use only. Do not use any other flea control products on your cat whilst using this collar or within 7 days of removing it. Leave room between the collar and your cat's neck to allow for growth and to prevent irritation – if skin irritation does occur, remove the collar straight away.

Never allow any animal to chew or lick the collar.

What precautions should I take to protect myself and my family?

Wash hands thoroughly with soap and water after handling the collar. Do not smoke, eat or drink while handling the collar. Do not allow children to play with the collar or to chew and suck on it.

A pet wearing a flea collar should not sleep in bed with people, particularly children.

## **10. EXPIRY DATE**

EXP: End {month/year}

## **11. SPECIAL STORAGE CONDITIONS**

Do not store above 25 °C

Do not remove the collar from the blister until ready for use.

## **12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

EXTREMELY DANGEROUS to aquatic life. Do not contaminate ponds or other watercourses with the collar. Dispose of excess collar length, the used collar and empty packaging in the household refuse.

**13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE** [*Distribution category*]

For animal treatment only

AVM-GSL

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of reach of children

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Distributed by  
Johnson’s Veterinary Products Ltd  
Sutton Coldfield  
West Midlands  
B75 7DF

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm <number>

16516/4017

**17. MANUFACTURER’S BATCH NUMBER**

ManA 16576

Approved: 11/08/2017

