

PARTICULARS TO APPEAR ON THE OUTER PACKAGE

CARTON

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens 20mg

2. STATEMENT OF ACTIVE SUBSTANCES

ACTIVE INGREDIENTS

Each tube contains a solution of praziquantel (equivalent to 20 mg praziquantel/tube).

3. PHARMACEUTICAL FORM

Spot-on solution.

4. PACKAGE SIZE

2 tubes

4 tubes Multi Cat Pack

5. TARGET SPECIES

Cats & kittens.

6. INDICATION(S)

Fast and effective tapeworm treatment for cats & kittens.

EFFECTIVE TREATMENT OF:

Common worms affecting cats specifically tapeworms:

- ✓ Dipylidium caninum
- ✓ Taenia taeniaeformis
- ✓ Echinococcus multilocularis

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions:


DO NOT administer the product by mouth.

Weigh your cat carefully before calculating the dose.

Cat's Weight	No. of Tubes
1 – 2.5 kg	1
2.5 – 5 kg	2

Note: Do not use on cats/kittens less than 1 kg. If your cat weighs more than 5 kg apply an extra tube per 2.5 kg.

1. Hold tube upright. Remove cap and use the top of the cap to break the seal on the end of the tube.
2. Part the coat on the back of the neck immediately behind the head until the skin is visible.



3. Place the tip of the tube on the skin and slowly squeeze the entire contents onto the skin.

Each application will be absorbed into the skin. Allow contents of each tube to be absorbed before applying any additional tubes. Correct application will minimise the chance for your cat to lick the product. However, the product is bitter tasting and if the cat licks the site of application salivation may occur. This is not a sign of intoxication and will disappear within a few minutes of treatment.

HOW OFTEN TO USE

For effective protection it is recommended that you worm your cat or kitten every 3 months.

8. WITHDRAWAL PERIOD

9. SPECIAL WARNING(S), IF NECESSARY

FOR SAFE USE

For external use only.

If signs of disease persist or appear, consult a veterinary surgeon.

- Do not use on cats weighing less than 1 kg.
- Do not allow recently treated animals to groom each other.
- Occasionally a transient local reaction such as scurf or a mild exudation may be observed at the application site following treatment.
- Do not eat, drink or smoke during application.
- This product can be an irritant to the skin and eyes.
- Wash hands thoroughly after use, wash off any skin contamination with soap and water immediately.

- Care should be taken to avoid the contents of the tube coming into contact with the eyes or mouth of the user or the recipient animal. If accidental contact occurs (splashes) with the eyes, flush the affected eyes thoroughly with clean fresh water.
- In the event of skin, eye or mouth contact, seek medical advice if irritation persists and show the doctor this package.
- Do not stroke or groom animals until area of application is dry (typically 1 hour after application).
- Keep container in outer carton.

10. EXPIRY DATE

Exp. Date: {month/year}

11. SPECIAL STORAGE CONDITIONS

Store away from food, drink or animal food stuffs. Do not use after expiry date.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

After use replace cap on tube and dispose of with any empty packaging in the household refuse.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

[Distribution category]

For animal treatment only.

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park
Nr. Alderton
Towcester
Northamptonshire
NN12 7LS

16. MARKETING AUTHORISATION NUMBER(S)

Vm 08007/4171

17. MANUFACTURER'S BATCH NUMBER

Batch Number: {number}

Distributed by:

Johnson's Veterinary Products Ltd

5 Reddicap Trading Estate

Sutton Coldfield

West Midlands, B75 7DF

MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING

UNITS : UNIT DOSE TUBE LABEL

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens 20mg.

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Contains 20 mg praziquantel

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

In 0.5 ml

4. ROUTE(S) OF ADMINISTRATION

5. WITHDRAWAL PERIOD

6. BATCH NUMBER

BN: {number}

7. EXPIRY DATE

EXP.: {month/year}

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only.

AVM-GSL

For external use only.

Vm 08007/4171

Vetoquinol UK Limited

MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

BLISTER FOIL

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens 20mg.

2. NAME OF THE MARKETING AUTHORISATION HOLDER

3. EXPIRY DATE

Expiry: {month/year}

4. BATCH NUMBER

BN: {number}

5. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

For external use only.

Contains 20 mg praziquantel in 0.5 ml.

2 x 0.5 ml tubes



AVM-GSL

Keep container in outer carton.

Vm 08007/4171

Distributed by Johnson's Veterinary Products Ltd

PACKAGE LEAFLET FOR:

Johnson's Easy Spot-On Wormer Solution for Cats & Kittens 20mg

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Marketing Authorisation Holder:

Vetoquinol UK Limited
Steadings Barn
Pury Hill Business Park
Nr. Alderton
Towcester
Northamptonshire
NN12 7LS

Manufacturer responsible for batch release:

KVP Pharma und Veterinär Produkte GmbH, Projensdorfer Str. 324, D-24106 Kiel, Germany

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Easy Spot-On Wormer Solution for Cats & Kittens 20mg

3. STATEMENT OF THE ACTIVE SUBSTANCE (S) AND OTHER INGREDIENTS

What does Johnson's Easy Spot-On Wormer for Cats & Kittens contain?

Johnson's Easy Spot-On Solution Wormer for Cats & Kittens is available in two pack sizes, each pack containing either 2 tubes or 4 tubes. Not all pack sizes may be marketed. Each tube contains 0.5 ml of liquid containing 20 mg praziquantel. This is an active ingredient that kills your pet's tapeworms. The solution also contains other active ingredients which are needed to allow the drug to be absorbed across the skin and into your cat's body where it can be effective.

What is Johnson's Easy Spot-On Wormer for cats & kittens?

Johnson's Easy Spot-On Solution Wormer for cats & kittens has been specially developed to make worming easy – simply apply the solution to back of your cat's neck for fast effective treatment. Clinically proven, the product starts working almost immediately and is 100% effective at controlling tapeworm – one of the most common worms in cats.

4. INDICATION(S)

Fast and 100% effective tapeworming treatment.

To safeguard your health and that of your pet please read this leaflet carefully before you apply the product to your pet.

The product has been specifically developed for administration to cats and is particularly effective against the following worm species:

- ✓ *Dipylidium caninum*
- ✓ *Taenia taeniaeformis*
- ✓ *Echinococcus multilocularis*

5. CONTRAINDICATIONS

Do not use on cats weighing less than 1 kg.
Do not allow recently treated cats to groom each other.

6. ADVERSE REACTIONS

Occasionally a transient local reaction such as scurf or mild exudation may be observed at the application site following treatment.

7. TARGET SPECIES

Cats and kittens.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

How should Johnson's Easy Spot-On Solution Wormer for Cats & Kittens be used?

Warning: Do not administer Johnson's Easy Spot-On Solution Wormer for Cats & Kittens by mouth.

Weigh your cat carefully before calculating the dose.

Cat's Weight	No. of Tubes
1 – 2.5 kg	1
2.5 – 5 kg	2


Note: Do not use on cats/kittens less than 1 kg. If your cat weighs more than 5 kg apply an extra tube per 2.5 kg bodyweight.

When should you use Johnson's Easy Spot-On Solution Wormer for cats & kittens?

There is no permanent treatment for worms. Veterinarians recommend that weaned kittens and adult cats be wormed every 3 months as a routine measure. It is also important to remove sources of possible re-infection such as fleas and mice.

9. ADVICE ON CORRECT ADMINISTRATION

Hold tube upright. Remove cap and use top of cap to break the seal on the end of the tube. Part the coat on the back of the neck immediately behind the head until the skin is visible.



Place the tip of the tube on the skin and slowly squeeze the entire contents onto the skin. Each application will be absorbed into the skin. Allow the contents of each tube to be absorbed before applying additional tubes.

Correct application will minimise the chance for your cat to lick the product. However, the product is bitter tasting and if the cat licks the site of application salivation may occur. This is not a sign of intoxication and will disappear within a few minutes of treatment.

10. WITHDRAWAL PERIOD(S)

11. SPECIAL STORAGE PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Store away from food, drink or animal feeding stuffs. Do not use after expiry date. Keep container in outer carton.

12. SPECIAL WARNING(S)

How do I use this product safely?

For external use only.

For animal treatment only.

Do not eat, drink or smoke during application.

This product can be an irritant to the skin and eyes.

Wash hands thoroughly after use, wash off any skin contamination with soap and water immediately.

Care should be taken to avoid the contents of the tube coming into contact with the eyes or mouth of the user or the recipient animal. If accidental contact occurs (splashes) with the eyes, flush the affected eyes thoroughly with clean fresh water.

In the event of skin, eye or mouth contact, seek medical advice if irritation persists and show the doctor this package.

Do not stroke or groom animals until the area of application is dry (typically 1 hour after application).

If signs of disease persist or appear, consult a veterinary surgeon.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY.

After use replace cap on tube and dispose of with any empty packaging in the household refuse.

14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED

November 2020

15. FURTHER INFORMATION

Legal category:

AVM-GSL

Marketing Authorisation No.: 08007/4171

Distributed by:

Johnson's Veterinary Products Ltd
5 Reddicap Trading Estate
Sutton Coldfield
West Midlands, B75 7DF

Approved 05 November 2020

A handwritten signature in black ink, appearing to read 'M. Hunter.', is written below the approval date.