

PARTICULARS TO APPEAR ON <THE OUTER PACKAGE> <AND> <THE IMMEDIATE PACKAGE> {Label}

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's Anti-Mite & Insect Spray, cutaneous spray, solution

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Contains: Pyrethrum Extract 25%	0.8% w/w
Piperonyl Butoxide	1.0% w/w

3. PHARMACEUTICAL FORM

Cutaneous Spray, Solution

4. PACKAGE SIZE

300ml

5. TARGET SPECIES

Cage birds e.g. budgerigars and canaries, and pigeons.

6. INDICATION(S)

Kills Mites & Lice

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions for use: Remove food and water before spraying. Avoid spraying from less than 24" (60cm) on perspex or plastic cage materials, as adverse reaction may result.

Cage Birds: (e.g. Canaries and Budgerigars): Spray directly at bird in the cage from about 24" (60cm). Avoid spraying into bird's eyes. Use sparingly, giving 2 or 3 one-second puffs only. For open cages, cover cage except front with a cloth and remove it a few minutes after spraying. For cages containing several birds, spray into cage from about 24" (60cm), in puffs of one-second, filling cage with light mist only. Repeat every 3-4 days until infestation is cleared. To help prevent reinfestation, also allow spray to fall on immediate surroundings where mites breed, e.g. cage surfaces, perch ends, cracks and crevices.

Pigeons: Treat birds singly inside loft. Spray each bird for 4-6 seconds only according to size. Spray lightly at rear of bird from about 15" (38cm), parting

feathers. Avoid eyes. Repeat every 3-4 days until reinfestation is cleared. Use occasionally as a precaution, particularly after Racing or Showing. To help prevent reinfestation, also allow spray to fall on surroundings e.g. baskets, fittings, lofts. NOTE: most effective way of treatment: one person wearing rubber gloves holds bird, protecting its eyes with one hand, while second person parts feather and applies spray.

8. WITHDRAWAL PERIOD

Not applicable

9. SPECIAL WARNING(S), IF NECESSARY

Must be used in a well-ventilated area.

Do not breathe spray mist.

Avoid contact with eyes and skin.

In case of accidental eye contact, wash eyes with copious amounts of water. If irritation persists, seek medical advice

Persons who are hypersensitive (allergic) to pyrethrum extract should handle the product with care.

Treated animals should not be allowed to sleep or play with people, particularly children, until the animal is dry.

Wash hands after use.

Keep away from food, drink and animal feedingstuffs.

Harmful to fish and crustaceans. Do not contaminate aquaria or fish bowls with the product.

10. EXPIRY DATE

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty can or unused product in the household refuse..

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

POM-V

POM-
VPS

NFA-VPS

AVM-
GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Johnson's Veterinary Products Ltd
5 Reddicap Trading Estate
Sutton Coldfield
West Midlands B75 7DF

16. MARKETING AUTHORISATION NUMBER(S)

Vm 01759/4037

17. MANUFACTURER'S BATCH NUMBER

Approved: 08/08/2017

