

LABELLING AND PACKAGE LEAFLET
(the package leaflet information is presented on the immediate packaging)

Alcide UDDERgold Platinum (Base)

**Alcide UDDERgold Platinum (Base)
Concentrate (Base) for Teat Dip solution for Cattle (Dairy)
For use only with Alcide UDDERgold Platinum (Activator)**

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND MANUFACTURER

Marketing Authorisation Holder:

Ecolab Ltd
Unit 1, Wernddu Court
Caerphilly
CF83 3SG
United Kingdom

Manufacturer responsible for the batch release:

Ferdinand Eimermacher GmbH & Co. KG
Westring 24
Nordwalde
Nordrhein-Westfalen
48356
Germany

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Alcide UDDERgold Platinum (Base)
Concentrate (Base) for Teat Dip solution for Cattle (Dairy)
For use only with Alcide UDDERgold Platinum (Activator)
Active substance: Sodium chlorite

For a complete list of approved names in other Member States please refer to section 15.

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENT(S)

Alcide UDDERgold Platinum (Base) is a viscous clear/white solution containing 6.4 mg/ml Sodium chlorite as active substance and disodium edetate dihydrate.

When mixed with Alcide UDDERgold Platinum (Activator) a gold solution forms that nominally contains 0.32%w/v sodium chlorite resulting in an initial equilibrium concentration of 0.016%w/v chlorous acid and nominal value of 0.29%w/v sodium chlorite.

4. INDICATION(S)

Alcide UDDERgold Platinum is a post-milking teat dip for use as an aid in the control of mastitis in dairy cows caused by pathogens such as *Staphylococcus aureus*, *Streptococcus agalactiae*, *Streptococcus dysgalactiae*, *Streptococcus uberis* or *Escherichia coli*. The gel formulation provides a protective barrier over the teat end until the next milking.

5. CONTRAINDICATIONS

Do not use on traumatised or inflamed teats.
Discontinue use on any cow showing signs of irritation or hypersensitivity to the product.
Not for use in sanitizing dairy equipment.

6. ADVERSE REACTIONS

Irritation of teats occurs infrequently; it largely depends on the hygiene procedures, i.e. whether residues are effectively removed prior to milking. If residues from the teat dip are allowed to build up, a dry crust may form. Removal of such crust may leave the teat skin sore and irritated.

If you notice any serious effects or other effects not mentioned in this leaflet, please inform your veterinary surgeon.

7. TARGET SPECIES

Cattle (dairy)

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

For topical use as a teat dip. Add equal volumes of Alcide UDDERgold PlatinumBase and Activator to a clean measuring cylinder or teat dip cup and mix until the colour is uniform throughout. The gold colour in the mixed product may fade with time and this may be more rapid at higher temperatures. This does not affect the efficacy of the product.

Wash and dry udders and teats before milking. Immediately **after** milking dip teats at least one-half their length in the mixed product. Allow to air dry before cows are turned out to pasture, especially in freezing weather. Drying takes approximately 8 - 20 minutes under these conditions. Do not wipe. On average, approximately 7.5ml of product will be used per cow per milking. Always use freshly mixed, full strength Alcide UDDERgold Platinum.

Prior to the next milking, wash teats thoroughly with a compatible udder wash using proper procedures. If signs of disease persist or appear, consult your veterinary surgeon.

9. ADVICE ON CORRECT ADMINISTRATION

Teat dip cups should be emptied after each milking and washed before re-use. If product becomes visibly dirty, discard contents and refill with fresh solution. Use mixed product within 3 hours.

10. WITHDRAWAL PERIOD

Cattle: Meat: zero days
 Milk: zero hours

11. SPECIAL STORAGE PRECAUTIONS

Keep out of the reach and sight of children.

Protect from light. Do not freeze*.
Store in tightly closed original containers.
Store away from food, drink and animal feedstuffs.

*Freezing will not affect the performance of the product provided that the frozen contents are thawed completely and agitated thoroughly **before** mixing the Base and Activator components.

Do not use after the expiry date stated on the label

Shelf-life after reconstitution according to directions: 3 hours

12. SPECIAL WARNINGS

For external use only.
This veterinary medicinal product must not be mixed with other products.
Prior to milking, wash teats thoroughly with water or a compatible udder wash using proper procedures and dry before milking. Do not turn cows out in freezing weather until teat dip is completely dry. Drying takes approximately 8 - 20 minutes under these conditions. If signs of disease persist or appear, consult your veterinary surgeon.

Overdose: not applicable.

User Warnings:
Wash hands after use.
Use in a well-ventilated area, as there is a possibility of a build up of irritating chlorine dioxide gas.
Irritating to eyes. Avoid contact with eyes; if contact occurs flush eyes with large quantities of water. See a doctor if irritation develops.
In the event of accidental exposure, remove by dilution; that is, if external: wash with water; if ingested: drink water; and if inhaled: remove to fresh air.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

14. **PID LINK (Do not print heading)**

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

15. OTHER INFORMATION

Distributed in UK by:
Ecolab Ltd.
PO Box 11
Winnington Avenue
Northwich Cheshire CW8 4DX
Tel.: 01606 7 44 88.

Additional information required on the labelling that is not provided in the QRD template for the Package Leaflet:

3,785 l (10 l, 20 l)

Exp mm/yyyy
For animal treatment only
Marketing authorisation number: Vm 04509/5000
Lot

LABELLING AND PACKAGE LEAFLET
(the package leaflet information is presented on the immediate packaging)

Alcide UDDERgold Platinum (Activator)

**Alcide UDDERgold Platinum (Activator)
Concentrate (Activator) for Teat Dip solution for Cattle (Dairy)
For use only with Alcide UDDERgold Platinum (Base)**

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND MANUFACTURER

Marketing Authorisation Holder:

Ecolab Ltd
Unit 1, Wernddu Court
Caerphilly
CF83 3SG
United Kingdom

Manufacturer responsible for the batch release:

Ferdinand Eimermacher GmbH & Co. KG
Westring 24
Nordwalde
Nordrhein-Westfalen
48356
Germany

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Alcide UDDERgold Platinum (Activator)
Concentrate (Activator) for Teat Dip solution for Cattle (Dairy)
For use only with Alcide UDDERgold Platinum (Base)
Active substance: Lactic acid

For a complete list of approved names in other Member States please refer to section 15.

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENT(S)

Alcide UDDERgold Platinum (Activator) is a viscous yellow solution containing 26.4 mg/ml Lactic acid as active substance, sodium benzoate (E211) and tartrazine (E102).

When mixed with Alcide UDDERgold Platinum (Base) a gold solution forms that nominally contains 0.32%w/v sodium chlorite resulting in an initial equilibrium concentration of 0.016%w/v chlorous acid and nominal value of 0.29%w/v sodium chlorite.

4. INDICATION(S)

Alcide UDDERgold Platinum is a post-milking teat dip for use as an aid in the control of mastitis in dairy cows caused by pathogens such as *Staphylococcus aureus*, *Streptococcus agalactiae*, *Streptococcus dysgalactiae*, *Streptococcus uberis* or *Escherichia coli*. The gel formulation provides a protective barrier over the teat end until the next milking.

5. CONTRAINDICATIONS

Do not use on traumatised or inflamed teats.
Discontinue use on any cow showing signs of irritation or hypersensitivity to the product.
Not for use in sanitizing dairy equipment.

6. ADVERSE REACTIONS

Irritation of teats occurs infrequently; it largely depends on the hygiene procedures, i.e. whether residues are effectively removed prior to milking. If residues from the teat dip are allowed to build up, a dry crust may form. Removal of such crust may leave the teat skin sore and irritated.

If you notice any serious effects or other effects not mentioned in this leaflet, please inform your veterinary surgeon.

7. TARGET SPECIES

Cattle (dairy)

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

For topical use as a teat dip. Add equal volumes of Alcide UDDERgold Platinum Base and Activator to a clean measuring cylinder or teat dip cup and mix until the colour is uniform throughout. The gold colour in the mixed product may fade with time and this may be more rapid at higher temperatures. This does not affect the efficacy of the product.

Wash and dry udders and teats before milking. Immediately **after** milking dip teats at least one-half their length in the mixed product. Allow to air dry before cows are turned out to pasture, especially in freezing weather. Drying takes approximately 8 - 20 minutes under these conditions. Do not wipe. On average, approximately 7.5ml of product will be used per cow per milking. Always use freshly mixed, full strength Alcide UDDERgold Platinum.

Prior to the next milking, wash teats thoroughly with a compatible udder wash using proper procedures. If signs of disease persist or appear, consult your veterinary surgeon.

9. ADVICE ON CORRECT ADMINISTRATION

Teat dip cups should be emptied after each milking and washed before re-use. If product becomes visibly dirty, discard contents and refill with fresh solution. Use mixed product within 3 hours.

10. WITHDRAWAL PERIOD

Cattle: Meat: zero days
 Milk: zero hours

11. SPECIAL STORAGE PRECAUTIONS

Keep out of the reach and sight of children.

Protect from light. Do not freeze*.
Store in tightly closed original containers.
Store away from food, drink and animal feedstuffs.

*Freezing will not affect the performance of the product provided that the frozen contents are thawed completely and agitated thoroughly **before** mixing the Base and Activator components.

Do not use after the expiry date stated on the label

Shelf-life after reconstitution according to directions: 3 hours

12. SPECIAL WARNINGS

For external use only.
This veterinary medicinal product must not be mixed with other products.

Prior to milking, wash teats thoroughly with water or a compatible udder wash using proper procedures and dry before milking. Do not turn cows out in freezing weather until teat dip is completely dry. Drying takes approximately 8 - 20 minutes under these conditions. If signs of disease persist or appear, consult your veterinary surgeon.

Overdose: not applicable.

User Warnings:
Wash hands after use.
Use in a well-ventilated area, as there is a possibility of a build up of irritating chlorine dioxide gas.
Irritating to eyes. Avoid contact with eyes; if contact occurs flush eyes with large quantities of water. See a doctor if irritation develops.
In the event of accidental exposure, remove by dilution; that is, if external: wash with water; if ingested: drink water; and if inhaled: remove to fresh air.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

14. **PID LINK (Do not print heading)**

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

15. OTHER INFORMATION

Distributed in UK by:
Ecolab Ltd.
PO Box 11
Winnington Avenue
Northwich Cheshire CW8 4DX
Tel.: 01606 7 44 88.

The product is marketed with the following name:
Alcide UDDERgold Platinum

Additional information required on the labelling that is not provided in the QRD template for the Package Leaflet:

3,785 l (10 l, 20 l)

Exp mm/yyyy
For animal treatment only
Marketing authorisation number: Vm 04509/5000
Lot

Gavin Hall
Approved: 06 November 2025