

Veterinary Medicines Directorate Woodham Lane, New Haw, Addlestone, Surrey, KT15 3LS Telephone +44 (0)1932 336911

Post Authorisation Assessments

For details of post authorisation assessments prior to 1st January 2021, please refer to the <u>EMA</u> website.

Felisecto Plus 15 mg/2.5 mg Spot-on Solution for Cats ≤2.5 kg Vm 42058/5024

| • April 2024 | Change in name of manufacturer of starter material. |
|--------------------------------------|--|
| | Change in addresses for manufacturers of a starter material. |
| | Manufacturing site of a starting material deleted. |
| | Manufacturing site for a starting material deleted. |
| • April 2024 | Addition of a new specification parameter for a starting material. |
| • 13 April 2024 | Unlimited renewal. |
| • 20 October 2023 | Extension of the re-test period of the active substance where no Ph. Eur. Certificate of Suitability covering the retest period is part of the approved dossier. |
| • 04 August 2023 | Change in batch size of active substance. |
| | Change in batch size of active substance. |
| | Change in batch size of active substance. |
| • 18 April 2023 | Addition of an alternative supplier of a starting material. |
| 27 February 2023 | Change in batch size of an intermediate used in the |
| | manufacturing process of the active substance. |
| 24 February 2023 | Change in batch size of an intermediate used in the |
| | manufacturing process of the active substance. |
| 22 February 2023 | Change in address of supplier of the active substance. |
| • 31 October 2022 | Change in name and address of a manufacturer of the active substance. |
| • 30 May 2022 | Change in the name of a supplier of starting material. |
| • 09 March 2022 | Changes to a test procedure for the immediate packaging of |
| | the active substance. |
| | Change in manufacturer of the active substance. |
| • 17 August 2021 | Update the Summary of Product Characteristics and product |
| | literature with regard to adverse reactions, and to update the |
| | product literature text in line with the current template. |