



Post Authorisation Assessments

For details of post authorisation assessments prior to 1st January 2021,
please refer to the [EMA](#) website.

Stelfonta 1 mg/ml Solution for Injection for Dogs Vm 52489/5000

•	20 December 2022	Addition of a new specification parameter to the specification with its corresponding test method for the active substance.
•	01 November 2022	Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test. Deletion of a residual solvent test.
•	20 December 2021	Changes to a test procedure for the active substance.
•	28 July 2021	Addition of a manufacturer of the active substance or addition of a site of manufacture Change in the specification parameters and/or limits of an active substance Change in the specification parameters and/or limits of an active substance Addition of a new specification parameter with its corresponding test method used in the manufacturing process of the active substance Addition of a new specification parameter with its corresponding test method used in the manufacturing process of the active substance Addition of a new specification parameter with its corresponding test method used in the manufacturing process of the active substance Addition of a new specification parameter with its corresponding test method used in the manufacturing process of the active substance
•	08 July 2021	Changes to the quality control testing arrangements for the active substance. Deletion of a non-significant specification parameter of the finished product.