

PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>
{Carton }

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Beaphar Multiwormer for Dogs, Tablets

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Contents:

8 pink tablets, each containing Piperazine citrate 375 mg;
4 fawn tablets, each containing Dichlorophen 750 mg.

3. PHARMACEUTICAL FORM

Tablets

4. PACKAGE SIZE

Contents:

8 pink tablets, each containing Piperazine citrate 375 mg;
4 fawn tablets, each containing Dichlorophen 750 mg.

5. TARGET SPECIES

Dogs

6. INDICATION(S)

[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]

One pack is sufficient to treat one dog up to 15.2 kg (33.5 lbs) weight for roundworms (Ascarids) and tapeworms.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Directions for use: The treatment consists of three doses given at weekly intervals. Tablets may be taken whole or crushed and sprinkled onto the dog's food.

FIRST DOSE: Give the appropriate number of PINK tablets (for roundworm) for the dog's weight, as shown below.

SECOND DOSE: One week later give the same number of FAWN tablets (for tapeworm).

THIRD DOSE: After another week, repeat the first dose of PINK tablets to complete the treatment.

Dog's weight in Kg	lbs	Number of tablets
1.9 kg	4 lbs	½
2.0 - 3.8	4.5 - 8.5	1
3.9 - 5.7	9.0 - 12.5	1 ½
5.8 - 7.6	13.0 - 16.5	2
7.7 - 9.5	17.0 - 21.0	2 ½
9.6 - 11.4	21.5 - 25.0	3
11.5 - 13.3	25.5 - 29.5	3 ½
13.4 - 15.2	30.0 - 33.5	4

Weigh your pet before treatment to accurately establish the correct dosage. You can do this by weighing yourself, and repeating whilst holding your pet, on the bathroom scales.

Two packs will be required over 15 kg (33 lbs).

Dogs should be re-treated every 3 months.

8. WITHDRAWAL PERIOD

N/A

9. SPECIAL WARNING(S), IF NECESSARY

Contra indications/warnings.

Do not remove tablets from strip until required for treatment. Any part-used tablets should be discarded. Do not treat dogs under 1.9 kg (4 lbs) or less than 6 months old.

Do not repeat treatment if vomiting occurs shortly after dosing. Do not administer more than 6 tablets in a single dose. If no vomiting occurs, remainder of dose may be given after 3 hours. Consult your Veterinary Surgeon before treating pregnant animals, and those with a history of epilepsy or severe renal dysfunction. Sick or convalescing animals should be treated by a Veterinary Surgeon. If signs of disease persist or appear, consult a Veterinary Surgeon.

Wash hands after handling tablets.

Accidental eye contact - rinse thoroughly with clean running water. If irritation persists, seek medical advice. Accidental ingestion by humans - drink plenty of water and seek medical advice.

10. EXPIRY DATE

EXP: end {month/year}

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C.

Keep blister in outer carton.

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of used packaging and remaining product in the household refuse.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

For animal treatment only

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of reach of children

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Beaphar UK Ltd
Rook Tree Farm
Withersfield Road
Great Wratting
Suffolk
CB9 7HD

16. MARKETING AUTHORISATION NUMBER

Vm 13907/4011

17. MANUFACTURER’S BATCH NUMBER

**MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING
UNITS {NATURE/TYPE}**

**Foil
Roundworm tablets (pink)**

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

BEAPHAR MULTIWORMER FOR DOGS, Tablets.

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Tablets contain Piperazine Citrate Ph Eur 375 mg

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

4. ROUTE(S) OF ADMINISTRATION

For oral administration.

5. WITHDRAWAL PERIOD

N/A

6. BATCH NUMBER

Batch

7. EXPIRY DATE

Expiry

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

These tablets kill roundworms (ascarids)

Dosage: Give one tablet per 4 kg bodyweight.

Retain box for easy reference. DO NOT treat dogs under 6 months of age, or those who are sick, convalescing or pregnant.

Disposal: Dispose of used packaging and remaining product in household waste.

Vm 13907/4011

Foil
Tapeworm tablets (fawn)

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

BEAPHAR MULTIWORMER FOR DOGS, Tablets.

2. QUANTITY OF THE ACTIVE SUBSTANCE(S)

Tablets contain Dichlorophen BP 750 mg

3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES

4. ROUTE(S) OF ADMINISTRATION

For oral administration.

5. WITHDRAWAL PERIOD

N/A

6. BATCH NUMBER

Batch

7. EXPIRY DATE

Expiry

8. THE WORDS "FOR ANIMAL TREATMENT ONLY"

For animal treatment only

These tablets kill tapeworms.

Dosage: Give one tablet per 4 kg bodyweight.

Retain box for easy reference. DO NOT treat dogs under 6 months of age, or those who are sick, convalescing or pregnant.

Disposal: Dispose of used packaging and remaining product in household waste.

Vm 13907/4011

Approved: 07 June 2018

