

## LABELLING

**CARTON**

### 1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's One Dose Wormer for Puppies & Small Dogs 100mg Film-Coated Tablets  
Nitroscanate

### 2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Each tablet contains 100 mg of Nitroscanate.

### 3. PHARMACEUTICAL FORM

Film-Coated Tablets

### 4. PACKAGE SIZE

3

4

6 tablets

### 5. TARGET SPECIES

For small dogs and puppies

### 6. INDICATION(S)

Easy to use

Kills Tapeworm, Roundworm and Hookworm in a single dose

Johnson's One Dose Wormer for Dogs 500mg is a broad spectrum anthelmintic for use in adult dogs for treatment of the following roundworms and tapeworms: Roundworms:

*Toxocara canis*, *Toxascaris leonina*, *Uncinaria stenocephala*, *Ancylostoma caninum*.

Tapeworms: *Taenia hydatigena*, *Taenia pisiformis*, and *Dipylidium caninum*.

### 7. METHOD AND ROUTE(S) OF ADMINISTRATION

Read the package leaflet before use

#### Directions for Use:

Give the required number of tablets first thing in the morning when your dog's stomach is empty, with about one fifth of his daily food ration. The tablets should be given whole. This product can be an irritant to the skin and eyes. Tablets are film-coated and should not be broken or divided. To reduce the risk of vomiting, it is

recommended that the remaining food ration is withheld for eight hours after the wormer dose.

Dosage: The dose of the product for the treatment of small dogs and puppies is 1 x 100 mg tablet per 2 kg (4.4 lb) bodyweight. Puppies should be dosed at 12, 16 and 24 weeks. An alternative worming product must be used in younger puppies. For adult dogs repeat this treatment every three to six months as a preventative measure.

Follow the dosage chart below:

<b>Dog's Weight</b>	<b>Example Breed</b>	<b>Number of Tablets</b>
2.1 - 4 kg (4.5 - 8.8 lb)	Miniature	Two
4.1 - 6 kg (8.9 - 13.2 lb)	Dachshund	Three
6.1 - 8 kg (13.3 - 17.6 lb)	Miniature Poodle West Highland Terrier	Four

For dogs weighing more than 8 kg (17.6 lb), use Johnson's One Dose Wormer for Dogs 500mg Film-Coated Tablets

## 8. WITHDRAWAL PERIOD

N/A

## 9. SPECIAL WARNING(S), IF NECESSARY

Read the package leaflet before use.

### CONTRAINDICATIONS

**Do not use in dogs weighing less than 2 kg.**

The product should not be administered to puppies less than 12 weeks old, owing to the need to restrict food intake at the time of administration.

When administered as recommended, the product is unlikely to cause vomiting. However, if vomiting does occur after treatment, do not repeat the dose. Do not administer if your dog is sick or recovering from an illness.

Do not use in dogs with a known allergy (hypersensitivity) to nitroscanate or any of the other ingredients (excipients). If a hypersensitivity or any other adverse reaction does occur, cease treatment. If signs of disease persist or appear, consult your veterinary surgeon.

For animal treatment only.

Tablets are film-coated and should not be broken or divided.

## 10. EXPIRY DATE

<EXP >

**11. SPECIAL STORAGE CONDITIONS**

Store in a dry place. Do not store above 25°C.  
Keep the blister in the outer carton.

**12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Dispose of empty packaging and any remaining product in accordance with local requirements.

**13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, if applicable**

For animal treatment only

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children.

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Chanelle Animal Health Ltd. 7 Rodney St. Liverpool L1 9HZ

Distributed by:  
Johnson's Veterinary Products Ltd  
5 Reddicap Trading Estate, Sutton Coldfield,  
West Midlands, B75 7DF, UK.

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm 11990/4029

Legal category  
AVM-GSL

**17. MANUFACTURER'S BATCH NUMBER**

<BN>

**MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS**

**{NATURE/TYPE}  
BLISTERS**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Johnson's One Dose Wormer for Puppies & Small Dogs 100mg Film-Coated Tablets  
Nitroscanate

**2. NAME OF THE MARKETING AUTHORISATION HOLDER**

Chanelle Animal Health

**3. EXPIRY DATE**

<EXP END>

**4. BATCH NUMBER**

<BN>

**5. THE WORDS "FOR ANIMAL TREATMENT ONLY"**

For animal treatment only.

## PACKAGE LEAFLET

Johnson's One Dose Wormer for Puppies & Small Dogs 100mg Film-Coated Tablets  
Nitroscanate

### 1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

**M.A Holder:** Chanelle Animal Health Ltd, 7 Rodney St, Liverpool, L1 9HZ, UK.

**Manufacturer responsible for batch release:**

Chanelle Pharmaceuticals Manufacturing Ltd., Loughrea, Co. Galway, Ireland.

### 2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Johnson's One Dose Wormer for Puppies & Small Dogs 100mg Film-Coated Tablets  
Nitroscanate

### 3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENT(S)

Each tablet contains Nitroscanate 100 mg.  
Smooth yellow coloured film coated tablets, convex shaped (plain round concave)

### 4. INDICATION(S)

The product is a broad spectrum anthelmintic for use in puppies and adult dogs for the treatment of the following nematodes (roundworms) and cestodes (tapeworms): :  
Nematodes: *Toxocara canis*, *Toxascaris leonina*, *Uncinaria stenocephala*, *Ancylostoma caninum*  
Cestodes: *Taenia hydatigena*, *Taenia pisiformis*, and *Dipylidium caninum*.

### 5. CONTRAINDICATIONS

Do not use in dogs weighing less than 2 kg. Do not repeat treatment if vomiting occurs shortly after dosing. Do not administer if your pet is sick or recovering from an illness. Do not use in known cases of allergy (hypersensitivity) to the active substance nitroscanate or to any of the other ingredients (excipients). If a hypersensitivity or any other adverse reaction occurs, treatment with the product should be discontinued.

### 6. ADVERSE REACTIONS

During the post-marketing surveillance, transient gastrointestinal signs (vomiting and diarrhoea); systemic sign (lethargy) and neurological sign (ataxia) have been observed very rarely.

The frequency of adverse reactions is defined using the following convention:

- very common (more than 1 in 10 animals treated displaying adverse reaction(s))
- common (more than 1 but less than 10 animals in 100 animals treated)
- uncommon (more than 1 but less than 10 animals in 1,000 animals treated)
- rare (more than 1 but less than 10 animals in 10,000 animals treated)
- very rare (less than 1 animal in 10,000 animals treated, including isolated reports).

If you notice any side effects, even those not already listed in this package leaflet or you think that the medicine has not worked, please inform your veterinary surgeon. Alternatively you can report via your national reporting system:  
<https://www.gov.uk/report-veterinary-medicine-problem>.

## 7. TARGET SPECIES

For smaller dogs and puppies

## 8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Give the required number of tablets first thing in the morning when your dog's stomach is empty, with about one fifth of his daily food ration. The tablets should be given whole. Tablets are film coated and should not be broken or divided. To reduce the risk of vomiting, it is recommended that the remaining food ration is withheld for eight hours after the wormer dose.

The dose of the product for the treatment of small dogs and puppies is 1 x 100 mg tablet per 2 kg (4.4 lb) of bodyweight. The product should not be administered to puppies less than 12 weeks old, owing to the need to restrict food intake at the time of administration.

Follow the dosage chart below:

Dog's Weight	Example Breed	Number of Tablets
2.1 - 4 kg (4.5 - 8.8 lb)	Miniature	Two
4.1 - 6 kg (8.9 - 13.2 lb)	Dachshund	Three
6.1 - 8 kg (13.3 - 17.6 lb)	Miniature Poodle West Highland Terrier	Four

For dogs weighing more than 8 kg (17.6 lb), use Johnson's One Dose Wormer for Dogs 500mg Film-Coated Tablets.

## 9. ADVICE ON CORRECT ADMINISTRATION

The product when administered as recommended is unlikely to cause vomiting. Do not repeat treatment if vomiting occurs shortly after dosing.

## 10. WITHDRAWAL PERIOD

N/A

## 11. SPECIAL STORAGE PRECAUTIONS

Keep out of the sight and reach of children.

Store in a dry place. Do not store above 25°C.

Do not use this veterinary medicinal product after the expiry date which is stated on the label after EXP. The expiry date refers to the last day of that month. Keep blister strips in outer carton

## 12. SPECIAL WARNING(S)

i) The product is not indicated for the treatment of *Trichuris vulpis*

ii) It is recommended that adult dogs should be wormed routinely 2 - 4 times a year. Since the most common tapeworm of the dog (*Dipylidium caninum*) is transmitted by a flea and has a very short pre-patent period, it is important to pay attention to flea control to reduce the incidence of tapeworm in your pet.

iii) It is important to worm young puppies very regularly for roundworm with a suitable product. Johnson's One Dose Wormer for Puppies & Small Dogs 100mg Film-Coated Tablets can be used at 12, 16, and 24 weeks of age. An alternative worming product must be used in younger puppies. Nursing bitches should be treated at 2, 4, 6, 8 and 12 weeks after whelping.. Thereafter the adult worming regime of 2 - 4 times a year is recommended.

iv) If symptoms of disease persist or appear, consult your veterinary surgeon.

Can be used safely during pregnancy and lactation.

### **Special precautions to be taken by the person administering the veterinary medicinal product to animals**

This product can be an irritant to the skin and eyes. Tablets are film-coated and should not be broken or divided.

## 13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Dispose of empty packaging and any remaining product in accordance with local requirements.

## 14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED

## 15. OTHER INFORMATION

**Pack sizes:** 3, 4 and 6 tablets.


Not all pack sizes may be marketed.

**Distributor:** Johnson's Veterinary Products Ltd  
5 Reddicap Trading Estate, Sutton Coldfield,  
West Midlands, B75 7DF, UK

Vm 11990/4029

Legal category:

AVM-GSL

A handwritten signature in black ink, consisting of several loops and a final horizontal stroke.

Approved: 19 March 2020