

**PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE {FRONT LABEL}**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Clinidip L Concentrate 2.0% w/v Concentrate for Teat Dip or Teat Spray Solution

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Concentrated iodophor teat dip and spray

**3. PHARMACEUTICAL FORM**

Teat dip/spray concentrate

**4. PACKAGE SIZE**

**5. TARGET SPECIES**

Lactating dairy cows, sheep and goats

**6. INDICATION(S)**

**7. METHOD AND ROUTE(S) OF ADMINISTRATION**

**Pre milking**

Wash udders and teats and dry with disposable paper towel before next milking.

**Post milking**

**Teat dipping**

Fill the dipping beakers 2/3 full with diluted stock solution and apply to the teats of the lactating cows, sheep or goats immediately after milking. The dipping beakers should be emptied after milking and washed before reuse. Replenish dipping beakers after each milking.

**Teat spraying**

Immediately after the milking of cows, sheep and goats spray the entire surface of each teat with diluted stock solution. If the spray nozzle is adjustable, use a coarse spray (not a fine mist).

**MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {Back label}**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

GEA Farm Technologies (UK) Ltd

Wylve Works, Watery Lane, Bishopstrow, Warminster, Wiltshire BA12 9HT England

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Clinidip L Concentrate 2.0% w/v Concentrate for Teat Dip or Teat Spray Solution

**3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS**

Active Ingredient: Available Iodine 2.0% w/v

Added Emollients: PEG 75 Lanolin

Glycerol 10.0% w/v

**4. PHARMACEUTICAL FORM**

Teat dip/spray concentrate solution

**5. PACKAGE SIZE**

**6. INDICATION(S)**

When used as a teat dip or teat spray Clinidip L Concentrate is an aid in the prevention of the spread of mastitis in lactating cows, sheep and goats.

**7. CONTRAINDICATIONS**

**8. ADVERSE REACTIONS**

**9. TARGET SPECIES**

Lactating cows, sheep and goats.

**10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION**

DILUTION RATE (For teat dipping or spraying)

Make up a stock solution of 5000 ppm available iodine by diluting 1 part Clinidip SuperConcentrate with 3 parts water e.g. 5 litres becomes 20 litres. The dipping beakers should be emptied after milking and washed before reuse. Replenish

dipping beakers after each milking. Prepare fresh solutions daily. Discard any remaining diluted stock solution at the end of the day.

If signs of disease persist or appear, consult your veterinary surgeon.

## **11. ADVICE ON CORRECT ADMINISTRATION**

## **12. WITHDRAWAL PERIOD**

Withdrawal Period: Meat: Zero days and Milk: Zero hours

## **13. SPECIAL STORAGE PRECAUTIONS**

- Keep out of sight and reach of children;
- Protect from frost;
- Do not store above 20°C;
- Protect from direct sunlight.
- This container should only be used once and should not be returned for refilling

## **14. SPECIAL WARNING(S)<User Warnings>**

### **OPERATING WARNINGS**

#### **Concentrate**

The following safety phrases relate to the concentrated product only, and do not apply once the product is diluted to the working solution:

Risk of serious damage to eyes. Wear eye/face protection when diluting the dip or spray

#### **Diluted Working Solution**

- When using as a spray, avoid working in spray mist.
- Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed, seek medical advice immediately and show this container or label.
- Hands and exposed skin should be washed after using this product.
- Do not eat, drink or smoke while using this product.
- Keep away from food, drink and animal feedstuffs.

## **15. EXPIRY DATE**

**16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority.

To dispose of unused product to land you must have authority under the groundwater regulations currently in force

Harmful to fish. Do not contaminate ponds, waterways or ditches with the product or empty container.

**17. DATE ON WHICH THE LABEL WAS LAST APPROVED**

**18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

*[Distribution category]*

AVM- GSL
-------------

For animal treatment only. External use only

**19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

**20. MARKETING AUTHORISATION NUMBER(S)**

**Vm 01808/4010**

**21. MANUFACTURER’S BATCH NUMBER**

**22. OTHER INFORMATION**

**Approved: 05/01/2018**

