

MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

BLISTER STRIP

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear WORMER 20/230 mg Tablets
For Cats & Kittens over 12 weeks old.

2. NAME OF THE MARKETING AUTHORISATION HOLDER

3. EXPIRY DATE

EXP.: end {month/year}

4. BATCH NUMBER

Batch No.: {number}

5. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For Animal Treatment Only.

Contents: 2 tablets.

20 mg praziquantel

230 mg pyrantel embonate

Tablet 1

Tablet 2

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {EXTENDING CARTON}

I [The guidance contained below is national specific only and should be used in addition to EU QRD template guidance for both the Package Leaflet AND the Outer/Immediate package, available on the EMA website.]

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

MAH: Vetoquinol UK Limited, Steadings Barn, Pury Hill Business Park, Nr. Alderton, Towcester, Northamptonshire, NN12 7LS

Manufacturers:

- KVP Pharma + Veterinär Produkte GmbH, Projensdorfer Str. 324, 24106 Kiel, Germany
- Vetoquinol S.A., Magny-Vernois, 70200 Lure, France

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear WORMER 20/230 mg TABLETS

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS
ACTIVE INGREDIENTS:

Each tablet contains 20 mg praziquantel and 230 mg pyrantel embonate.

4. PHARMACEUTICAL FORM

CONTENTS:

2 tablets = 2 treatments for an adult cat < 4 kg.

5. PACKAGE SIZE

2 tablets.

6. INDICATION(S)

Effective in one dose

- Tapeworms
- Roundworms

Bob Martin Clear Wormer Tablets for cats and kitten is an effective treatment against all common types of intestinal worm that can normally infect cats in the UK. Clinically proven, the tablets require only one dose to help keep your cat healthy and worm-free.

FOR BEST RESULTS:

There is no permanent treatment for worms. Veterinarians recommend that weaned kittens over 12 weeks old and adult cats should be wormed every 3 months as a routine measure. It is also important to remove sources of possible re-infection such as fleas and mice. If more frequent treatment is required and for advice on worming kittens less than 12 weeks old, consult a veterinary surgeon or a suitably qualified person.

To safeguard your health and that of your pet, please read this carton carefully before using the product.

7. CONTRAINDICATIONS

FOR SAFE USE

Not intended for use in kittens less than 12 weeks of age. Do not use in pregnant cats. Do not use simultaneously with other worming products without veterinary advice. Not intended for use in cats weighing less than 1 kg bodyweight.

8. ADVERSE REACTIONS

Mild and temporary upset stomach signs, possibly including excessive salivation, and / or vomiting and short periods of ataxia (unsteady walking or stumbling) may occur in extremely rare cases.

9. TARGET SPECIES

Cats and kittens over 12 weeks old.

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

DIRECTIONS

Weigh your cat carefully before calculating the dose. Give 1 tablet per 4 kg (9 lbs) bodyweight.

Weight of your Cat	
1 - 2 kg:	½ tablet
Greater than 2 kg up to 4 kg:	1 tablet
Greater than 4 kg up to 6 kg:	1½ tablets
Greater than 6 kg:	2 tablets

11. ADVICE ON CORRECT ADMINISTRATION

The coated tablets should be given directly but if necessary can be disguised in food. The tablets are scored into halves to enable a range of weights to be treated.

HOW OFTEN TO USE

Veterinarians recommend that weaned kittens over 12 weeks old and adult cats should be wormed every 3 months as a routine measure.

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Do not remove tablets from strip packaging until required for use. Any remaining half tablets should be discarded. Do not use this veterinary medicinal product after the expiry date which is stated on the blister and carton after EXP. Do not store above 25°C. Keep blister in outer carton.

14. SPECIAL WARNING(S)

USER WARNINGS

In the interests of good hygiene persons administering the tablets directly to a cat, or by adding them to the cat's food, should wash their hands afterwards.

Wash hands thoroughly after use. If signs of disease persist or appear consult a veterinary surgeon.

15. EXPIRY DATE

EXP: End {month/year}

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Disposal: Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

17. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

18. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For Animal Treatment Only.

AVM-GSL

UK Authorised Veterinary Medicinal Product.

19. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

KEEP OUT OF THE SIGHT AND REACH OF CHILDREN.

20. MARKETING AUTHORISATION NUMBER

Vm 08007/4156

21. MANUFACTURER'S BATCH NUMBER

Batch No.: {number}

22. OTHER INFORMATION

Bob Martin Clear is the registered trade mark of Pet Food Brands Limited. Distributed by Pets Choice Ltd, Wemberham Lane, Yatton, North Somerset, BS49 4BS, UK.

For further advice or information on the Bob Martin pet healthcare range of products, please write to FREEPOST Bob Martin.

Call our advice line on 0800 4378 7967

Email: info@bobmartin.co.uk

YOUR GUARANTEE

If this product reaches you in an unsatisfactory condition, please return it to us and we will promptly replace it or refund your money. Your statutory rights are not affected. Write to FREEPOST Bob Martin (no address required).

Gavin Hall

Approved 09 October 2024