

Post Authorisation Assessments

Doxybactin 200 mg Tablets for Dogs Vm 50406/4020

| | 10 June 0000 | I had a facel a sufficient of a site billity from an almostly |
|---|------------------|---|
| • | 13 June 2023 | Updated certificate of suitability from an already |
| | | approved manufacturer. (NI) |
| • | 13 March 2023 | Updated certificate of suitability from an already |
| | | approved manufacturer. |
| • | 27 October 2022 | Change of MAH from Le Vet Beheer B.V., Wilgenweg 7, |
| | | 3421 TV Oudewater, The Netherlands to Dechra |
| | | Regulator B.V., Handelsweg 25, 5531 AE Bladel, The |
| | | Netherlands. |
| • | 25 August 2022 | Renewal. |
| • | 22 February 2022 | Minor change in the manufacturing process of the |
| | | finished product. |
| | | Addition of a manufacturer responsible for batch release |
| | | including batch control/testing. |
| | | Addition of a primary packaging site of the finished |
| | | product. |
| | | Addition of a manufacturing site of the finished product. |
| | | Addition of secondary packaging site of the finished |
| | | product. |
| • | 15 August 2019 | Introduction of a new pharmacovigilance system. |
| • | 22 May 2018 | Mock-ups approved. |
| | | Change in distributor details. From: Le Vet Beheer B.V., |
| | | Wilgenweg 7, 3421 TV Oudewater, The Netherlands to: |
| | | Dechra Veterinary Products Limited, Sansaw Business |
| | | Park, Hadnall, Shrewsbury Shropshire SY4 4AS, United |
| | | Kingdom. |