



Post Authorisation Assessments

Autoworm Finisher 6250 mg Pulsatile-Release Intraruminal Device Vm 42058/4008

•	13 January 2021	Addition of a site where batch control/testing takes place. Addition of a manufacturer responsible for batch release of the finished product.
•	21 August 2020	Change in the address of the MAH, from Zoetis UK Limited, 5th Floor, 6 St. Andrew Street, London, EC4A 3AE to Zoetis UK Limited, 1st Floor, Birchwood Building, Springfield Drive, Leatherhead, Surrey, KT22 7LP.
•	24 June 2020	Change in the specification parameters for the finished product.
•	25 September 2019	Deletion of manufacturing site for a finished product.
•	08 January 2014	Change in distributor details Transfer of MAH
•	19 December 2011	Changes to an existing pharmacovigilance system as described in the DDPS
•	08 June 2011	Addition of a manufacturing site for the finished product
•	11 May 2011	Addition of a primary packaging site
•	02 March 2011	Change in batch size of finished product Addition of a site for batch release Change in test procedure for the finished product
•	02 June 2010	Submission of an updated Ph. Eur. Certificate of Suitability for the active substance Corrections/simple text layout changes to SPC
•	15 April 2009	Change of MAH
•	19 February 2009	Change in legal category from PML to POM-VPS Changes to SPC and Product Literature to bring in line with new legislation
•	07 March 2008	Renewal
•	28 June 2005	Renewal
•	31 January 2001	Addition of a manufacturer of the active substance
•	18 February 2000	Additional presentation of 24 boluses
•	09 December 1999	Change of route of administration
•	05 December 1998	Change of safety warnings