

**PARTICULARS TO APPEAR ON <THE IMMEDIATE PACKAGE>**

**{BLISTER CARD}**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Beaphar Soft Cat Flea Collar Twin Pack, 18% w/w

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Contains Permethrin (Cis:Trans 40:60)

What's in these collar?

Each collar contains 456mg (18% w/w) Permethrin (Cis:Trans 40:60) which is a pyrethroid.

**3. PHARMACEUTICAL FORM**

Collar

**4. PACKAGE SIZE**

2 collars

**5. TARGET SPECIES**

Cats

**6. INDICATION(S)**

*[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]*

What do these collars do?

Beaphar Soft Cat Flea Collars contain an insecticide that kills fleas on your cat and prevents their return for up to 4 months. However, as fleas can also live in your carpets and in your cat's bed, you should treat these areas with a suitable insecticide and vacuum regularly.

**7. METHOD AND ROUTE(S) OF ADMINISTRATION**

How do I use these collars?

Do not remove the collars from the blister until ready for use. Fasten around your cat's neck (coloured side facing outwards), leaving enough room to insert 2 fingers between the collar and neck – remember to loosen the collar if fitted on to a growing cat. Cut off any collar sticking out beyond the buckle. Wrap this cut-off in a bag and

throw it in your dustbin. Keep the empty blister card for reference until the collars are thrown away.

For external use only.

## **8. WITHDRAWAL PERIOD**

N/A

## **9. SPECIAL WARNING(S), IF NECESSARY**

<User Warnings>

Are these collars safe for my cat?

Yes. However, you should not use it if your cat is less than 12 weeks old, if your cat is sick or getting over an illness. Do not allow the collar to come into contact with pregnant or nursing queens. In all of these cases, use a flea comb or speak to your vet.

What precautions should I take to protect my cat?

For external use only. Do not use any other flea control products on your cat whilst using these collars or within 7 days of removing them. Leave room between the collar and your cat's neck to allow for growth and to prevent irritation – if skin irritation does occur, remove the collar straight away.

Never allow any animal to chew the collar. If signs of disease persist or appear consult your Veterinary Surgeon.

What precautions should I take to protect myself and my family?

Wash hands thoroughly with soap and water after handling the collar. Do not smoke, eat or drink while handling collars. Do not allow children to play with the collars or to chew and suck on them.

A pet wearing a flea collar should not sleep in bed with people, particularly children.

## **10. EXPIRY DATE**

EXP: end {month/year}

## **11. SPECIAL STORAGE CONDITIONS**

Do not store above 25 °C

Do not remove the collars from the blister until ready for use.

**12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

EXTREMELY DANGEROUS to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the collars or used packaging. Dispose of empty packaging, excess collar length, used and unused collars in the household refuse.

**13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]**

For animal treatment only

AVM-GSL

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Manufactured by  
Sinclair Animal & Household Care Ltd.  
Ropery Road  
Gainsborough  
DN21 2QB

**16. MARKETING AUTHORISATION NUMBER(S)**

Vm <number>

16516/4015

**17. MANUFACTURER’S BATCH NUMBER**

ManA 16576

Approved: 09/08/2017

