

## **PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE**

### **1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Canac Flea and Tick Spot-on solution 742 mg  
Permethrin 25:75 Cis:Trans

### **2. STATEMENT OF ACTIVE SUBSTANCES**

Each 1 ml dose contains Permethrin 25:75 Cis:Trans 742 mg

### **3. PHARMACEUTICAL FORM**

Spot-on solution

### **4. PACKAGE SIZE**

1 ml

2 x 1 ml

3 x 1 ml

6 x 1 ml

### **5. TARGET SPECIES**

Dogs

### **6. INDICATION(S)**

Kills fleas and ticks for up to 4 weeks. Canac Flea and Tick Spot On can only be fully effective as part of a programme to eliminate fleas, ticks & their larvae from pets and their surroundings. Therefore, the animal's basket, bedding and regular resting areas such as carpets & soft furnishings should be vacuumed regularly & treated periodically with a suitable insecticide. Wash or change pet bedding regularly.

### **7. METHOD AND ROUTE(S) OF ADMINISTRATION**

For dogs and puppies weighing up to 15kg (33lb)

**DIRECTIONS FOR USE:** Twist off cap, holding tube upright. (fig 1.) Do not squeeze tube during opening. Squeeze tube firmly during application to ensure all contents are expelled.

**DO NOT MASSAGE THE DROPS INTO THE SKIN. AVOID APPLYING TO FUR.**

For dogs and puppies weighing up to 15kg (33lb).  
Part animal's coat between the shoulder blades and squeeze entire contents of the tube directly on to exposed skin (fig 2.) Do not remove second or third tubes from

packaging until required for future application. The four week period of protection may be reduced if coat becomes saturated, e.g. after shampooing, swimming or in heavy rain. If required, drops can safely be reapplied 7 days after initial application. Also treat pet bedding and other resting areas – See further information below.

For dogs weighing over 15kg (33lb)

**DIRECTIONS FOR USE:** Twist off cap, holding tube upright. (fig 1.) Do not squeeze tube during opening. Squeeze tube firmly during application to ensure all contents are expelled.

**DO NOT MASSAGE THE DROPS INTO THE SKIN. AVOID APPLYING TO FUR.**  
For dogs weighing over 15kg (33lb): USE BOTH TUBES. Part animal's coat between shoulder blades and squeeze entire contents of one tube directly on to exposed skin. (fig 2). Additionally, part coat on dog's back near base of tail and apply entire contents of second tube to exposed skin (fig 3). The four week period of protection may be reduced if coat becomes saturated, e.g. after shampooing, swimming or in heavy rain. If required, drops can safely be reapplied 7 days after initial application. Also treat pet bedding and other resting areas – See further information below.

## 8. WITHDRAWAL PERIOD

N/A

## 9. SPECIAL WARNING(S), IF NECESSARY

**THIS PRODUCT COULD KILL CATS. TO PREVENT CATS FROM BEING ACCIDENTALLY EXPOSED TO THE PRODUCT YOU MUST KEEP TREATED DOGS AWAY FROM CATS FOR 72 HOURS AFTER THE TREATMENT. IT IS IMPORTANT TO ENSURE THAT CATS DO NOT GROOM THE SITE OF APPLICATION ON A DOG WHICH HAS BEEN TREATED WITH THIS PRODUCT. SEEK VETERINARY ADVICE IMMEDIATELY IF THIS OCCURS. READ ALL INSTRUCTIONS & PRECAUTIONS BEFORE USE.**

### **CONTRA-INDICATIONS AND WARNINGS:**

Do not use on cats. Do not use on puppies under 2 weeks of age or nursing bitches from which fleas can be removed by careful use of a flea comb. Do not apply drops if other flea & tick control products are being used on dog. Do not use any other flea control products on dog during the four week protection period. Do not reapply drops within 7 days of application.

**AFTER USE, EXAMINE SITE OF APPLICATION PERIODICALLY AS OCCASIONALLY A SENSITIVE ANIMAL MAY EXPERIENCE LOCALISED SKIN IRRITATION**, in which case bathe dog with a mild, non-insecticidal shampoo. If symptoms persist or dog becomes unwell, consult a Veterinary Surgeon, taking this pack and if possible the tube.

**OPERATOR WARNINGS: DO NOT REMOVE THE TUBE FROM THE PACK UNTIL READY TO USE.** Do not open the tube until ready to use the product. For

external use only. Avoid the drops coming into contact with your fingers. Wash off any splashes immediately with plenty of clean water. Avoid contact with eyes. In case of accidental eye contact, rinse with clean, fresh water. If eye irritation persists, seek medical advice. Wash hands and exposed skin with soap and water after use. Users making multiple applications, such as in kennels, should wear protective gloves (neoprene or nitrile, 0.3 mm minimum thickness). If you feel unwell as a result of handling this product, you should consult your doctor. Do not handle the area of application for 6 hours following treatment. Treated animals should not be allowed to play or sleep with people, particularly children, for 8 hours immediately following treatment. It is preferable to treat during the evening, when children are in bed. Keep away from food and drink, including animal feeding stuffs. Treated dogs should not be allowed to swim for at least 12 hours after treatment.

## **10. EXPIRY DATE**

EXP: end {month/year}

## **11. SPECIAL STORAGE CONDITIONS**

Protect from direct sunlight. Do not refrigerate. Do not freeze.  
Do not store above 25°C.

## **12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Dispose of empty packaging (including empty tube) and any remaining product in the household refuse. **EXTREMELY DANGEROUS** to fish, other aquatic life and reptiles. Do not contaminate aquaria, ponds or other waterways.

## **13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE [Distribution category]**

For animal treatment only

AVM-GSL

## **14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children

## **15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Sinclair Animal and Household Care Ltd  
Ropery Road  
Gainsborough  
Lincolnshire  
DN21 2QB

Sinclair is a Beaphar company  
Beaphar – advancing pet health, care & behaviour.

**16. MARKETING AUTHORISATION NUMBER**

Vm 16516/4083

**17. MANUFACTURER'S BATCH NUMBER**

**CAN I GET MORE INFORMATION? For further information, please write to:  
Sinclair Animal & Household Care Ltd., Gainsborough, DN21 2QB, UK.  
Telephone 0333 0066236.**

**MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS {NATURE/TYPE}**

1 ml vial label

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Canac Flea and Tick Spot-on solution 742 mg  
Permethrin 25:75 Cis:Trans

**2. QUANTITY OF THE ACTIVE SUBSTANCE(S)**

Permethrin 25:75 cis:trans 742 mg

**3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES**

1 ml

2 x 1 ml

3 x 1 ml

6 x 1 ml

**4. ROUTE(S) OF ADMINISTRATION**

For external use only on dogs

**5. WITHDRAWAL PERIOD**

N/A

**6. BATCH NUMBER**

Batch number embossed onto base seal.

**7. EXPIRY DATE**

Expiry date embossed onto base seal.

**8. THE WORDS "FOR ANIMAL TREATMENT ONLY"**

For animal treatment only

Read instructions and warnings before use.

EXTREMELY POISONOUS TO CATS

Approved: 17 May 2019

