

PARTICULARS TO APPEAR ON <THE OUTER PACKAGE – Box label

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin 15% w/w Flea Collar for Cats

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Active ingredient

Each collar contains:

Dimpylate 15% w/w..... 2.1 g

3. PHARMACEUTICAL FORM

Collar.

4. PACKAGE SIZE

1 collar of 14 g and 35 cm in length.

2 Collars

5. TARGET SPECIES

Cats.

6. INDICATION(S)

For the control of fleas on cats for up to 4 months.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Insecticidal collar for cats, weighing 14 g and 35 cm in length

Remove collar from pack and fasten around the cat's neck adjusting until a comfortable fit is achieved. In the fully-grown cat, correct fitting will allow one index finger to be inserted comfortably between the collar and the neck. Any excess length of collar extending beyond the buckle should be cut off and disposed of with the domestic refuse. Replace every 4 months if flea reinfestation is a risk.

8. WITHDRAWAL PERIOD

Not applicable.

9. SPECIAL WARNING(S), IF NECESSARY

Do not allow children to play with the collar

Do not allow children to suck or chew the collar

Do not smoke, eat or drink while handling collar

Wash hands thoroughly after handling the collar

Dimpylate is an organophosphorus compound: DO NOT handle if under medical advice not to work with ANTICHOLINESTERASES.

Do not sleep with pets wearing flea collars

If you feel unwell following the use of this product, seek medical advice

10. EXPIRY DATE

EXP:

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C

Protect from direct sunlight

Do not remove collar from the pack until ready-to-use

12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

EXTREMELY DANGEROUS to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the collar or empty packaging.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE [Distribution category]

AVM- GSL

For animal treatment only.

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Virbac S.A.

1ère avenue - 2065 m - L.I.D.

06516 Carros Cedex

France

16. MARKETING AUTHORISATION NUMBER(S)

Vm 05653/4097

17. MANUFACTURER'S BATCH NUMBER

Batch:

No Approved Packaging

PACKAGE LEAFLET FOR:

Bob Martin 15% w/w Flea Collar for Cats

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Virbac S.A.

1ère avenue - 2065 m - L.I.D.

06516 Carros Cedex

France

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin 15% w/w Flea Collar for Cats

3. STATEMENT OF THE ACTIVE SUBSTANCE (S) AND OTHER INGREDIENTS

Active ingredient

Each collar contains

Dimpylate 15 % w/w..... 2.1 g

4. INDICATION(S)

For the control of fleas on cats for up to 4 months

5. CONTRAINDICATIONS

Do not use on kittens under 6 months of age.

6. ADVERSE REACTIONS

A slight irritation on the neck may occasionally occur.

Remove collar immediately should any signs of skin irritation or adverse reaction occur.

REMOVE COLLAR FROM CAT IMMEDIATELY SHOULD ANY SIGNS OF DROWSINESS, LISTLESSNESS OR RESPIRATORY DIFFICULTIES DEVELOP SOON AFTER FIXING OF COLLAR

7. TARGET SPECIES

Cats.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Insecticidal collar for cats, weighing 14 g and 35 cm in length

Remove collar from pack and fasten around the cat's neck adjusting until a comfortable fit is achieved. In the fully-grown cat, correct fitting will allow one index finger to be inserted comfortably between the collar and the neck. Any excess length of collar extending beyond the buckle should be cut off and disposed of with the domestic refuse. Replace every 4 months if flea reinfestation is a risk.**9. ADVICE ON CORRECT ADMINISTRATION**

Not applicable.

10. WITHDRAWAL PERIOD(S)

Not applicable.

11. SPECIAL STORAGE PRECAUTIONS

Do not store above 25°C

Protect from direct sunlight

Do not remove collar from the pack until ready-to-use

12. SPECIAL WARNING(S)

Special warnings for each target species

Do not allow animals to chew the collar.

Fleas from pets often infest animals' basket, bedding and regular resting areas such as carpets and soft furnishings which should be treated with a suitable insecticide and vacuumed regularly. Remove fleas from young kittens and nursing queens by careful use of a flea comb.

Special precautions for use in animals

None.

Special precautions to be taken by the person administering the veterinary medicinal product to animals

Do not allow children to play with the collar

Do not allow children to suck or chew the collar

Do not smoke, eat or drink while handling collar

Wash hands thoroughly after handling the collar

Dimpylate is an organophosphorus compound: DO NOT handle if under medical advice not to work with ANTICHOLINESTERASES.

Do not sleep with pets wearing flea collars

If you feel unwell following the use of this product, seek medical advice

Use during pregnancy, lactation or lay

Not for use on nursing or lactating queens.

Interaction with other medicinal products and other forms of interaction

Do not use any other insecticide while the collar is being worn or within 7 days of removal.

For Animal Treatment Only

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

EXTREMELY DANGEROUS to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the collar or empty packaging.

14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED

15. OTHER INFORMATION>

Vm 05653/4097

AVM- GSL

Approved: 03/10/2017

