MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

GEA Farm Technologies (UK) Ltd, Wylye Works, Watery Lane, Bishopstrow, Warminster, BA12 9HT, United Kingdom

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Luxspray 50V 0.5% w/v Teat Dip / Teat Spray, Solution - Ready to Use

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

Active Ingredient:
Iodine (available) 0.50 % w/v

Other relevant constituents:
Glycerol 10.3 % w/v
PEG 75 Lanolin 0.72% w/v

4. PHARMACEUTICAL FORM

Teat dip / teat spray, solution

5. PACKAGE SIZE

6. INDICATION(S)

When used as a teat dip or teat spray LuxSpray 50V is an aid in the prevention of of mastitis in lactating dairy cows, sheep and goats.

7. CONTRAINDICATIONS

8. ADVERSE REACTIONS

9. TARGET SPECIES

Lactating dairy cows, sheep and goats.

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Before Milking: Wash teats with an udder wash solution and dry with a disposable paper towel.

After Milking: If signs of disease persist or appear, consult your veterinary surgeon.

Teat Dipping: Using LuxSpray 50V fill dipping beakers two thirds full. Apply teat dip to each teat. Teat dipping beakers should be emptied after milking and washed before re-use.

Teat Spraying: If the spray nozzle is adjustable, use a coarse spray (not a fine mist) and spray the entire surface of each teat.

11. ADVICE ON CORRECT ADMINISTRATION

12. WITHDRAWAL PERIOD

Meat & offal: Zero days / Milk: Zero hours

13. SPECIAL STORAGE PRECAUTIONS

Store below 20 °C.

Protect from frost.

Protect from direct sunlight.

This container should not be returned for refilling

14. SPECIAL WARNING(S)

When used as a spray, avoid working in a spray mist.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this container or label.

Hands and exposed skin should be washed after using this product.

Do not eat, drink or smoke while using the product.

Keep away from food, drink and animal feedstuffs

15. EXPIRY DATE

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

To dispose of unused product to land you must have an authorisation under the Groundwater Regulations 2009.

Harmful to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the product or empty container.

17. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

18. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

[Distribution category]

For animal treatment only.

AVM-GSL

19. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of the reach and sight of children

20. MARKETING AUTHORISATION NUMBER(S)

Vm 01808/5002

21. MANUFACTURER'S BATCH NUMBER

22. OTHER INFORMATION

For the 1000 litre intermediate bulk container ensure that all the equipment and containers used for decanting of not more than enough product for use that day, are fit for purpose, clean, emptied after use and washed before reuse.

Gavin Hall
Approved: 16 December 2025