PARTICULARS TO APPEAR ON THE OUTER PACKAGE – Carton for 125 ml and 336 ml

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Metaxx 15 mg/ml oral suspension for horses

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Active substance:

Meloxicam 15 mg/ml

Excipient:

Sodium benzoate (E211) 1.5 mg/ml

3. PACKAGE SIZE

125 ml

336 ml

4. TARGET SPECIES

Horses

5. INDICATION(S)

6. ROUTES OF ADMINISTRATION

Oral use

Read the package leaflet before use.

7. WITHDRAWAL PERIODS

Withdrawal periods:

Meat and offal: 3 days.

Not authorised for use in horses producing milk for human consumption.

8. EXPIRY DATE

Exp. {month/year}

Once opened use within 28 days.

9. SPECIAL STORAGE PRECAUTIONS

10. THE WORDS “READ THE PACKAGE LEAFLET BEFORE USE”

Read the package leaflet before use.

11. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For animal treatment only.

12. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

13. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Alfasan Nederland B.V.

Kuipersweg 9

3449 JA Woerden

The Netherlands

14. MARKETING AUTHORISATION NUMBERS

Vm 36408/5009

15. BATCH NUMBER

Lot: {number}

16. SPECIAL WARNING(S), IF NECESSARY

Do not use in pregnant or lactating mares.

17. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Disposal: Read package leaflet.

18. CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGE – Bottle, 125 ml and 336 ml

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Metaxx 15 mg/ml oral suspension for horses

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

Active substance:

Meloxicam 15 mg/ml

3. TARGET SPECIES

Horses

4. ROUTES OF ADMINISTRATION

Oral use.

Read the package leaflet before use.

5. WITHDRAWAL PERIODS

Withdrawal periods:

Meat and offal: 3 days.

Not authorised for use in horses producing milk for human consumption.

6. EXPIRY DATE

Exp. {month/year}

Once opened use within 6 months.

Once opened, use by -----/------

7. SPECIAL STORAGE PRECAUTIONS

8. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Alfasan Nederland B.V.

9. BATCH NUMBER

Lot: {number}

10. PACKAGE SIZE

125 ml

336 ml

11. INDICATION(S)

12. SPECIAL WARNING(S), IF NECESSARY

13. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Disposal: Read package leaflet.

14. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE IF APPLICABLE

For animal treatment only. To be supplied only on veterinary prescription.

15. MARKETING AUTHORISATION NUMBER(S)

Vm 36408/5009

PARTICULARS TO APPEAR ON THE PACKAGE LEAFLET:

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Metaxx 15 mg/ml oral suspension for horses

2. COMPOSITION

One ml contains:

Active substance:

Meloxicam 15.0 mg

Excipients:

Sodium benzoate (E211) 1.5 mg

Yellow to light yellow suspension.

3. TARGET SPECIES

Horses.

4. INDICATIONS FOR USE

Alleviation of inflammation and relief of pain in both acute and chronic musculo-skeletal disorders in horses.

5. CONTRAINDICATIONS

Do not use in pregnant or lactating mares.

Do not use in horses suffering from gastrointestinal disorders such as irritation and haemorrhage, impaired hepatic, cardiac or renal function and haemorrhagic disorders.

Do not use in cases of hypersensitivity to the active substance or to any of the excipients. Do not use in horses less than 6 weeks of age.

6. SPECIAL WARNING(S)

Special precautions for use in animals

Avoid use in any dehydrated, hypovolaemic or hypotensive animals as there is a potential risk of renal toxicity.

Special precautions to be taken by the person administering the veterinary medicinal product to animals

Meloxicam and other non-steroidal anti-inflammatory drugs (NSAIDs) may cause hypersensitivity (allergic reactions). People with known hypersensitivity to Non-Steroidal Anti-Inflammatory Drugs (NSAIDs) should avoid contact with the veterinary medicinal product.

Avoid oral exposure, including hand-to-mouth contact. Wash hands after use.
In case of accidental ingestion, seek medical advice immediately and show the package leaflet or the label to the physician.

This veterinary medicinal product can cause eye irritation. In case of contact with the eyes, immediately rinse thoroughly with water.

Meloxicam may have adverse effects on pregnancy and/or embryofoetal development. Avoid dermal exposure including hand-to-mouth contact. Pregnant women or women attempting to conceive should wear impermeable gloves when administering the veterinary medicinal product.

Pregnancy and lactation
See section "Contraindications".

Interaction with other medicinal products and other forms of interaction:
Do not administer concurrently with glucocorticoids, other non-steroidal anti-inflammatory drugs or with anticoagulant agents.

Overdose (symptoms, emergency procedures, antidotes):
In case of overdose symptomatic treatment should be initiated.

Major Incompatibilities
In the absence of compatibility studies, this veterinary medicinal product must not be mixed with other veterinary medicinal products.

7. ADVERSE EVENTS

Horses:

Very rare (<1 animal / 10,000 animals treated, including isolated reports):	Diarrhoea* Appetite loss Lethargy Abdominal pain Colitis Urticaria. Anaphylactoid reaction**

* Diarrhoea, typically associated with NSAIDs, was very rarely observed in clinical trials. The clinical sign was reversible

**Anaphylactoid reactions, which may be serious (including fatal), have been observed very rarely from post-marketing safety experience and should be treated symptomatically.

If adverse reactions occur, treatment should be discontinued and the advice of a veterinarian should be sought.

Reporting adverse events is important. It allows continuous safety monitoring of a product. If you notice any side effects, even those not already listed in this package leaflet, or you think that the medicine has not worked, please contact, in the first instance, your veterinarian. You can also report any adverse events to the marketing authorisation holder <or the local representative of the marketing authorisation holder> using the contact details at the end of this leaflet, or via your national reporting system {national system details}.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Oral use.

To be administered either mixed with food or directly into the mouth at a dosage of 0.6 mg/kg (=0.04 ml/kg) body weight, once daily, up to 14 days. In case the product is mixed with food, it should be added to a small quantity of food, prior to feeding.

The suspension should be given using the measuring syringe provided in the package. The syringe fits onto the bottle and has volume scale and a “kg-body weight” scale which corresponds to the maintenance dose (i.e. 0.6 mg meloxicam / kg body weight).

Shake well for approximately 60 seconds before use.

After administration of the veterinary medicinal product, close the bottle by replacing the cap, wash the measuring syringe with warm water and let it dry.

9. ADVICE ON CORRECT ADMINISTRATION

Avoid introduction of contamination during use.

10. WITHDRAWAL PERIOD(S)

Meat and offal: 3 days.

Not authorised for use in horses producing milk for human consumption.

11. SPECIAL STORAGE PRECAUTIONS

Keep out of the sight and reach of children.

This veterinary medicinal product does not require any special storage conditions.

Shelf-life after first opening of the immediate packaging: 6 months.

Do not use this veterinary medicinal product after the expiry date which is stated on the carton and bottle after EXP. The date refers to the last day of the month.

Once the bottle is opened, using the shelf-life after first opening, calculate the discard date and record in the space provided on the label.

12. SPECIAL PRECAUTIONS FOR DISPOSAL

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements. Ask your veterinary surgeon or pharmacist how to dispose of medicines no longer required. These measures should help to protect the environment.

13. CLASSIFICATION OF VETERINARY MEDICINAL PRODUCTS

Veterinary medicinal product subject to prescription.

14. MARKETING AUTHORISATION NUMBERS AND PACK SIZES

Cardboard box with 1 bottle of 125 ml and a measuring syringe of 24 ml

Cardboard box with 1 bottle of 336 ml and a measuring syringe of 24 ml

Not all pack sizes may be marketed.

15. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

16. CONTACT DETAILS

Marketing authorisation holder and manufacturer responsible for batch release

Alfasan Nederland B.V.

Kuipersweg 9

3449 JA Woerden

The Netherlands

Additional manufacturer responsible for batch release:

Produlab Pharma B.V.

Forellenweg 16

4941 SJ Raamsdonksveer

The Netherlands

Local representatives <and contact details to report suspected adverse reactions>:

Anupco Ltd T/A Kela Animal Health
Office 39, Lodge House Lodge Park, Lodge Lane,
Langham, Colchester, Essex, CO4, 5NE
United Kingdom
Tel: +44 1206 233528
sales@kela.health

17. OTHER INFORMATION

For any information about this veterinary medicinal product, please contact the <local representative of > the marketing authorisation holder.

Gavin Hall
Approved: 08 May 2026