MINIMUM PARTICULARS TO APPEAR ON BLISTERS OR STRIPS

BLISTER STRIP

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear 3 in 1 Flavoured WORMER 150/144/50 mg Tablets for Dogs.

2. NAME OF THE MARKETING AUTHORISATION HOLDER

3. EXPIRY DATE

EXP.: end {month/year}

4. BATCH NUMBER

Batch No.: {number}

5. THE WORDS “FOR ANIMAL TREATMENT ONLY”

For Animal Treatment Only.

Contents 2 tablets

Tablet 1 Tablet 2

MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {EXPANDING CARTON}

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

MA holder: Vetoquinol UK Limited, Steadings Barn, Pury Hill Business Park, Nr. Alderton, Towcester, Northamptonshire, NN12 7LS

Manufacturers responsible for batch release:

- KVP Pharma + Veterinär Produkte GmbH, Projensdorfer Str. 324, 24106 Kiel, Germany
- EUROPHARTECH, 34 rue Henri Matisse, 63370 Lempdes, France

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear 3 in 1 Flavoured WORMER 150/144/50 mg **Tablets** for Dogs

3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS

ACTIVE SUBSTANCES

Light brown to brown round flat divisible tablet, cross scored on one side. Each tablet contains 150 mg febantel, 144 mg pyrantel embonate and 50 mg praziquantel.

4. PHARMACEUTICAL FORM

CONTENTS

2 tablets (= treatment for dogs up to 20 kg)

4 tablets (= treatment for dogs up to 40 kg)

5. PACKAGE SIZE

2 tablets 4 tablets

6 tablets 20 tablets

6. INDICATION(S)

Effective in One Dose

- Roundworms
- Tapeworms
- Hookworms
- Hipworms

7. CONTRAINDICATIONS

FOR SAFE USE

Not intended for use in puppies less than 3 kg and under 2 weeks of age. Do not use in pregnant dogs. Do not use simultaneously with other worming product.

8. ADVERSE REACTIONS

Bob Martin Clear 3 in 1 Flavoured Wormer Tablets for Dogs is well tolerated in dogs. In safety studies doses of 5 x greater gave rise to occasional vomiting. If you notice any serious effects or any other effects not mentioned on this packaging, please inform your veterinary surgeonMild and temporary upset stomach signs, such as vomiting and/or diarrhoea may occur in very rare cases. In individual cases, these signs can be accompanied by nonspecific signs such as lethargy, anorexia or hyperactivity

9. TARGET SPECIES

For Dogs

10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

DIRECTIONS:

Weigh your dog carefully before calculating the dose.

Give 1 tablet per 10 kg (22 lbs) bodyweight. Do not give any other dose than recommended without consulting your veterinary surgeon. The tablets should be given directly in the mouth of your dog but if necessary can be disguised in food. The tablets are scored into halves to enable a range of weights to be treated.

Dog's Weight	Dose
3 - 5 kg	½ tablet
> 5 – 10 kg	1 tablet
> 10 – 15 kg	1½ tablets
> 15 – 20 kg	2 tablets
> 20 – 25 kg	2½ tablets
> 25 – 30 kg	3 tablets
> 30 – 35 kg	3½ tablets
> 35 – 40 kg	4 tablets

For dogs weighing over 20 kg additional packs will be required.

For dogs weighing over 40 kg use Bob Martin Clear 3 in 1 Flavoured Wormer XL Tablets for Large Dogs.

If signs of disease appear or persist, consult a veterinary surgeon.

11. ADVICE ON CORRECT ADMINISTRATION

HOW OFTEN TO USE:

Treat puppies over 3 kg at 2 weeks of age, then every 2 weeks until 12 weeks old and every 3 months after that. The bitch should be treated at the same time as the puppies. Nursing bitches should be treated every 2 weeks after giving birth until weaning. Adult dogs should be treated every 3 months as a routine measure. In case of suspected heavy roundworm infestation, please contact your veterinary surgeon for diagnosis and treatment recommendation.

12. WITHDRAWAL PERIOD

13. SPECIAL STORAGE PRECAUTIONS

Keep the blister in the outer carton

Any part-used tablets should be discarded.

Do not use after the expiry date which is stated on the blister and carton after EXP. The expiry date refers to the last day of that month.

Do not store above 25°C.

14. SPECIAL WARNING(S)

USER WARNINGS

In case of accidental ingestion seek medical advice and show the packaging to the physician. In the interests of good hygiene, persons administering the tablet directly to the dog or by adding it to the dog's food should wash their hands afterwards.

Echinococcosis represents a hazard for humans. As Echinococcosis is a notifiable disease to the World Organisation for Animal Health (OIE), specific guidelines on the treatment and follow-up, and on the safeguard of persons, need to be obtained from the relevant competent authority.

15. EXPIRY DATE

EXP: end {month/year}

16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Disposal: Any unused veterinary medicinal products or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements.

17. PID LINK (Do not print heading)

[The following statement must be included where reference to the European Union Product Database is included on the product information. This statement is relevant to both UK(GB) and UK(NI) products:]

Find more product information by searching for the 'Product Information Database' on www.gov.uk.

18. THE WORDS "FOR ANIMAL TREATMENT ONLY" AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

AVM-GSL

UK Authorised Veterinary Medicinal Product

19. THE WORDS "KEEP OUT OF THE SIGHT AND REACH OF CHILDREN"

Keep out of the sight and reach of children,

20. MARKETING AUTHORISATION NUMBER(S)

Vm 08007/4154

21. MANUFACTURER'S BATCH NUMBER

Batch No. : {number}

22. OTHER INFORMATION

Clinically proven, Bob Martin Clear 3 in 1 Flavoured Wormer Tablets for Dogs is an effective treatment against all intestinal worms commonly found in the UK and Eire.

EFFECTIVE TREATMENT OF

✓ Roundworms ✓ Tapeworms ✓ Hookworms ✓ Whipworms

FOR BEST RESULTS

There is no permanent treatment for worms. Veterinarians recommend that weaned puppies and adult dogs be wormed every 3 months as a routine measure. Dogs may

become infected with worms by eating insects (including fleas and lice), birds, small rodents, rabbits or raw offal from affected sheep, goats and cattle. Dogs will continue to be re-infected unless the route of infection is controlled e.g. treating a flea infestation or preventing a dog from scavenging or hunting. To prevent *Echinococcus multilocularis* establishing in the UK and Ireland, dogs entering the country must be treated with a product containing praziquantel.

Distributed by Bob Martin (UK) Ltd, Wemberham Lane, Yatton, North Somerset, BS49 4BS. UK

YOUR GUARANTEE

If this product reaches you in an unsatisfactory condition, please return it to us and we will promptly replace it or refund your money. Your statutory rights are not affected.

For further advice or information on the Bob Martin pharmacy range of products, please write to FREEPOST Bob Martin.

Call our advice line on 00800 43 78 79 67.

Email: info@bobmartin.co.uk

Gavin Hall
Approved 16 October 2024