

DRAFT CARTON TEXT

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Bob Martin Clear Wormer 880mg Granules for Dogs

2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

4 grams Bob Martin Clear Wormer 880mg Granules for Dogs contains 880 mg fenbendazole

3. PHARMACEUTICAL FORM

A granular formulation of fenbendazole as a ready to use oral wormer.

4. PACKAGE SIZE

4g

5. TARGET SPECIES

Dogs

6. INDICATION(S)

For the treatment of adult dogs and weaned puppies infected with common roundworms.

7. METHOD AND ROUTE(S) OF ADMINISTRATION

Bob Martin Clear Wormer 880mg Granules for Dogs are odourless and tasteless and are readily consumed by animals.

Recommended doses for Adult Dogs:

The product should be sprinkled on the dog's food.

Routine treatment of adult dogs over 6 months: 1 g Bob Martin Clear Wormer 880mg Granules for Dogs per 2.2 kg (5 lbs) bodyweight as a single dose (= 100 mg fenbendazole per kg bodyweight)

Weight of animal	Dose required
2.2 to 4.4 kg (5-10 lbs)	2 grams
4.5 to 8.8 kg (10-20 lbs)	4 grams
8.9 to 13.2 kg (20-30 lbs)	6 grams

13.3 to 22 kg (30-50 lbs)	10 grams
22.1 to 35.2 kg (50-80 lbs)	16 grams
35.3 to 50 kg (80-110 lbs)	22 grams

Treatment should be repeated 2 to 4 times per year as natural re-infection with worms occurs. More frequent treatment at 6 to 8 weekly intervals is advisable for dogs in kennels.

Recommended doses for Puppies:

Weaned puppies under 6 months of age: 1g Bob Martin Clear Wormer 880mg Granules for Dogs per 4.4kg (10 lbs) bodyweight daily for three consecutive days (= 50 mg fenbendazole per kg bodyweight for 3 days).

Puppies should be treated at 2 weeks of age, 5 weeks of age and again before leaving the breeder's premises.

Further treatments are recommended at 8 and 12 weeks of age. Thereafter, frequency can be reduced unless the pups are housed in kennels where reinfection occurs more readily.

Weigh of animal in kg (lbs)	Daily dose for 3 days	Total quantity of Bob Martin Clear Wormer Granules required for 3 days
2.2 - 4.4 kg (5-10 lbs)	1 gram per day	3 grams
4.5 - 8.8 kg (10-20 lbs)	2 grams per day	6 grams
8.9 - 13.2 kg (20-29 lbs)	3 grams per day	9 grams
13.3 - 17.6 kg (30-40 lbs)	4 grams per day	12 grams

8. WITHDRAWAL PERIOD

9. SPECIAL WARNING(S), IF NECESSARY

Assess bodyweight as accurately as possible before calculating the dosage.

Part used sachets should not be administered.

For the treatment of pregnant dogs consult a veterinary surgeon.

If signs of disease persist or appear consult your veterinary surgeon.

User Warnings:

Direct contact with the skin should be kept to a minimum.

Wash hands after use. Avoid inhalation of dust.

10. EXPIRY DATE

DOM:

Exp:

11. SPECIAL STORAGE CONDITIONS

Do not store above 25°C.

Keep sachets in outer carton.

12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY

Dispose of empty packaging and any remaining product in the household refuse.

13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, if applicable

FOR ANIMAL TREATMENT ONLY

Legal Category

AVM-GSL

14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

KEEP OUT OF THE SIGHT AND REACH OF CHILDREN

15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Marketing Authorisation Holder

Norbrook Laboratories Limited

Station Works, Newry,

Co. Down, BT35 6JP

Northern Ireland

Batch release site and distributed by:

Bob Martin UK Ltd

Wemberham Lane, Yatton,

North Somerset, BS49 4BS

Email us at pharmacy@bobmartin.co.uk

16. MARKETING AUTHORISATION NUMBER(S)

Vm 02000/4386
ManA 2000

17. MANUFACTURER'S BATCH NUMBER

BN: