

United Kingdom
Veterinary Medicines Directorate
Woodham Lane
New Haw
Addlestone
Surrey KT15 3LS

NATIONAL PROCEDURE

PUBLICLY AVAILABLE ASSESSMENT REPORT FOR A VETERINARY MEDICINAL PRODUCT

CaniTrio Chewable Tablets for Dogs 1.25–2.5 kg CaniTrio Chewable Tablets for Dogs >2.5-5 kg CaniTrio Chewable Tablets for Dogs >5-10 kg CaniTrio Chewable Tablets for Dogs >10-20 kg CaniTrio Chewable Tablets for Dogs >20-40 kg CaniTrio Chewable Tablets for Dogs >40-60 kg

Date Created: February 2024

MODULE 1

PRODUCT SUMMARY

Name, strength and pharmaceutical form CaniTrio Chewable Tablets for Dogs >1.25–2.5 kg CaniTrio Chewable Tablets for Dogs >2.5-5 kg CaniTrio Chewable Tablets for Dogs >5-10 kg CaniTrio Chewable Tablets for Dogs >5-10 kg CaniTrio Chewable Tablets for Dogs >20-40 kg CaniTrio Chewable Tablets for Dogs >20-40 kg CaniTrio Chewable Tablets for Dogs >40-60 kg Applicant Zoetis UK Limited 1st Floor, Birchwood Building Springfield Drive Leatherhead Surrey KT22 7LP Active substance ATC Vetcode QP54AB52 Target species Dogs Indication for use For dogs with, or at risk from, mixed external and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against lxodes hexagonus, lxodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; For the treatment of flea infestations (Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks; - The veterinary medicinal product can be		
1st Floor, Birchwood Building Springfield Drive Leatherhead Surrey KT22 TLP Active substance ATC Vetcode QP54AB52 Target species Dogs Indication for use For dogs with, or at risk from, mixed external and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites — For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; — For the treatment of flea infestations (Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;		kg CaniTrio Chewable Tablets for Dogs >2.5-5 kg CaniTrio Chewable Tablets for Dogs >5-10 kg CaniTrio Chewable Tablets for Dogs >10-20 kg CaniTrio Chewable Tablets for Dogs >20-40 kg
ATC Vetcode QP54AB52 Target species Indication for use For dogs with, or at risk from, mixed external and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; For the treatment of flea infestations (Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;	Applicant	1st Floor, Birchwood Building Springfield Drive Leatherhead Surrey
Target species Dogs For dogs with, or at risk from, mixed external and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; For the treatment of flea infestations (Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;	Active substance	Sarolaner, moxidectin and pyrantel
Indication for use For dogs with, or at risk from, mixed external and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; For the treatment of flea infestations (Ctenocephalides felis and Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;	ATC Vetcode	QP54AB52
and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites - For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; - For the treatment of flea infestations (Ctenocephalides felis and Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;	Target species	Dogs
– I he veterinary medicinal product can be	Indication for use	and internal parasitic infestations. The veterinary medicinal product is exclusively indicated when use against ticks, fleas or mites and gastrointestinal nematodes is indicated at the same time. The veterinary medicinal product also provides concurrent efficacy for the prevention of heartworm disease, angiostrongylosis and thelaziosis. Ectoparasites - For the treatment of tick infestations. The veterinary medicinal product has immediate and persistent tick killing activity for 5 weeks against Ixodes hexagonus, Ixodes ricinus and Rhipicephalus sanguineus and for 4 weeks against Dermacentor reticulatus; - For the treatment of flea infestations (Ctenocephalides felis and Ctenocephalides canis). The veterinary medicinal product has immediate and persistent flea killing activity against new infestations for 5 weeks;
		- The veterinary medicinal product can be

- used as part of a treatment strategy for the control of flea allergy dermatitis (FAD).
- For the treatment of sarcoptic mange (caused by Sarcoptes scabiei var. canis).
- For the treatment of demodicosis (caused by *Demodex canis*).

Gastrointestinal nematodes

For the treatment of gastrointestinal roundworm and hookworm infections:

- Toxocara canis immature adults (L5) and adults;
- Ancylostoma caninum L4 larvae, immature adults (L5) and adults;
- Toxascaris leonina adults;
- Uncinaria stenocephala adults.

Other nematodes

- For the prevention of heartworm disease (*Dirofilaria immitis*);
- For the prevention of angiostrongylosis by reducing the level of infection with immature adult (L5) stages of Angiostrongylus vasorum.
- For the prevention of establishment of thelaziosis (adult *Thelazia callipaeda* eyeworm infection).

MODULE 2

The Summary of Product Characteristics (SPC) for this product is available on the Product Information Database of the Veterinary Medicines Directorate.

(www.gov.uk/check-animal-medicine-licensed)



PUBLIC ASSESSMENT REPORT

Legal basis of original application	Informed consent application in accordance with Article 13(c) of Directive 2001/82/EC as amended.
Date of conclusion of the procedure	17/01/2024

I. SCIENTIFIC OVERVIEW

The quality / safety / efficacy aspects of these products are identical to Simparica Trio Chewable Tablets for Dogs

V OVERALL CONCLUSION AND BENEFIT- RISK ASSESSMENT

The data submitted in the dossier demonstrate that the benefit/risk profile of the product(s) is favourable.



POST- AUTHORISATION ASSESSMENTS

The SPC and package leaflet may be updated to include new information on the quality, safety and efficacy of the veterinary medicinal product. The current SPC is available on the Product Information Database of the Veterinary Medicines Directorate website.

(www.gov.uk/check-animal-medicine-licensed)

The post-authorisation assessment (PAA) contains information on significant changes which have been made after the original procedure which are important for the quality, safety or efficacy of the product.

The PAA for this product is available on the Product Information Database of the Veterinary Medicines Directorate website.

(www.gov.uk/check-animal-medicine-licensed)