

## Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Telephone +44 (0)1932 336911

## **Post Authorisation Assessments**

## 

•	28 April 2023	Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.  Change in pack size of the finished product: - Change in the number of units (e.g., tablets, ampoules, etc.) in a pack outside the range of the currently approved pack sizes.
•	06 December 2022	New certificate of suitability from an already approved manufacturer.