

Woodham Lane, New Haw, Addlestone, Surrey KT15 3LS Telephone +44 (0)1932 336911

## **Post Authorisation Assessments**

## Furosemide Tablets BP (Vet) 20 mg Vm 04409/4001

	10 May 2004	Deduction in the testion for an or of an analysis f
•	18 May 2024	Reduction in the testing frequency of an analysis, from
	04 Data walk an 0000	routine testing to skip or periodic testing.
•	21 December 2022	Addition of microbiological testing site.
•	06 December 2022	Change in the name or address or contact details of a
		qualified person for pharmacovigilance.
•	31 August 2022	Change in the specification limits for dissolution of the
		finished product.
		Change in assay specification limits testing method.
		Changes in the related substances specification.
		Replacement of a batch release testing site for a finished
		product.
	40 May 2022	Addition of a batch release site.
•	18 May 2022	Change in the QPPV of an existing pharmacovigilance
	22 April 2021	system as described in the DDPS.
•	22 April 2021	Change in storage conditions of the finished product.
•	18 March 2021	Addition of a new specification parameter to the
		specification with its corresponding test method of the
		finished product.
		Update of the dossier to comply with the provisions of an
		updated general monograph of the Ph. Eur for the finished product.
		Change in the specification parameters and/or limits of
		the finished product.
		Addition of new tests and limits applied during the
		manufacture of the finished product.
		Submission of an updated Ph. Eur. certificate of
		suitability for an active substance from an already
		approved manufacturer.
•	03 November 2020	Change in the QPPV of an existing pharmacovigilance
		system as described in the DDPS.
		Change in the QPPV of an existing pharmacovigilance
		system as described in the DDPS.
•	28 January 2020	An update to amend the source of a supplier of an
		excipient.
•	14 January 2020	Change in the safety database of an existing
		pharmacovigilance system as described in the DDPS.
•	02 January 2020	Tightening of in-process limits applied during the
		manufacture of the finished product.
		Tightening of specification limits of the finished product.
		Addition of a new specification parameter to the
		specification with its corresponding test method of the
		finished product.

		Addition of a gite where botch control/testing takes place
		Addition of a site where batch control/testing takes place.
		Deletion of manufacturing site for an active substance.
		Deletion of manufacturing site for finished product.
		Submission of an updated Ph. Eur. certificate of
		suitability for an active substance from an already
		approved manufacturer.
•	02 January 2020	Tightening of specification limits of the finished product.
		Tightening of in-process limits applied during the
		manufacture of the finished product.
•	06 July 2018	Change in the name of a manufacturer of active
		substance used in the manufacture of the active
		substance.
		Replacement of a site where batch control/testing takes
		place.
•	29 October 2010	Addition of a manufacturing site for testing of dosage
		form
•	24 March 2009	Addition of a manufacturing site for all of the
		manufacturing process of the finished product
•	19 December 2008	Introduction of a new label type
•	19 November 2008	Change or addition of imprints, bossing or other
		markings (except scoring/break lines) on tablets or
		printing on capsules, including replacement, or addition
		of inks used for product marking.
•	16 November 2006	Changes to the SPC and Product Literature to bring in
		line with new legislation
•	31 March 2006	Renewal
•	14 October 2004	Change of name of product from 'Frusemide Tablets BP
		20mg' to 'Furosemide Tablets BP (Vet) 20mg'
•	16 April 2004	Addition of a manufacturing site for the finished product
•	31 January 2003	Addition of a manufacturer of the active substance
•	08 November 2002	Change of specification of the finished product
•	30 November 1999	Addition of a manufacturer of the active substance