

**MINIMUM PARTICULARS TO APPEAR ON THE LABEL WHERE THERE IS NO PACKAGE LEAFLET, E.g. Concertina Labels. {NATURE/TYPE}**

**1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

Evans Vanodine International Plc  
Brierley Road  
Walton Summit  
Preston  
Lancashire  
PR5 8AH

**2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

GENUS CONCENTRATE TEAT DIP AND TEAT SPRAY SOLUTION 2.15% w/v .

**3. STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENTS**

Iodine, Glycerol and Sorbitol.

**4. PHARMACEUTICAL FORM**

Concentrate for teat dip/spray solution.

Contains 2% w/v glycerol and 18% sorbitol

Active ingredient: Contains 2.15% w/v available iodine, 18% w/v sorbitol and 2% w/v glycerol.

Concentrated teat dip  
Effective aid in the control of mastitis

**INSTRUCTIONS FOR USE**

**5. For use only as an aid in the control of bovine mastitis. This concentrate should be diluted prior to use. Dilute product should not be stored above 25°C. PACKAGE SIZE**

5,25,60,200.

Additional wording required on 200 litre label:  
200 litre label: This container should only be used once and should not be returned for re-filling.

**6. INDICATION(S)**

*[Optional. In case of space restriction and if the indication is clear from the name of the product, the indication should not be repeated]*

**7. CONTRAINDICATIONS**

## 8. ADVERSE REACTIONS

## 9. TARGET SPECIES

## 10. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

### Teat dipping

For routine dipping use a solution of one part of this product with three parts of clean water to give 5000ppm available iodine minimum. Fill a suitable teat dip cup about two-thirds full with the prepared solution and dip each teat immediately after milking. Ensure the full length of the teat is covered. Replenish the teat dip cup as necessary. Teat dip cups should be emptied after use and washed before re-use. Wash and dry udder before next milking.

### Teat spraying

For routine spraying, use a solution of one part of this product with three parts of clean water immediately after each milking. Ensure that the entire surface of each teat is covered during spraying. Wash and dry teats and udder before next milking.

### Udder Washing and Cluster Dipping

Prepare a fresh solution daily. Dilute this product in the proportion one part with 500 parts clean water to give 40 ppm minimum available iodine (1 fl oz in 3 gallons, 20 mls in 10 litres). To help prevent cross infection, the use of a separate udder cloth for each cow or disposable paper towels is strongly recommended. Udder cloths should be allowed to soak in the solution. Dry teats before milking. Immerse clusters and agitate for at least half a minute. Rinse thoroughly in clean water before use.

## 11. ADVICE ON CORRECT ADMINISTRATION

### CONCENTRATE

The following safety phrases relate to the concentrated product only, and do not apply once the product is diluted to the working solution:

Risk of serious damage to eyes. Wear eye/face protection when preparing the dip or spray.

### DILUTED WORKING SOLUTION

When using as a spray, avoid working in spray mist.

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this container or label.

Hands and exposed skin should be washed after using this product.

Do not eat, drink or smoke while using the product.

Keep away from food, drink and animal feedstuffs.

## 12. WITHDRAWAL PERIOD

Milk: Zero hours.

Meat: Zero days.

## 13. SPECIAL STORAGE PRECAUTIONS

Do not store above 25°C.

Store in tightly closed original container.

Protect from frost.  
Diluted product should not be stored above 25°C.  
Protect from light.  
Once diluted use the product within 3 months.  
Store diluted product only in glass or plastic containers.

**14. SPECIAL WARNING(S)<User Warnings>**

For animal treatment only. For external use only. Keep out of the sight and reach of children.  
If signs of disease persist or appear, consult your veterinary surgeon.  
Not for use on broken skin.

**15. EXPIRY DATE**

**16. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Harmful to fish and aquatic life. Do not contaminate ponds, waterways or ditches with the product or empty container. Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority. To dispose of unused product to land you must have an authorisation under the Groundwater Regulations 1998.

**17. DATE ON WHICH THE LABEL WAS LAST APPROVED**

September 2009

**18. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

For animal treatment only.

*[Distribution category]*

**19. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children.

**20. MARKETING AUTHORISATION NUMBER(S)**

Vm <number>

Vm03940/4073

**21. MANUFACTURER’S BATCH NUMBER**

**22. OTHER INFORMATION>**

**Approved: 09/10/2017**

A handwritten signature in black ink, appearing to read 'J. Berg'.